



Husqvarna®

PROFESSIONAL PRODUCTS AND SERVICES 2021

AUTOMOWER® EPOS
WITH VIRTUAL BOUNDARIES

**New levels
of mowing
convenience.**

FORESTRY & ARBORIST TREE CARE

**Everything you need for
the very best workday.**

Products, accessories and digital solutions for a smarter work life.

WE'RE COMMITTED TO YOUR SUCCESS

At Husqvarna we take pride in the fact that we're always tuned in. To you, your business and your needs and requirements. This mindset results in solutions aimed at improving your work, your business and your productivity. Through our robotic lawn mowing concept, battery-powered equipment and fleet management solutions, we continuously help create the best conditions for a healthy business.

But just as much, we always strive to be attuned to the next level, working to understand the needs of those around our products – park and city dwellers, home owners and society and nature at large. Through constant development and innovation, we raise the bar for our products and services – to make your workday better and more productive. And to produce better, more sustainable results. For you. For us. For everyone. Every day.

READ MORE ON PAGES 6–17

FIVE REASONS WHY PROFESSIONALS CHOOSE HUSQVARNA

There are many reasons why professionals choose Husqvarna products and services, packed with benefits that will make your work easier and better. Here we present five ways to increased productivity and performance, as well as a better work environment.





CONTENTS

PRODUCT NEWS 2020	18	
CHAINSAWS	22	
FORESTRY CLEARING SAWS	50	
BRUSHCUTTERS AND TRIMMERS	56	
HEDGE TRIMMERS	78	
BLOWERS	86	
POWER CUTTERS	94	
FRONT MOWERS	102	
ZERO-TURN MOWER	116	
ROBOTIC MOWERS	120	
LAWN MOWERS	130	
BATTERIES AND CHARGERS	138	
FUEL AND LUBRICANTS	146	
PROTECTIVE EQUIPMENT	150	
XPLORER LEISURE COLLECTION	166	
HUSQVARNA SUPPORT	170	

READ MORE ON PAGE 14

HUSQVARNA FLEET SERVICES™

Monitor and control your robotic mowers. Keep track of your equipment, get comprehensive overviews, stay connected to your work and keep tabs on location, service needs, inventory, emissions and much more with Husqvarna Fleet Services™.



Husqvarna conducts continuous product development and reserves the right to change designs, specifications and equipment levels without prior notification. All products with moving parts can be dangerous if used improperly. Always read the instructions carefully. Equipment and performance can vary from market to market. Ask your dealer about available equipment and performance in your market. Regarding design and use of reflective clothing, carefully check the legal requirements in your country. All technical data was current at time of printing. However such data is subject to change due to product development. We cannot accept responsibility for printing errors.

CONSIDERING BUYING A MACHINE?

THINK AGAIN.

We all need to re-think how we do things to ensure a sustainable future. We're committed to do our part. That's why we create digital tools that allow you to have updated statistics on your entire fleet. That's why we keep on developing battery machines that are as powerful as petrol-driven ones. And this is why we always have a circular mindset when we explore new solutions for the ownership and access to our products. And these are but a few of the many big and small things we're working on.

So, the next time you consider buying a machine from us, ask yourself this: Do I really need it (based on statistics from your fleet)? And if so, is there a battery option (in most cases, yes indeed)?

Join us on a sustainability journey that's good for you, your business and our planet.

The **changeover starts here!** 

With fewer machines, everybody wins.

With Husqvarna Fleet Services™, we give you access to machine data so you can avoid having too many machines that you seldom use, which is a waste of resources. A winning concept for both your finances and our environment. **See page 14.**



May this force be with you.


Go all-in on battery power and enjoy highly efficient, fume-free and virtually silent operations. Our battery machines allow you to reduce costs and stay competitive even when customers and regulations challenge us with tougher expectations.

See pages 10–11.



Let a robotic mower roam free.


Automower® roams free to deliver a consistently even, carpet-like lawn. Virtually silent with no direct emissions, it frees up valuable time so you can get on with your next task. **See page 120.**



Use someone else's machine.

We believe that sharing equipment could be a great complement in the future. Therefore, we're conducting test projects such as "Tools For You".

See [husqvarna.com](https://www.husqvarna.com)



Make a smaller impression.

When you change from petrol-driven products to battery machines, you can see the environmental impact of every action you take. All thanks to our digital function the Carbon Footprint Calculator. **See page 17.**




A cleaner working place.

Even though we've powerful battery products, you sometimes need petrol machines for really tough tasks. Luckily, our X-Torq® engine significantly reduces the exhaust emissions. Good for you and people nearby. **See page 9.**



Refuel with nature.

Re-Power, our alkylate fuel with renewable content, provides cleaner combustion and less direct emissions. This extends your machines' lifetime, improves your working environment and reduces the carbon footprint. Worth switching to, don't you think? **See page 149.**



1**PROFESSIONAL 500 SERIES**

DEDICATED TO THE TRUE PROFESSIONALS

Husqvarna's 500 series of products have been designed to perform. To deliver impressive results and to withstand tough usage day in, day out. No matter if you choose a battery powered or petrol powered machine, every detail has been developed with professional use in mind, to maximize performance and productivity and make easy work of the toughest of jobs. Year in, year out.

COMPREHENSIVE RANGE

ALL YOU NEED TO GET IT DONE

No matter if you're tasked with trimming hedges, mowing wide expanses of grass or taking down an entire grove of trees, we can supply you with all that you need to do your job, efficiently and conveniently. In our range you'll find everything from professional handheld machines, wheeled mowers and tillers to powerful chainsaws with optimized manoeuvrability. We're world leaders in robotic mowers that will produce the perfect cut while you spend your time on other tasks. And, naturally, we offer service and support to keep you up and running.

HEAVY-DUTY DESIGN

DURABLE AND TOUGH. JUST LIKE YOU.

Professional green care work can be demanding and challenging. This is why Husqvarna's 500 series excels when it comes to durability and longevity. Every single part of our machines has been carefully chosen, developed and tested to withstand heavy-duty usage, to maximize uptime, minimize unplanned stops and repetitive maintenance procedures.

FEATURES AND BENEFITS

INCREASE YOUR PRODUCTIVITY

Your professional equipment needs to be durable and reliable. But it also has to get the job done as efficiently as possible. Husqvarna machines are always developed with usage and productivity in mind. This means that you can rest assured they deliver both high power and fast speeds, while never compromising on safety, ergonomics or care for your surroundings. We manage this by constantly exploring new technologies and innovations and by adding smart features and functions that all increase you and your business' efficiency and productivity.

USER-CENTRIC FOCUS

TAKING CARE OF YOU

Vibration damping with Low Vib®, easy starts with Start Mode, comfortable handlebars or specially designed, ergonomic harnesses. Thanks to Husqvarna's excellent, purposeful features and functions paired with well-balanced and lightweight machines, you will experience better ergonomics, less vibrations and an easier workday. This all translates into a better workday – and just as much into your overall well-being.

2

HUSQVARNA ENGINE AND MOTOR TECHNOLOGY

THE POWER YOU NEED TO SUCCEED

No matter if you choose petrol or battery power, you can always rely on Husqvarna technology to deliver the required results. Characterized by our long and proud history of engineering, our 2-stroke engines and electric motors are all developed to maximize performance and durability. All to increase your productivity.

HUSQVARNA ELECTRICAL E-TORQ MOTORS


The unique Husqvarna E-TORQ motors are developed and produced by Husqvarna and are perfectly adapted for each application. The brushless design minimizes the number of moving parts and the encapsulated motors are built to withstand tough, prolonged professional use, are completely maintenance-free and designed to last the entire product-life.

BRUSHLESS MOTORS – HIGH PERFORMANCE

The brushless motors deliver high constant torque from low rpms enough for the most demanding tasks. All to ensure uptime and productivity.

DESIGNED BY HUSQVARNA – MADE FOR A PERFECT FIT

Electric control units and batteries are all designed by Husqvarna. This means we can optimize the complete system, resulting in machines with low weight, slim design and excellent balance.



HIGH ENERGY – HIGH EFFICIENCY

To ensure a long runtime, efficient components with minimal energy losses are essential. All our motors, control units and batteries are developed with high efficiency in mind. This means that as much as possible of the energy within the battery is being utilized for real work.

HUSQVARNA 2-STROKE ENGINES

We've been refining the 2-stroke petrol engine ever since we started making motorcycles in 1903. This continuous strive for perfection has resulted in today's powerful, reliable and efficient engines. But we don't stop there. What really sets modern Husqvarna engines apart are their innovative features, features that make sure they deliver top performance in any conditions, while using every drop of fuel to the max.

X-TORQ® – BOOSTING ENERGY EFFICIENCY

X-Torq® engines deliver great combustion efficiency, with no compromise on power or torque. Every cycle, the cylinder is flushed with fresh air before the air/fuel mixture enters the cylinder, to prevent unburnt fuel from mixing with the exhausts. This translates into a daily user benefit, lowering emissions and saving on fuel, compared to previous models without X-Torq®.

QUICK, RELIABLE AND POWERFUL ACCELERATION

Husqvarna's professional 2-stroke engines are optimized to deliver maximum acceleration and high torque. When combined with a quick engine start, the acceleration will allow you to get the job done faster, never compromising on the output or reliability.



AUTOTUNE™

FULL ENGINE PERFORMANCE

With AutoTune™, you can always expect reliable starts and maximum performance from your Husqvarna. It's an automatic feature that constantly fine-tunes the air-fuel mixture, compensating for factors such as humidity, altitude, temperature, fuel quality and, not least, air filter clogging. Your engine runs perfectly – and you never have to tune the carburettor manually again.

3

BATTERY SERIES

NOTHING IS NEW, EXCEPT EVERYTHING

It may look exactly the same. And yes, it will perform on the impressive levels that you're used to. But still, it's new. It's changed. It's been built to make new levels of efficiency possible. Because – above all – it's better. For you, your hands and your body. And for the environment and the future.

For any professional, our battery-powered equipment is a sheer pleasure to work with. From the low vibration levels to the perfect balance and the protected, encapsulated motor, the battery products will help both you and the environment to be better.

USER INTERFACE

TAKING BATTERY CONVENIENCE TO A NEW LEVEL

Husqvarna battery-powered machines are as convenient as they come. You start and stop it with the push of a button and control it easily with the user-friendly keypad. The intuitive user interface clearly displays the battery status and speed settings. For increased safety, a LED light indicates when the machine is on, and a timer automatically switches it off after a period of inactivity.

WATER-PROOFED DESIGN

KEEP WORKING IN ANY WEATHER

Come rain, wind or sunshine. Thanks to a well-thought-out and rigorously tested design, our battery machines fulfil IPX4 – a strict weather protection classification standard for electronic products. This makes them long-lasting and reliable tools – particularly good for working in wet conditions.



PERFORMANCE

READY FOR PROFESSIONAL USE

Our professional range of battery-powered machines is now stronger than ever, offering impressive power-to-weight ratio, high capacity and performance on par with some of their most powerful petrol counterparts. The power output in each machine will deliver full torque from zero rpm and has been adapted to the intended application while the heavy-duty design and active cooling allow you to work uninterrupted in any weather. Plus, the machines come with additional smart features, making work even more efficient and productive.

FLEXIBILITY

JUST PICK A BATTERY AND CONNECT

Husqvarna's battery system is based on a common platform for maximum flexibility. This means you can pick and choose almost freely among our batteries, chargers and accessories, depending on your needs. Whether you opt for carrying your batteries on your back, in your belt or in the machine itself, it all fits together beautifully. Just as easy as it should be. [Read more on pages 138-145.](#)

DEVELOPED INHOUSE

PERFECT FIT, PERFECT PERFORMANCE


Husqvarna's lithium ion batteries are all developed and tested by Husqvarna. We've paid great attention to ensure constant high performance, durability, long lifetime and short charging time. And thanks to Husqvarna's unique design where all vital parts are encapsulated, the batteries are also rain- and dust resistant. This means you're able to keep going – no matter the conditions.

4

LAWN MOWING CONCEPT

THE RIGHT MACHINES AREN'T ALWAYS THE BIGGEST

No two lawns are the same. That's why we offer a wide range of equipment – from our high-capacity zero-turn and front mowers, to our handy trimmers and walk-behind mowers. By always choosing the right one for the job, you get it done as quickly as possible, and avoid spending unnecessary time on touch-up trimming. And with the addition of our professional robotic mowers, you might not even have to spend any time at all.



PROFESSIONAL ROBOTIC MOWERS

GIVES EVERY LAWN A PERFECT CUT. YOU JUST WATCH IT.

Our professional Automower® robotic mowers come with class-leading terrain performance and slope performance (the Automower® 535 AWD handles an impressive 70%). They can handle passages as tight as 60 cm and deliver an impressive cut quality. And best of all, they work effortlessly 24/7, while you have total control from anywhere – from the office or out in the field – with Husqvarna Fleet Services™.

[Learn more on pages 120–129.](#)



PROFESSIONAL FRONT MOWERS

**BIG ENOUGH TO DO IT QUICKLY.
AGILE ENOUGH TO DO IT ANYWHERE.**

No need to leave your seat until you're done. Our commercial front mowers offer the best of two worlds. You get the high capacity you need to mow large lawns quickly, as well as the agility you need to trim around bushes, fences and park benches, thanks to the articulated steering and low cutting-deck profile. All while delivering fantastic results.

[Learn more on pages 102-115.](#)

5

HUSQVARNA FLEET SERVICES™

AN EASIER WAY TO KEEP TRACK OF YOUR EQUIPMENT

JUST PUT ONE OF THESE ON EVERY PIECE OF EQUIPMENT



Keeping track of your equipment has never been easier. Just attach Husqvarna sensors, and you'll always know where your machines are, how much they've been used, when they need service and much more. For Husqvarna Automower®, the connectivity for monitoring is built in, right from the start. You always have total control from your computer, tablet or smartphone. **Learn more overleaf.**



3-MONTH FREE SUBSCRIPTION TRIAL

Try Husqvarna Fleet Services™ and find out how it can improve your business. It's easy to get started. Buy the number of sensors you need and try out the new levels of control the service offers – free of charge for a trial period of three months.

Read more on [husqvarna.com/fleetservices](https://www.husqvarna.com/fleetservices) for terms and conditions.



SAVE TIME AND MONEY BY REMOTELY CONTROLLING YOUR ROBOTIC MOWERS

A lot of machine data and smart functions allow you to save much time and money, to further develop your business. Our professional robotic mowers for example, have built-in connectivity and you can easily track and control them from anywhere.

[Learn more on pages 124-125.](#)

HOW IT MAKES YOUR WORKDAY EASIER

IMPROVED
FILTERING WITH
TAGS

INVENTORY CONTROL

ALL YOUR EQUIPMENT IN ONE PLACE

Don't rely on paperwork. With Husqvarna Fleet Services™, you just check the inventory list, and you know exactly how many machines you have of each type. Give them unique names, and you can easily tell which is which. You can add sensors to all sorts of equipment, even machines from other manufacturers.



By using tags, different machines can be categorized and "tagged" for different purposes. Examples can be "tagging" machines for different locations, to different teams, etc. This grouping provide an easier handling in the everyday work for the different roles in Husqvarna Fleet Services™.

MACHINE LOCATION

TRACK THEM ALL ON THE MAP

Always keep track of where you last had your equipment. As soon as a machine with a sensor is within Bluetooth® distance from the app, its location is registered. So whenever you're looking for a machine, you just check the map to find out if it's in the storage, away for service or out working. Our robotic mowers have built-in GPS and connectivity, allowing them to be tracked constantly.

The tag feature makes it possible to have grouped machines performing specific tasks within specific pre-set geographic locations, something especially beneficial for our robotic mowers that have built-in GPS and connectivity, allowing them to be tracked constantly.





CARBON FOOTPRINT A HANDY TOOL FOR REDUCING CO₂ EMISSIONS


Whether you work for a municipality or a commercial contractor, reducing CO₂ emissions is an important target. The Carbon Footprint Calculator provides you with the data and insights you need to take action – and of course, to report your progress to your stakeholders.


MACHINE STATISTICS SEE WHEN AND HOW MUCH YOU'VE USED IT

Since the sensors track the engine hours of every machine, you can easily get an overview with Husqvarna Fleet Services™. You can produce a workday log with detailed information on how many hours they have been used every day.

SERVICE OVERVIEW SERVICE HISTORY AND NOTIFICATIONS

By using Husqvarna Fleet Services™, you always have access to the service history for each piece of equipment, making it much easier to keep track of its status and troubleshoot in case of a breakdown. You can also get service reminders based on actual engine hours or calendar time, to make sure your equipment is always in great shape.





PRODUCT NEWS 2021

WE ARE THE VERY BEST WORKDAY

HUSQVARNA T540i XP® AND HUSQVARNA 540i XP®

Impressive cutting capacity – on par with a professional 40cc petrol chainsaw. To that, we've added user-centric manoeuvrability and precision as well as all the benefits and the convenience of battery power: free from direct emissions, less vibrations and less noise. The Husqvarna T540i XP® top-handle – and its companion, the rear-handle 540i XP® – are raising the bar for all arborists and tree care specialists – climbing the treetops, or with their feet firmly on the ground. The T540i XP® saw owes much of its efficiency to the brand-new BLi200X battery, specifically designed for this top-handle game changer, to maximize the power output without compromising on weight or balance. **Pages 30 – 33 and 144**



KEEP YOUR COOL IN STYLE

For tree care professionals who're looking for the perfect combination of comfort and protection, this helmet features numerous air intakes for superb ventilation as well as a choice of three different visors. **Page 154**



PRODUCT NEWS 2021

THE FUTURE OF ROBOTIC MOWING IS HERE

HUSQVARNA AUTOMOWER® EPOS TECHNOLOGY


The world has become less and less dependent on wire connections for quite some time. But now, robotic mowing goes wireless, for real. With Husqvarna's new EPOS Automower® robotic mower, the robotic mowing possibilities are more flexible than ever. Use one mower for multiple areas connected by transport paths, all guided by virtual boundaries. No more laying of boundary wire. Actually, no more wires at all. Mowing just went completely wireless. **Page 120**






TRIM ALL THE WAY TO THE TOP

When reach is of the essence, the new Husqvarna pole hedge trimmers 525HE4 and 525HE3 will get the job done. The trimmers are double sided and have an adjustable cutter bar with a reach of up to 3 or 4 metres, allowing you to comfortably and efficiently trim the top of tall hedges without the need for ladders or cherry pickers. [Page 82](#)



TAKE CARE OF THE BRUSH IN COMFORT

Brushcutting jacket and trousers that will provide ample protection, durability and comfort. Designed for maximized mobility, both jacket and trousers have extra padding for protection of vital areas. [Page 158](#)



WHEN IT RAINS, IT POURS

Husqvarna's ventilated rain wear will keep you dry when the storm hits. Made from watertight, durable and stretchable material, with feature smart features such as welded seams and snap protected pockets. [Pages 160-161](#)

RESPONSIVE POWER AT YOUR FINGERTIPS

Working with a chainsaw can be a tough job. That's why you'll always be able to rely on your Husqvarna to provide you with rapid acceleration and reliable power. Our chainsaws also come with an ergonomic design and a number of smart features, making them extremely comfortable to use, so you can do your work safer and more efficiently – hour after hour, day after day.



X-TORQ®

ALL THE POWER YOU NEED. WITHOUT ALL THE FUMES YOU DON'T.

X-Torq® engines deliver great combustion efficiency, with no compromise on power or torque. Every cycle, the cylinder is flushed with fresh air before the air-fuel mixture enters the cylinder, to prevent unburnt fuel from mixing with the exhausts. The result? A significant reduction of exhaust emissions as well as improved fuel efficiency, compared to similar models without X-Torq®.

USER-CENTRIC DESIGN

DESIGNED FOR HUMANS

High power is not necessarily synonymous with heavy, cumbersome machines. When we design our chainsaws, we always set out to make your work easier. Husqvarna chainsaws all come with smart design features that provide optimized manoeuvrability, making them easy to twist and turn.



BATTERY CHAINSAWS

CLEAN AND QUIET, YET POWERFUL

Less vibrations and less noise. And no direct emissions. But still all the power you need to get the job done. On top of that, the convenience of easy starts and stops, at the press of a button. Our powerful battery chainsaws will help you to a better – just as productive – workday.

SMART FEATURES

IT'S ALL IN THE DETAILS

Husqvarna chainsaws come loaded with a host of smart features that make them more ergonomic to handle and easy to start. Their durable design, along with their safety features are second-to-none for keeping you and the machine in good working condition.



X-CUT™ CHAINS AND X-FORCE™ BARS

ADD A WHOLE NEW LEVEL OF CUTTING PERFORMANCE

The new line of X-Cut™ chains and X-Force™ bars have been designed specifically for Husqvarna chainsaws. Every detail has been optimized to perfection, to provide excellent sharpness, extreme durability and low weight. This translates into impressive cutting performance, maximized results with a minimum of downtime. [Read more on page 40.](#)



PERSONAL PROTECTIVE EQUIPMENT

PROTECT YOURSELF AND WORK MORE SAFELY


Our extensive range of protective equipment offers the latest innovations in design and material. All our clothing will provide you with the level of protection and comfort you need to get the job done, not only safely, but also efficiently. [Read more on page 152.](#)

AIR INJECTION™**KEEPING THE DUST OUT.
AND YOU GOING.**

Air Injection™ is a valuable feature that efficiently purifies the air before it reaches the engine. By centrifuging the incoming air, it removes saw dust and other particles, to keep the filter unclogged, allowing the engine to keep going for much longer without the need to clean the filter. It also saves the engine from unnecessary wear, for a considerably longer product life.

AUTOTUNE™**FULL ENGINE PERFORMANCE,
WHATEVER THE CONDITIONS**

With AutoTune™, you can always expect reliable starts and maximum performance from your Husqvarna. It's an automatic feature that constantly fine-tunes the air-fuel mixture, compensating for factors such as humidity, altitude, temperature, fuel quality and, not least, air filter clogging. Your engine runs perfectly – and you never have to tune the carburettor manually again.

**EXTENSIVE TESTING****WE'VE TRIED HARD TO BREAK IT,
SO YOU WON'T**


All our chainsaws undergo extensive testing, both in laboratories and out in the field. We test run the machines for several hundred hours in water brake test rigs where they are loaded at different speeds to simulate common work situations. We do this in order to detect any temperature or durability issues. To detect any vibration problems, we also run the chainsaws at full throttle in laboratory test rigs for several hundred hours.

**LOW VIB®****STAY ALERT AND
SAVE YOUR FINGERS
FROM VIBRATION**

Thanks to effective vibration damping, you can work comfortably and efficiently for a longer period of time. By separating the tank and handles from the engine and cutting equipment with carefully tuned anti-vibration elements, we have managed a considerable reduction of the vibrations in the handles. All this helps spare your arms and hands, allowing you to stay safe in the long run.

AIR INJECTION™**KEEPING DUST OUT.
AND YOU GOING.**

Husqvarna Air Injection™ technology uses the centrifugal force of the machine fan to provide better air purification. Thanks to this, the amount of saw dust entering the air filter is reduced and the life span of the engine extends considerably. This allows for longer operational time.





LIMBING PERFORMANCE

MOVE ALONG THE TRUNK WITH EASE

Our small and mid-sized professional chainsaws are exceptional choices for limbing. The shorter guide bar – together with the high chain speed, impressive cutting performance and excellent manoeuvrability – allows you to swiftly and comfortably move the chainsaw around the trunk with minimal strain on your body.



SIDE-MOUNTED CHAIN TENSIONER

QUICK AND EASY ADJUSTMENT

A tightened chain is essential for your chainsaw to perform safely and efficiently. That's why you need to check the chain tension regularly as you use the saw. Husqvarna chainsaws come with a side-mounted chain tensioner that makes adjustment quick and easy.

CHAINSAW RANGE

HUSQVARNA 572 XP®



70.6 cm ³	4.3 kW	3/8"	38-70 cm	6.6 kg
----------------------	--------	------	----------	--------

Powerful and durable, 70cc chainsaw with excellent performance and cutting capacity, for felling, limbing and bucking large trees. The slimmed-down design and host of innovative features make for efficient, reliable and comfortable operation.

- Low Vib®
- Smart Start®
- Air Injection™
- X-Torq®
- AutoTune™

HUSQVARNA 372 XP®



70.7 cm ³	4.1 kW	3/8"	40-70 cm	6.6 kg
----------------------	--------	------	----------	--------

Rugged 70cc chainsaw with an excellent power-to-weight ratio, for felling, limbing and bucking large trees. Built to maximize productivity, reliability and durability.

- Low Vib®
- Smart Start®
- Air Injection™
- X-Torq®

HUSQVARNA 565



70.6 cm ³	3.7 kW	3/8"	38-70 cm	6.5 kg
----------------------	--------	------	----------	--------

Powerful and durable, 70cc chainsaw for felling, limbing and bucking large trees. The slimmed-down design and host of innovative features make for efficient, reliable and comfortable operation.

- Low Vib®
- Smart Start®
- Air Injection™
- X-Torq®
- AutoTune™

HUSQVARNA 562 XP®



59.8 cm ³	3.5 kW	3/8"	38-70 cm	6.1 kg
----------------------	--------	------	----------	--------

Powerful and easy to manoeuvre, 60cc chainsaw with an impressive power-to-weight ratio, for felling, limbing and bucking small and mid-sized trees as well as for challenging tree care. The slimmed-down design and host of innovative features make for efficient, reliable and comfortable operation. It also has the ability to fit up to 28" (70 cm) bars.

- Low Vib®
- Smart Start®
- Air Injection™
- X-Torq®
- AutoTune™
- Heated handles and carburettor (optional)

HUSQVARNA 560 XP®



59.8 cm ³	3.5 kW	.325" / 3/8"	33-60 cm	5.9 kg
----------------------	--------	--------------	----------	--------

Powerful and easy to manoeuvre, 60cc chainsaw with an impressive power-to-weight ratio, for felling, limbing and bucking small and mid-sized trees as well as for challenging tree care. The slimmed-down design and host of innovative features make for efficient, reliable and comfortable operation.

- Low Vib®
- Smart Start®
- Air Injection™
- X-Torq®
- AutoTune™
- Heated handles and carburettor (optional)

HUSQVARNA 555



59.8 cm ³	3.1 kW	.325" / 3/8"	33-60 cm	5.9 kg
----------------------	--------	--------------	----------	--------

Powerful and easy to manoeuvre, 60cc chainsaw for felling, limbing and bucking small and mid-sized trees. The slimmed-down design and host of innovative features make for efficient, reliable and comfortable operation.

- Low Vib®
- Smart Start®
- Air Injection™
- X-Torq®
- AutoTune™

HUSQVARNA 365



	70.7 cm ³		3.6 kW		40-70 cm
	3/8"		6.4 kg		

Rugged 70cc chainsaw for felling, limbing and bucking large trees. Built to maximize productivity, reliability and durability.

- Low Vib®
- Smart Start®
- Air Injection™
- X-Torq®



HUSQVARNA CHAINSAW ACADEMY IMPROVE YOUR SKILL SET

Welcome to Husqvarna Chainsaw Academy – our online source for information about safe, convenient and efficient chainsaw work. It's the perfect guide for professionals. No matter what kind of experience you have, and how many trees you've cut down over the years, there's always room for improvement. Just so that you're prepared for wind-lashed forests and anything else unusual and dangerous that the elements might throw at you. [Go to chainsawacademy.husqvarna.com](https://chainsawacademy.husqvarna.com)



FORESTRY TOOLS

EVERYTHING ELSE YOU MAY NEED IN THE FOREST

Your chainsaw may be your most important piece of equipment, but it's certainly not the only one. Whether you're a full-time logger or work professionally with tree care, we have a wide range of equipment to offer, from felling tools and axes to tool belts and bags. Of course, they are all held to our high standards of quality and reliability.

[Read more on page 44.](#)



HUSQVARNA 550 XP® G TrioBrake™



50.1 cm ³	2.8 kW	33-50 cm
325"	5.2 kg	

Powerful and easy to manoeuvre, 50cc chainsaw with an impressive power-to-weight ratio, for felling, limbing and bucking small and mid-sized trees as well as for challenging tree care. The slimmed-down design and host of innovative features make for efficient, reliable and comfortable operation. Includes the unique TrioBrake™ chain brake.

- Low Vib®
- Smart Start®
- Air Injection™
- X-Torq®
- AutoTune™
- TrioBrake™
- Heated handles and carburettor

HUSQVARNA 550 XP® Mark II



50.1 cm ³	3.0 kW	33-50 cm
325"	5.3 kg	

Powerful, durable and easy to manoeuvre, 50cc chainsaw with excellent performance and excellent cutting capacity, for felling, limbing and bucking small and mid-sized trees as well as for challenging tree care. The slimmed-down design and host of innovative features make for efficient, reliable and comfortable operation.

- Low Vib®
- Air Injection™
- X-Torq®
- AutoTune™
- Heated handles and carburettor (optional)

HUSQVARNA 545 Mark II



50.1 cm ³	2.7 kW	33-50 cm
325"	5.3 kg	

Powerful, durable and easy to manoeuvre, 50cc chainsaw for felling, limbing and bucking small and mid-sized trees. The slimmed-down design and host of innovative features make for efficient, reliable and comfortable operation.

- Low Vib®
- Smart Start®
- Air Injection™
- X-Torq®
- AutoTune™
- Heated handles and carburettor (optional)

HUSQVARNA 543 XP®



43.1 cm ³	2.2 kW	33-45 cm
325"	4.5 kg	

Efficient 43cc chainsaw, for small and mid-sized trees as well as for challenging tree care. Its low weight and high chain speed make it ideal for limbing.

- Low Vib®
- Smart Start®
- Air Injection™
- X-Torq®
- Heated handles (optional)

HUSQVARNA 540i XP®



.325"mini / 3/8"mini	30-40 cm	
2.9 kg		

A rear-handle battery powered chainsaw with impressive power output – on par with a professional 40cc petrol chainsaw. Ideal for tree removal and thinning as well as for arborist groundcrew work. Features advanced user interface with battery status and start/stop, excellent ergonomics and provides user-friendly balance and manoeuvrability. Needs to be powered with BLi300 or BLi200X battery for full performance.

- Brushless E-TORQ motor
- savE™
- Intuitive keypad with battery status
- Weatherproof (IPX4)
- 40cc class cutting performance

NEW

HUSQVARNA 535i XP®



.325"mini	25-35 cm	
2.6 kg		

A lightweight and powerful, battery-powered chainsaw. Ideal for crown reduction and lighter tree removals where you need the extra reach a rear-handle chainsaw provides. Features excellent ergonomics, high chain speed and all the comfort of battery power without compromising performance.

- Brushless E-TORQ motor
- savE™
- Intuitive keypad
- Weatherproof (IPX4)
- 35cc class cutting performance



FIND OUT MORE ABOUT OUR BATTERIES
AND CHARGERS ON PAGE 138

HUSQVARNA 545 Mark II AND 550 XP® Mark II

A NEW GENERATION OF CUTTING PERFORMANCE

Durability and reliability are among the most important things when taking on the challenges of forestry work. With the new and updated Husqvarna 545 Mark II and 550 XP. Mark II, you'll be able to experience truly impressive manoeuvrability – now further improved by the new reductions in weight – as well as excellent cutting performance paired with quick acceleration and easy, reliable starts. All packaged in a slim but durable chainsaw that guarantees long product life.



TRIOBRAKE™

INVENTED TO SAVE YOUR LIFE. AND YOUR POSTURE.

TrioBrake™ is a safety system on Husqvarna chainsaws, where the chain brake can be activated in a third way – with your right hand – in addition to the two common ways: with the left hand and through the inertia function. TrioBrake™ can provide extra protection in situations where a regular chain brake does not provide adequate protection. It also helps you work more ergonomically, safely and comfortably.



TOP-HANDLE CHAINSAW RANGE

HUSQVARNA T540 XP®



	37.7 cm ³		1.8 kW		.325"mini / 3/8"mini		30-40 cm		3.9 kg
--	----------------------	--	--------	--	----------------------	--	----------	--	--------

With its 38cc engine, this is an impressively powerful top-handle chainsaw. The perfect tool for all sorts of professional tree care, when you need excellent performance in combination with great ergonomics.

- X-Torq®
- Low Vib®
- Smart Start®
- Air Injection™
- AutoTune™

HUSQVARNA T435



	35.2 cm ³		1.5 kW		.325 mini / 3/8"mini		30-35 cm		3.4 kg
--	----------------------	--	--------	--	----------------------	--	----------	--	--------

Mid-sized, lightweight 35cc top-handle chainsaw, for all sorts of professional tree care. The low weight and well-balanced saw body makes it very easy to work with.

- X-Torq®
- Low Vib®
- Smart Start®

HUSQVARNA T525



	27.0 cm ³		1.1 kW		.325"mini / 1/4" / 3/8"mini		20-30 cm		2.7 kg
--	----------------------	--	--------	--	-----------------------------	--	----------	--	--------

Very lightweight and well-balanced, 27cc top-handle chainsaw. Thanks to its quick acceleration, easy starting and great reliability, it's an efficient choice for trimming, pruning and small crown reduction.

- X-Torq®
- Low Vib®
- Air Injection™

HUSQVARNA T540i XP®

NEW



	.325"mini		30-40 cm		2.5 kg
--	-----------	--	----------	--	--------

Our most powerful top-handle battery powered chainsaw with impressive power output – on par with a professional 40cc petrol chainsaw. Ideal for tree care and climbing work thanks to excellent ergonomics and low weight. Features advanced user interface with battery status and start/stop, excellent ergonomics and provides user-friendly balance and manoeuvrability. Needs to be powered with BLi300 or BLi200X battery for full performance.

- Brushless E-TORQ motor
- savE™
- Intuitive keypad with battery status
- Weatherproof (IPX4)
- 40cc class cutting performance

HUSQVARNA T535i XP®




	.325"mini		25-35 cm		2.4 kg
--	-----------	--	----------	--	--------

A very lightweight and powerful, battery-powered top-handle chainsaw. Ideal for crown reduction and lighter tree removals. Features excellent ergonomics, high chain speed and all the comfort of battery power, with a power output equivalent of a 35cc petrol chainsaw.

- Brushless E-TORQ motor
- savE™
- Intuitive keypad
- Weatherproof (IPX4)
- 35cc class cutting performance



FIND OUT MORE ABOUT OUR BATTERIES
AND CHARGERS ON PAGE 138



HUSQVARNA T540i XP® AND 540i XP®
WE ARE STRONGER THAN EVER

Impressive power on par with 40cc petrol engines. Start and stop at the press of a button. And no exhausts. Husqvarna's battery powered chainsaws are tree care innovation and technology taken to the next level.

ARBORIST ACCESSORIES

GEAR UP FOR THE TREETOPS

Husqvarna's range of arborist accessories caters to professionals who rely on quality tools for quality work. Helmets, high quality throw lines and weights, wedges, carabiners and sturdy rope bags – we've got you covered. [Read more on pages 47 and 154.](#)



POLE SAW RANGE

HUSQVARNA 525PT5S



25.4 cm ³	25-30 cm
1.0 kW	402 cm
1/4"	7.0 kg

25cc pole saw with a telescopic shaft that offers our longest reach. The excellent ergonomics and superior balance help you achieve high-end results with minimum effort. For an improved working position, use the Balance Flex harness.

- X-Torq®
- Telescopic shaft

HUSQVARNA 525P5S



25.4 cm ³	25-30 cm
1.0 kW	340 cm
3/8" mini	6.4 kg

25cc pole saw with a detachable shaft that makes for long reach and easy transporting between work sites. Low weight, excellent ergonomics and superior balance help you work comfortably even with less accessible vegetation. For an improved working position, use the Balance Flex harness.

- X-Torq®
- Detachable shaft

HUSQVARNA 525P4S



25.4 cm ³	25-30 cm
1.0 kW	243 cm
3/8" mini	5.3 kg

Designed for easy manoeuvrability, this 25cc pole saw provides excellent ergonomics and superior balance, helping you avoid stresses and strains that come from awkward working positions.

- X-Torq®



LEARN ABOUT THE BALANCE FLEX HARNESS ON PAGE 73

HUSQVARNA 530iPX



3/8"
25-30 cm
180 cm
3.1 kg

Battery powered clearing saw that also can be used as a pole saw (the cutting head can be angled 90 degrees) with a power output equivalent of a 30cc petrol machine. Its low weight, excellent ergonomics and quiet operation make it comfortable to use in any location at any time of day.

- Brushless E-TORQ motor
- savE™
- Intuitive keypad
- Weatherproof (IPX4)
- Adjustable, slimmed designed cutting head

HUSQVARNA 530iP4



1/4"
25-30 cm
250 cm
3.4 kg

Battery pole saw with a performance power output equivalent of a 30cc petrol machine. Its low weight, excellent ergonomics and quiet operation make it comfortable to use in any location at any time of day.

- Brushless E-TORQ motor
- savE™
- Intuitive keypad
- Weatherproof (IPX4)
- Slimmed designed cutting head

HUSQVARNA 530iPT5



1/4"
25-30 cm
400 cm
5.0 kg

Battery pole saw with a telescopic shaft that offers our longest reach and has a power output equivalent of a 30cc petrol machine. Its low weight, excellent ergonomics and quiet operation make it comfortable to use in any location at any time of day.

- Brushless E-TORQ motor
- savE™
- Intuitive keypad
- Weatherproof (IPX4)
- Telescopic shaft
- Slimmed designed cutting head



FIND OUT MORE ABOUT OUR BATTERIES AND CHARGERS ON PAGE 138



BATTERY SERIES

AS CONVENIENT AS IT GETS

Battery-powered pole saws are easy to love. Without the noise, fumes and vibration, work becomes a lot less tiresome, so you can stay alert throughout the workday. Plus, the performance is boosted by the high torque of the electric motor.

SAW HEAD DESIGN

IMPRESSIVE PRECISION AND A CLEAR VIEW

Husqvarna pole saws allow you to adopt a comfortable working position where you always have total control. The key to this is the slim design of the saw head, making the saw extremely well-balanced. You also have an unobstructed view of what you're pruning, further enhanced by the fact that the cutter bar is positioned on the left side instead of the right.



PETROL CHAINSAWS	572 XP®	372 XP®	565	365	562 XP®
TECHNICAL SPECIFICATIONS					
Cylinder displacement, cm ³	70.6	70.7	70.6	70.7	59.8
Power output, kW	4.3	4.1	3.7	3.6	3.5
Sound pressure level at operator's ear, dB(A)*	107	110	105	110	106
Sound power level guaranteed (LWA) dB(A)**	120	109	119	119	118
Equivalent vibration level (ahv, eq) front/rear handle, m/s ² ***	5.4/4.1	5.7/8.0	5.2/5.3	5.7/8.0	3.2/5.0
Chain pitch, inch	3/8	3/8	3/8	3/8	3/8
Recommended bar length, min-max, cm/inch	38-70/15-28	40-70/16-28	38-70/15-28	40-70/16-28	38-70/15-28
Weight (excl. cutting equipment), kg	6.6	6.6	6.5	6.4	6.1
FEATURES					
Low Vib®	●	●	●	●	●
Smart Start®	●	●	●	●	●
Adjustable oil pump	●	●	●	●	●
Inertia chain brake	●	●	●	●	●
Magnesium crankcase	●	●	●	●	●
Quick release air filter cover	●	●	●	●	●
Quick-release air filter	●	●	●	●	●
Air Injection™	●	●	●	●	●
Side-mounted chain tensioner	●	●	●	●	●
X-Torq® engine	●	●	●	●	●
Combined choke/stop control	●	—	●	—	●
Snap-lock cylinder cover	●	—	●	—	●
Heated handles	—	—	—	—	● (optional)
Heated carburettor	—	—	—	—	● (optional)
AutoTune™	●	—	●	—	●
Fuel pump	●	—	●	—	●
Retained bar nuts	●	—	●	—	●
Visible fuel level	●	—	●	—	●
TrioBrake™	—	—	—	—	—

BATTERY CHAINSAWS	540i XP®	535i XP®
TECHNICAL SPECIFICATIONS		
Battery type	Li-ion	Li-ion
Voltage, V	36	36
Motor type	BLDC (brushless)	BLDC (brushless)
Sound pressure level at operator's ear, dB(A) *	95	93
Sound power level guaranteed (LWA) dB(A) **	106	106
Equivalent vibration level (ahv, eq) front/rear handle, m/s ² ***	3.6/3.7	2.5/2.8
Chain pitch, inch	.325mini / 3/8mini	.325mini
Recommended bar length, min-max, cm/inch	25-40/12-16	25-35/10-14
Weight (excl. battery and cutting equipment), kg	2.9	2.6
FEATURES		
save™	●	●
Flip up tank cap	●	●
Inertia chain brake	●	●
Intuitive keypad with battery status	●	—
Intuitive keypad	—	●
Retained bar nuts	●	●

*Equivalent sound pressure level at the operator's ear, measured according to EN ISO 22868, dB(A). Reported data for equivalent sound pressure level for the machine includes statistical uncertainty. **Noise emissions in the environment measured as sound power (LWA) is reported as guaranteed value in conformity with EC directive 2000/14/EC, with statistical dispersion included. Measured according to ISO 22868. ***Equivalent vibration levels (ahv,eq) at handles, measured according to EN ISO 22867, m/s². Typical statistical dispersion (standard deviation) of ± 1 m/s².

560 XP®	555	550 XP® G TrioBrake™	550 XP® Mark II	545 Mark II	543 XP®
59.8	59.8	50.1	50.1	50.1	43.1
3.5	3.1	2.8	3.0	2.7	2.2
106	106	106	107	106	101
118	118	116	117	116	113
4.4/5.3	3.2/5.0	3.8/3.7	3.3/4.9	3.6/4.1	4.5/4.2
.325/3/8	.325/3/8	.325	.325	.325	.325
33-50/13-20	33-50/13-20	33-50/13-20	33-50/13-20	33-50/13-20	33-45/13-18
5.9	5.9	5.2	5.3	5.3	4.5
●	●	●	●	●	●
●	●	●	—	●	●
●	●	●	●	●	●
●	●	●	●	●	●
●	●	●	●	●	●
●	●	●	●	●	●
●	●	●	●	●	●
●	●	●	●	●	●
●	●	●	●	●	●
●	●	●	●	●	—
●	●	●	●	●	—
● (optional)	—	●	● (optional)	● (optional)	● (optional)
● (optional)	—	●	● (optional)	● (optional)	—
●	●	●	●	●	—
●	●	●	●	●	●
●	●	●	●	●	—
●	●	●	●	●	—
—	—	●	—	—	—



*Equivalent sound pressure level, according to ISO 22868, is calculated as the time-weighted energy total for different sound pressure levels under various working conditions. Typical statistical dispersion for equivalent sound pressure level is a standard deviation of 1 dB(A). **Noise emissions in the environment measured as sound power (LWA) in conformity with EC directive 2000/14/EC. The guaranteed sound power level includes variation in production as well as variation from the test code with 1-3 dB(A). ***Equivalent vibration level, according to ISO 22867, is calculated as the time-weighted energy total for vibration levels under various working conditions. Reported data for equivalent vibration level has a typical statistical dispersion (standard deviation) of 1 m/s².

NOMINAL POWER The EU machinery directive (2006/42/EC) came into force on January 1, 2010, requiring manufacturers to declare the nominal power of engines, in kilowatts (kW). The power rating of the engines indicated is the average net power output during a normal working situations and meets applicable noise regulations (at specified rpm, see owner manual) of a typical production engine for the engine model measured to SAE standard J 1349/ISO 1585. Mass production engines may differ from this value. Actual power output for the engine installed in the final machine will depend on the operating speed, environmental conditions and other variables.

PETROL TOP-HANDLE CHAINSAWS	T540 XP®	T435	T525
TECHNICAL SPECIFICATIONS			
Cylinder displacement, cm ³	37.7	35.2	27.0
Power output, kW	1.8	1.5	1.1
Sound pressure level at operator's ear, dB(A)*	104	103	98
Sound power level guaranteed (LWA) dB(A)**	116	114	111
Equivalent vibration level (ahv, eq) front/rear handle, m/s ² ***	3.5/4.2	3.6/3.9	4.9/5.2
Chain pitch, inch	3/8mini / .325mini	3/8mini / .325mini	3/8mini / 1/4 / .325mini
Recommended bar length, min-max, cm/inch	30-40/12-16	30-35/12-14	20-30/8-12
Weight (excl. cutting equipment), kg	3.9	3.4	2.7
FEATURES			
X-Torq® engine	●	●	●
Low Vib®	●	●	●
Smart Start®	●	●	●
Inertia chain brake	●	●	●
Adjustable oil pump	●	●	●
Fuel pump	●	●	●
Quick release air filter cover	●	●	●
Quick-release air filter	●	●	●
Side-mounted chain tensioner	●	●	●
Flip-up tank caps	●	●	●
Air Injection™	●	—	●
Retained bar nuts	●	—	●
Magnesium crankcase	●	—	●
Belt eyelet	●	—	●
AutoTune™	●	—	—
Visible fuel level	●	—	—

*Equivalent sound pressure level, according to ISO 22868, is calculated as the time-weighted energy total for different sound pressure levels under various working conditions. Typical statistical dispersion for equivalent sound pressure level is a standard deviation of 1 dB(A). **Noise emissions in the environment measured as sound power (LWA) in conformity with EC directive 2000/14/EC. The guaranteed sound power level includes variation in production as well as variation from the test code with 1-3 dB(A). ***Equivalent vibration level, according to ISO 22867, is calculated as the time-weighted energy total for vibration levels under various working conditions. Reported data for equivalent vibration level has a typical statistical dispersion (standard deviation) of 1 m/s².

BATTERY TOP-HANDLE CHAINSAWS	T540i XP®	T535i XP®
TECHNICAL SPECIFICATIONS		
Battery type	Li-ion	Li-ion
Voltage, V	36	36
Motor type	BLDC (brushless)	BLDC (brushless)
Sound pressure level at operator's ear, dB(A)*	92	93
Sound power level guaranteed (LWA) dB(A)**	103	106
Equivalent vibration level (ahv, eq) front/rear handle, m/s ² ***	2.1/3.4	2.0/2.4
Chain pitch, inch	.325mini	.325mini
Recommended bar length, min-max, cm/inch	25-40/12-16	25-35/10-14
Weight (excl. battery and cutting equipment), kg	2.5	2.4
FEATURES		
savE™	●	●
Intuitive keypad with battery status	●	—
Intuitive keypad	—	●
Inertia chain brake	●	●
Belt eyelet	●	●
Flip up tank cap	●	●
Retained bar nuts	●	●

*Equivalent sound pressure level at the operator's ear, measured according to EN ISO 22868, dB(A). Reported data for equivalent sound pressure level for the machine includes statistical uncertainty.

Noise emissions in the environment measured as sound power (LWA) is reported as guaranteed value in conformity with EC directive 2000/14/EC, with statistical dispersion included. Measured according to ISO 22868. *Equivalent vibration levels (ahv,eq) at handles, measured according to EN ISO 22867, m/s². Typical statistical dispersion (standard deviation) of ± 1 m/s².

NOMINAL POWER The EU machinery directive (2006/42/EC) came into force on January 1, 2010, requiring manufacturers to declare the nominal power of engines, in kilowatts (kW). The power rating of the engines indicated is the average net power output during a normal working situations and meets applicable noise regulations (at specified rpm, see owner manual) of a typical production engine for the engine model measured to SAE standard J 1349/ISO 1585. Mass production engines may differ from this value. Actual power output for the engine installed in the final machine will depend on the operating speed, environmental conditions and other variables.

PETROL POLE SAWS	525PT5S	525P5S	525P4S
TECHNICAL SPECIFICATIONS			
Cylinder displacement, cm ³	25.4	25.4	25.4
Power output, kW	1.0	1.0	1.0
Sound pressure level at operator's ear, dB(A)*	89	90	91
Sound power level guaranteed (LWA) dB(A)**	107	107	107
Equivalent vibration level (ahv, eq) front/rear handle, m/s ² ***	6.3/5.3	2.3/3.7	2.9/3.2
Chain pitch, inch	1/4	3/8mini	3/8mini
Recommended bar length, min-max, cm/inch	25-30/10-12	25-30/10-12	25-30/10-12
Max. length with cutting equipment, cm	402	340	243
Weight (excl. cutting equipment), kg	7.0	6.4	5.3
FEATURES			
X-Torq® engine	●	●	●
Auto return stop switch	●	●	●
Chain lubrication	●	●	●
Chain tensioner	●	●	●
Fuel pump	●	●	●
Rear impact guard	●	●	●
Stand alone starter	●	●	●
Telescopic tube	●	—	—
Inertia balancing wheel	—	●	—
Detachable shaft	—	●	—
HARNESS INCLUDED			
Standard single	●	●	●
Blance Flex	(●)	(●)	(●)

(●) = Accessory *Equivalent sound pressure level, according to ISO 22868, is calculated as the time-weighted energy total for different sound pressure levels under various working conditions. Typical statistical dispersion for equivalent sound pressure level is a standard deviation of 1 dB(A). **Noise emissions in the environment measured as sound power (LWA) in conformity with EC directive 2000/14/EC. The guaranteed sound power level includes variation in production as well as variation from the test code with 1-3 dB(A). *** Equivalent vibration level, according to ISO 22867, is calculated as the time-weighted energy total for vibration levels under various working conditions. Reported data for equivalent vibration level has a typical statistical dispersion (standard deviation) of 1 m/s².

BATTERY POLE SAWS	530iPX	530iPT5	530iP4
TECHNICAL SPECIFICATIONS			
Battery type	Li-ion	Li-ion	Li-ion
Voltage, V	36	36	36
Motor type	BLDC (brushless)	BLDC (brushless)	BLDC (brushless)
Sound pressure level at operator's ear, dB(A) *	96	83	88
Sound power level guaranteed (LWA) dB(A)**	101	98	98
Equivalent vibration level (ahv, eq) front/rear handle, m/s ² ***	1.2/2.6	1.0/1.2	1.0/0.9
Chain pitch, inch	3/8	1/4	1/4
Recommended bar length, min-max, cm/inch	25-30/10-12	25-30/10-12	25-30/10-12
Length, extended, with cutting equipment, cm	180	400	250
Weight (excl. battery and cutting equipment), kg	3.1	5.0	3.4
FEATURES			
savE™	●	●	●
Intuitive keypad	●	●	●
Harness eyelet	●	●	●
Rear impact guard	●	●	●
Retained bar nuts	●	●	●
Flip up tank cap	●	●	●
Telescopic tube	—	●	—
HARNESS INCLUDED			
Single harness	—	●	●
Backpack battery harness	●	—	—

*Equivalent sound pressure level at the operator's ear, measured according to ISO 22868, dB(A). Reported data for equivalent sound pressure level for the machine has a typical statistical dispersion (standard deviation) of 1 dB(A).

**Noise emissions in the environment measured as sound power (LWA) is reported as guaranteed value in conformity with EC directive 2000/14/EC, with statistical dispersion included. Measured according to ISO 22868.

***Equivalent vibration levels (ahv,eq) at handles, measured according to EN ISO 22867, m/s². Typical statistical dispersion (standard deviation) of ± 2 m/s².

X-CUT™ CHAINS AND X-FORCE™ BARS**DESIGNED BY HUSQVARNA
FOR YOUR HUSQVARNA**

At Husqvarna, we're experts at making chainsaws. We know how essential the fuel, guide bar and chain are for the total performance. That's why we see them as extensions of the chainsaw, not add-ons. So we used our unique expertise to develop the optimal fuel, guide bars and chains for Husqvarna chainsaws specifically. To provide perfect fit and performance, our X-CUT™ SP33G chains are the first chains to have been developed side by side with our chainsaws, in our manufacturing facilities in Huskvarna. This process has significantly improved the chains and made a real difference to the output of the chainsaw. We think you'll agree once you've tried it.



Optimized welding pattern for improved durability and stiffness



MORE RUN TIME AND LESS MAINTENANCE

Cutters, materials and manufacturing processes are refined to the extreme, giving the X-CUT™ chain impressive sharpness out of the box, and even more importantly – sharpness that lasts considerably longer before filing is needed.

LESS ADJUSTMENTS AND LESS RISK OF DAMAGE

The X-CUT™ chain is pre-stretched at the factory so you can work for longer before re-tensioning is needed. No unnecessary chain tension required. The risk of damaging the cutting system with a slack chain is also decreased.

LESS COST AND LESS SERVICE

A carefully balanced combination of construction, materials and processes mean excellent, dynamic durability. Wear on the cutting system is reduced – and so is the need for service.


BETTER RESULTS, EASIER WORK

X-CUT™ is made for making faster cuts, and it's ready to be used straight out of the box. This improves your efficiency – and your results. The smooth cutting reduces the feed force needed, making the work easier on your body.



GOLDEN TIE STRAP

Thanks to the intuitive golden tie strap function, you easily locate the starting point, simplifying the filing of the chain.



Increased bar width for improved durability

Optimized profile for lower wear and longer lifetime

Reinforced, maintenance-free nose sprocket

Optimized centre plate design for reduced weight and a more robust, long-life bar

DURABLE, LIGHTWEIGHT GUIDE BARS

HUSQVARNA X-FORCE™

X-FORCE™ is Husqvarna's answer to the challenge of designing the perfect guide bar – a bar that's both lightweight and low-maintenance to minimize your burden, yet durable enough to withstand tough work over long time. Husqvarna X-FORCE™ guide bars are developed in pair with Husqvarna X-CUT™ chains, optimized for Husqvarna chainsaws. The result is a cutting system that makes your chainsaw perform on an entirely new level – delivering a fast, precise kerf with minimal friction loss.

MINIMUM DOWNTIME, MAXIMUM RESULTS

HUSQVARNA X-CUT™

SP33G chains are the first chains to have been developed, designed and manufactured by Husqvarna – and it has all been done in the city of Husqvarna, Sweden, where our chainsaws are developed and tested. Husqvarna X-CUT™ chains are designed to maximize your output, allowing you to work longer without interruptions. You will feel the difference, and you will produce more in the long run.



HUSQVARNA X-CUT™ SP33G

Semi-chisel Pixel .325" 1.3 mm chain with low kick back and low stretch. The narrow kerf equals impressive cutting efficiency. Developed for professional use on mid-size chainsaws, up to 55cc. Original equipment on most Husqvarna 550 XP® chainsaws.



HUSQVARNA X-CUT™ SP21G

SP21G is a semi-chisel .325" mini 1.1 mm chain with low kick back, especially developed to increase the cutting speed and efficiency for full-time use battery chainsaws. The chain is energy efficient and the optimized geometry delivers a consistently smooth cut, excellent bore cut as well as improved handling and manoeuvrability – key characteristics when performing tree care. Fits the X-Precision™ bars.



HUSQVARNA X-CUT™ S93G

This semi-chisel 3/8" mini 1.3 mm S93G chain is developed to fit smaller rear- and top-handle saws. Optimized geometry and grinding provides high cutting speed as well as low kick back. High efficiency balanced against the available power from the chainsaw will enable a smooth and precise cut.



HUSQVARNA X-CUT™ C85

An robust chisel 3/8" 1.5 mm chain for full-time professional use. The chain is made entirely by Husqvarna to ensure you get the best possible output from your chainsaw. With its impressive durability and cutting efficiency, a sharpness that lasts and low stretch, it gives you better results, less need for maintenance and lower costs.




HUSQVARNA X-CUT™ S85

A advanced semi-chisel 3/8" 1.5 mm chain made for heavy-duty work, less sensitive to dirt, and easier to file. The S85 has been specifically designed for Husqvarna chainsaws to deliver impressive cutting capacity even in harsh conditions. The robust chassis and the optimized cutter material perfect out-of-the-box performance and durability.




HUSQVARNA X-FORCE™ BARS

The X-FORCE™ laminated bars offer easier maintenance and increased productivity. Depending on the model, these benefits come from features such as updated profiles, larger nose sprocket, cutouts in the centre plate, additional bearings, supported shields, and the removal of the grease hole. Available in 3/8" (15–20"), 3/8" mini (12–16") and .325" (13–20").



HUSQVARNA X-PRECISION™ BARS

The X-Precision™ bars are designed specifically for use with the X-CUT™ SP21G chain on Husqvarna battery-powered professional chainsaws. The optimized overall geometry and small nose radius provide efficient cutting with precise control, excellent bore cutting properties and reduced risk of kickback. Available in .325" mini (10–16").



HUSQVARNA LAMINATED BARS WITH NOSE SPROCKET

The gentle curve and small nose radius reduce the risk of kickback and facilitates good cutting control. Coated bars to protect against scratches and corrosion. Available in 3/8" mini (10–16").




HUSQVARNA X-TOUGH™ BARS WITH HARD NOSE

Solid bars are used for hard species of timber, thick bark and in very sandy, dusty or sooty conditions. The bars are coated to protect against scratches and corrosion. Available in 3/8" (18–28") and .404" (24–42").



HUSQVARNA X-TOUGH™ BARS WITH REPLACEABLE SPROCKET NOSE

Solid RSN bar with great durability and robustness. The load is transferred to the high-quality roller bearing. The bars are coated to protect against scratches and corrosion. Replaceable tip is available as a spare part. Available in 3/8" (18–28").



HUSQVARNA CARVING SMALL BAR MOUNT

Carving bars have a smaller nose radius and are suitable for sculpting and other precision work. Available in 1/4" (10–12").

PRODUCT GUIDE – GUIDE BARS AND CHAINS

SMALL BAR MOUNTING POINT

LARGE BAR MOUNTING POINT

5301PX/5301P4/5301PT5	T525	T435	T540 XP®	525P4S/525P4S	525PT5S	5351 XP®	5351 XP®	5401 XP®	5401 XP®	543 XP®	550 XP® Mark II/545 Mark II	560 XP®/555	562 XP®	372 XP®/365	572 XP®/565	CHAIN MODEL	BAR LENGTH	CHAIN PITCH	GAUGE	BAR	CHAIN
-----------------------	------	------	----------	---------------	---------	----------	----------	----------	----------	---------	-----------------------------	-------------	---------	-------------	-------------	-------------	------------	-------------	-------	-----	-------

LAMINATED BAR WITH NOSE SPROCKET																						
																	H00	10"/25 cm	1/4"	.050"/1.3mm	5758422-58	5018440-58
																	H00	12"/30 cm	1/4"	.050"/1.3mm	5758422-64	5018440-64
																	H38 Pixel	10"/25 cm	3/8"mini	.043"/1.1mm	5019595-40	5818079-40
																	H38 Pixel	12"/30 cm	3/8"mini	.043"/1.1mm	5019595-45	5818079-45
																	H38 Pixel	14"/35 cm	3/8"mini	.043"/1.1mm	5019595-52	5818079-52
																	X-CUT™ SP21G Pixel	10"/25 cm	.325"mini	.043"/1.1mm	5939143-46	5939141-46
																	X-CUT™ SP21G Pixel	12"/30 cm	.325"mini	.043"/1.1mm	5939143-51	5939141-51
																	X-CUT™ SP21G Pixel	14"/35 cm	.325"mini	.043"/1.1mm	5939143-59	5939141-59
																	X-CUT™ SP21G Pixel	16"/40 cm	.325"mini	.043"/1.1mm	5939143-64	5939141-64
																	X-CUT™ S93G	10"/25 cm	3/8"mini	.050"/1.3mm	5019592-40	5854042-40
																	X-CUT™ S93G	12"/30 cm	3/8"mini	.050"/1.3mm	5019592-45	5854042-45
																	X-CUT™ S93G	14"/35 cm	3/8"mini	.050"/1.3mm	5019592-52	5854042-52
																	X-CUT™ S93G	16"/40 cm	3/8"mini	.050"/1.3mm	5019592-56	5854042-56
																	H37	12"/30 cm	3/8"mini	.050"/1.3mm	5019592-45	5769365-45
																	H37	14"/35 cm	3/8"mini	.050"/1.3mm	5019592-52	5769365-52
																	H37	16"/40 cm	3/8"mini	.050"/1.3mm	5019592-56	5769365-56

LAMINATED BAR WITH NOSE SPROCKET, X-FORCE™																						
																	X-CUT™ S93G	12"/30 cm	3/8"mini	.050"/1.3mm	5822076-45	5854042-45
																	X-CUT™ S93G	14"/35 cm	3/8"mini	.050"/1.3mm	5822076-52	5854042-52
																	X-CUT™ S93G	16"/40 cm	3/8"mini	.050"/1.3mm	5822076-56	5854042-56
																	H38 Pixel	14"/35 cm	3/8"mini	.043"/1.1mm	5822074-52	5818079-52
																	X-CUT™ SP33G Pixel	13"/33 cm	.325"	.050"/1.3mm	5820753-56	5816431-56
																	X-CUT™ SP33G Pixel	15"/38 cm	.325"	.050"/1.3mm	5820753-64	5816431-64
																	X-CUT™ SP33G Pixel	16"/40 cm	.325"	.050"/1.3mm	5820753-66	5816431-66
																	X-CUT™ SP33G Pixel	18"/45 cm	.325"	.050"/1.3mm	5820753-72	5816431-72
																	X-CUT™ SP33G Pixel	20"/50 cm	.325"	.050"/1.3mm	5820753-80	5816431-80
																	H25	13"/33 cm	.325"	.058"/1.5mm	5820869-56	5018404-56
																	H25	15"/38 cm	.325"	.058"/1.5mm	5820869-64	5018404-64
																	H25	16"/40 cm	.325"	.058"/1.5mm	5820869-66	5018404-66
																	H25	18"/45 cm	.325"	.058"/1.5mm	5820869-72	5018404-72
																	H25	20"/50 cm	.325"	.058"/1.5mm	5820869-80	5018404-80
																	X-CUT™ C85	15"/38 cm	3/8"	.058"/1.5mm	5859434-56	5816266-56
																	X-CUT™ C85	16"/40 cm	3/8"	.058"/1.5mm	5859434-60	5816266-60
																	X-CUT™ C85	18"/45 cm	3/8"	.058"/1.5mm	5859434-68	5816266-68
																	X-CUT™ C85	20"/50 cm	3/8"	.058"/1.5mm	5859434-72	5816266-72
																	X-CUT™ C85	15"/38 cm	3/8"	.058"/1.5mm	5859508-56	5816266-56
																	X-CUT™ C85	16"/40 cm	3/8"	.058"/1.5mm	5859508-60	5816266-60
																	X-CUT™ C85	18"/45 cm	3/8"	.058"/1.5mm	5859508-68	5816266-68
																	X-CUT™ C85	20"/50 cm	3/8"	.058"/1.5mm	5859508-72	5816266-72

SOLID BAR WITH REPLACEABLE NOSE SPROCKET																						
																	X-CUT™ C85	18"/45 cm	3/8"	.058"/1.5mm	5019577-68	5816266-68
																	X-CUT™ C85	20"/50 cm	3/8"	.058"/1.5mm	5019577-72	5816266-72
																	X-CUT™ C85	18"/45 cm	3/8"	.058"/1.5mm	5019569-68	5816266-68
																	X-CUT™ C85	20"/50 cm	3/8"	.058"/1.5mm	5019569-72	5816266-72
																	X-CUT™ C85	24"/60 cm	3/8"	.058"/1.5mm	5019569-84	5816266-84
																	X-CUT™ C85	28"/72 cm	3/8"	.058"/1.5mm	5019569-92	5816266-92

SOLID BAR																						
																	H00	10"/25 cm	1/4"	.050"/1.3mm	5873944-60	5018440-60
																	H00	12"/30 cm	1/4"	.050"/1.3mm	5873944-68	5018440-68
																	X-CUT™ C85	18"/45 cm	3/8"	.058"/1.5mm	5019580-68	5816266-68
																	X-CUT™ C85	20"/50 cm	3/8"	.058"/1.5mm	5019580-72	5816266-72
																	X-CUT™ C85	24"/60 cm	3/8"	.058"/1.5mm	5019580-84	5816266-84
																	X-CUT™ C85	28"/72 cm	3/8"	.058"/1.5mm	5019580-92	5816266-92
																	H64	24"/60 cm	404"	.063"/1.6mm	5074760-46	5018431-76
																	H64	28"/72 cm	404"	.063"/1.6mm	5015896-01	5018431-84
																	H64	30"/75 cm	404"	.063"/1.6mm	5019581-92	5018431-92
																	H64	36"/90 cm	404"	.063"/1.6mm	5019581-04	5018431-04
																	H64	42"/105 cm	404"	.063"/1.6mm	5019218-24	5018431-24

WIDE WAIST FOR CLEARING																						
																	H37	10"/25 cm	3/8"mini	.050"/1.3mm	5018285-40	5769365-40
																	S93G	10"/25 cm	3/8"mini	.050"/1.3mm	5018285-40	5854042-40

* Solid bar with .404" chain pitch on 390 XP® is optional on certain markets. Always check your operator's manual for the cutting equipment that fits your chainsaw. This fit-up guide is general. Please check the Operator's manual for your chainsaw if a listed chain and bar combination is certified for your specific chainsaw model and country.

PIXEL CUTTING EQUIPMENT – FASTER AND LIGHTER

The slim design of Pixel cutting equipment makes a narrower cut which means an increase in cutting speed. The reduction in weight moves the centre of gravity of the saw towards the rear. Together with a somewhat smaller rotating mass the gyro force is also reduced. Both of these are important factors, for example when limbing.



BRING ONLY YOUR ESSENTIALS

When you spend entire days working in the forest, you want to be sure to have all the equipment you need. And you want it easily accessible, but without constraints, all to be able to work efficiently and comfortably. A chainsaw from Husqvarna is of course a great start. And when you add the right professional tools within reach, you get the job done easier, safer and quicker.



TOOL BELT FLEXI – COMBI KIT



A flexible and ergonomic tool belt with excellent weight distribution and adjustable, one-hand-release belt buckle specially developed for forestry work. Intuitive and easy to personalize with easily attached holders, pockets and harness.

Tool belt FLEXI. Harness. Combi holster with wedge pocket. File and combi-tool holder. Universal bag. Universal tool holder. Combi holster.

593 83 72-01

TOOL BELT FLEXI – WEDGE KIT



A flexible and ergonomic tool belt with excellent weight distribution and adjustable, one-hand-release belt buckle specially developed for forestry work. Intuitive and easy to personalize with easily attached holders, pockets and harness.

Tool belt FLEXI. Harness. Wedge pocket. File and combi-tool holder. Universal bag. Universal tool holder. Combi holster with wedge pocket.

593 83 72-02

TOOL BELT FLEXI – CARRIER KIT



A flexible and ergonomic tool belt with excellent weight distribution and adjustable, one-hand-release belt buckle specially developed for forestry work. Intuitive and easy to personalize with easily attached holders, pockets and harness.

Tool belt FLEXI. Harness. Accessory bag. File and combi-tool holder. Universal bag. Carrier hook. Wedge pocket.

593 83 72-03



1. TOOL BELT FLEXI

A flexible and ergonomic tool belt with excellent weight distribution and adjustable, one-hand-release belt buckle.

593 83 74-01



2. HARNESS FOR TOOL BELT FLEXI

Ergonomic design together with a chest strap evens the weight over the shoulders.

593 83 76-01



3. UNIVERSAL BAG

Universal bag for first aid kit, GPS tracker, power bar or other smaller items.

593 83 92-01



4. COMBI HOLSTER

Combi holster for lifting tongs or lifting hook plus eyelets for measuring tape.

593 83 83-01



5. HOLDER FOR MEASURING TAPE

Holder that keeps measuring tape securely in place.

593 83 91-01



6. COMBI HOLSTER WITH WEDGE POCKET

Combi holster for lifting tongs or lifting hook plus a pocket for wedges.

593 83 83-02



7. WEDGE POCKET

Pocket for multiple wedges, with individual sections keeping them in place.

593 83 88-01



8. UNIVERSAL TOOL HOLDER

Multi-purpose holder for carrying tools such as an axe, impact bar etc.

593 83 97-01



9. CARRIER HOOK

A multi-purpose hook for carrying various tools, water cans or other equipment.

593 83 96-01



10. SPRAY CAN HOLDER

Holder for a spray can that makes sure it is securely kept in its place.

593 83 95-01



11. FILE AND COMBI-TOOL HOLDER

Holder for one round and one flat file, plus combi-tool. The holder effectively prevents broken or lost tools.

593 83 94-01



12. CALLIPER HOLSTER

The caliper holster from our classic tool belt can also be used with tool belt FLEXI.

505 69 32-04



13. BREAKING BAR HOLSTER

The breaking bar holster from our classic tool belt can also be used with tool belt FLEXI.

505 69 32-92



14. ACCESSORY BAG

Extra bag, suitable for your fire extinguisher, water bottle, extra clothing and more.

596 25 29-01



COMPLETE TOOL BELT

Complete tool belt with two holsters, lifting hook, lifting tong, rear tool carrier and 15 m measuring tape. The tool belt is extra wide, to provide more support for the back.

505 69 90-15

Combi holster in LD polythene.

505 69 16-06

Combi holster with wedge pocket.

579 21 71-01

Tape holster, 505 69 75-00



REAR TOOL CARRIER

With large storage pocket for first aid kit, spare chain and carburettor screwdriver. Holster for file gauge, combination spanner and tape measure.

505 69 05-10



CRAYON HOLDER WITH REEL

Holder with spring-loaded metal reel for 12 mm crayons. Robust design with a metal reel that can be attached to the tool belt or harness.

593 83 98-01

Graphite crayons, 12 pcs.

593 97 55-01



MEASURING TAPE

Easy to use, lightweight design, ideal for measuring logs and stems. Can be adjusted without tools. Marked on both sides. Robust with aluminium top.

15 m release hook, 586 99 75-01

20 m release hook, 586 99 75-02

15 m timber hook, 586 99 75-03

15 m / 50' release hook, 586 99 76-01

20 m / 66' release hook, 586 99 76-02





IMPACT BAR

Combined impact and breaking bar with specially shaped impact heel to prevent vibrations when hitting the wedge.
47 cm, 574 38 71-01



FOOT BREAKING BAR

Telescopic foot breaking bar. Can be carried in a holster on a belt.
46 cm, 504 98 16-92
Holster, 505 69 32-92



BREAKING BAR WITH CANT HOOK

Fully forged with plastic handle, repeat heel and turning hook.
80 cm, 586 89 69-01



LONG BREAKING BAR

Forged bottom parts for extra strength. Front teeth give better grip. Long handle makes it possible for a two-hand grip.
130 cm, 574 38 72-01
Cant hook, 574 38 73-01



FIRST AID KIT

Includes first aid bandage, 9 plasters in various sizes, 2 wound swabs, 1 mirror, 1 cotton bud.
504 09 53-01



TURNING STRAP

For moving/turning jammed trees and as a carrying strap for cans.
505 69 80-20



MARKING TAPE

100 % viscose, biodegradable. Two-coloured, 25 mm wide and approx. 70 m long. With one colour, 20 mm wide and approx. 75 m long.
Orange, 574 28 77-00
Red, 574 28 77-01
Blue, 574 28 77-02
Yellow, 574 28 77-03



BELT

Leather, 505 69 00-01

PRESSURE DRESSING

505 66 52-06



CALLIPERS

With table of cylinder volumes, centimetre gradations on 2 sides.
36 cm, 505 69 47-30
46 cm, 505 69 47-46
Holster, 505 69 32-04

CLEARING AXE

With hickory shaft and double-edged blade that's reversible and replaceable.
579 00 06-01
Spare blade, 579 00 40-01



SAPPIE

Short-handled sappie for moving logs. Polished metal head with sharply curved tip. Part of the wooden handle is painted in orange for improved visibility.
38 cm, 579 69 28-01
80 cm, 579 69 28-02



LIMBING SAW

Curved blade with hook at tip and blade for cutting bark to prevent splitting.
33.3 cm with barkblade, 505 69 45-66
Spare blade, 505 69 45-77



FOLDABLE PRUNING SAW 200 FO

Foldable saw with 200 mm blade for different applications.
967 23 64-01



STRAIGHT PRUNING SAW 300 ST

Straight saw with 300 mm blade for sawing of fresh and dry wood. Holster included.
967 23 65-01



CURVED PRUNING SAW 300 CU

Curved saw with 300 mm blade for heavy pruning. Holster included.
967 23 66-01



TELESCOPIC SHAFT FOR LIMBING SAW

2.5-5 meters. Length is easy to adjust.
502 42 73-01

NEW



FELLING WEDGES

Made of high-impact ABS plastic. Helps the tree fall in the right direction.

- 14 cm, 598 03 58-01
- 20 cm, 598 03 58-02
- 25 cm, 598 03 58-03



ALUMINIUM FELLING WEDGE

Helps the tree fall in the right direction. Possible to re-grind.

- 550 g, 22 cm, 586 88 59-01
- 1.000 g, 27.5 cm, 586 88 59-02



SPLITTING WEDGE

Twisted wedge for splitting logs, to be used with a sledge or a sledge axe.

577 25 92-01



WEDGE FOR SPLITTING WOOD

Made of high-quality steel.

578 45 68-01



NEW



ARBORIST WEDGE

A small-size professional wedge designed specifically for smaller felling cuts. Made from high-quality, durable plastic. The wedge fits in pockets or can be hung from strap/eyelet.

598 03 57-01



LIFTING / TIMBER TONGS

Sharp tongs with grinded edges. Special hardened steel with treated surface makes them robust and less sensitive to rust.

- 30 cm, 574 38 76-01
- 20 cm, 574 38 75-01



LIFTING HOOK

Extended hook with a longer, wider opening to give a better grip when working. Special hardened steel with treated surface makes it robust and less sensitive to rust.

574 38 74-01



CHAINSAW STROP, ARBORIST

To be used together with a chainsaw hook for connecting the chainsaw to a belt. Elastic design. Measures 0.5 m when relaxed and 1.25 fully stretched out.

577 43 80-01



CHAINSAW HOOKS, ARBORIST

For easy connection of a chainsaw to a harness. Robust construction. Optimized for T540 XP®, T540i XP® and T535i XP®.

580 80 03-01



CHAINSAW EYELET, ARBORIST

For arborists who use a standard chainsaw. Offers a safe way to connect the chainsaw to the chainsaw strop. Has an overload release.

578 07 71-01



THROWLINE, ARBORIST

Made from high-strength, low-stretch Dyneema® fiber. The urethane coating makes it abrasion resistant and easy to tie and to throw without tangling. The orange color also provides good visibility.

55 m, 596 93 59-11



THROW WEIGHTS, ARBORIST

High-quality weights made with highly durable Cordura fabric. Easy to attach safely to the throwline. The orange color also provides good visibility.

- 397 g, 596 93 58-11
- 340 g, 596 93 58-12
- 283 g, 596 93 58-13
- 226 g, 596 93 58-14



CARABINER, ARBORIST

Made from hot forged 707 Aluminum for high strength and low weight. Triple locking system prevents accidental opening. Key lock gate nose limits snagging of rope and clothing.

- D-shape, 596 93 62-12
- Oval, 596 93 62-11
- HMS/Pear-shape, 596 93 62-13



THROW LINE CUBE, ARBORIST

Foldable 16-inch fabric cube, ideal for keeping the throwline clean and free from tangles, when thrown into the canopy.

596 93 60-11



28 L ROPE BAG, ARBORIST

Holds up to 80 m of 12 mm rope. Cinch top closure keeps rope clean and dry. External daisy chains for external gear storage. Covered top handles for added comfort.

596 93 63-11



HUSQVARNA INTENSIVE CUT ROUND FILES

Designed for optimal cutting performance and longer lifetime.

3 PIECES

- 4.0mm, 597 35 48-01
- 4.5 mm, 597 35 55-01
- 4.8mm, 597 35 58-01
- 5.2mm, 597 35 59-01
- 5.5mm, 597 35 61-01

12 PIECES

- 4.0mm, 597 35 48-02
- 4.8mm, 597 35 58-02
- 5.2mm, 597 35 59-02
- 5.5mm, 597 35 61-02



FLAT FILES

Quality files which give you the right geometry of the cutter.

- Flat file 6" 1pc, 5056981-60
- Flat file 6" 12pcs, 5056981-61
- Flat file 6" 100 files/p, 5056981-62
- Flat file 8" 1pc, 5056981-80
- Flat file 8" 12pcs, 5056981-81



FILE KITS

Complete filing kit with a file handle, combination gauge or a file gauge and depth gauge, two round files and one flat file.

- X-Cut™ P21, green, SP21G, 590 00 46-01
- X-Cut™ 93, grey, S93G, 587 80 67-01
- X-Cut™ P33, orange, SP33G, 586 93 34-01
- X-Cut™ 83/85, blue, C83/C85/S85, 586 93 85-01
- H00, 580 68 75-01
- H30, 505 69 81-27
- H25 / H22 / H21 / H23, 505 69 81-25
- H36, 505 69 81-38
- H37, 579 65 36-01
- H42 / H46 / H47 / H48 / H50, 505 69 81-30
- H64(S), 505 69 81-92



FILE GAUGES

Specially designed file gauges that give the correct filing angles. Use together with our round files.

- H00 1/4", 1.3 mm, 505 69 81-18
- H38 3/8"mini Pixel, 1.1 mm, 579 55 88-01
- H35 / H36 / H37 3/8"mini, 505 24 37-01
- H64(S) .404", 1.6 mm, 505 69 81-15



COMBINATION GAUGES

Our combination gauges are specially designed with a file gauge and depth gauge setter together in one tool. Use together with our round and flat files for a correct filing angles and depth gauge setting.

- X-Cut™ 21, green, SP21G .325"mini / 1.1 mm Pixel, 595 00 47-01
- X-Cut™ 93, grey, S93G 3/8"mini 1.3 mm, 587 80 90-01
- X-Cut™ 33P, orange, SP33G .325" 1.3 mm Pixel, 586 93 84-01
- X-Cut™ 83/85, blue, C83/C85/S85 3/8", 586 93 86-01
- H00 1/4" 1.3 mm, 580 68 74-01
- H30 .325" / 1.3 mm Pixel, 505 69 81-08
- H22 / H25 / H23 .325" / 1.5 mm, 505 69 81-09
- H42 / H46 / H47(S) / H48(S) / H50 3/8" Chisel, 505 24 35-01
- H49 / H51 / H54 / H58 3/8" Semi-chisel, 575 99 15-01



DEPTH GAUGE TOOL

Specially designed depth gauges that give the correct depth gauge setting. Use together with our flat files.

- .325", 5056981-00
- 3/8" 5056981-01
- .404", 5056981-02
- 3/8"mini/3/8"mini Pixel, 5056981-03



STUMP VISE

To fasten the chainsaw in a secure position when filing. Made of forged steel.

- 505 66 52-56

FILE HANDLE

Patented file locking system. Fits all our files. 25° and 30° guides ensure correct file angling.

- File handle Ø 4.5-5.5 mm, 505 69 78-01
- File handle flat files, 505 69 78-10

PRODUCT GUIDE – FILING EQUIPMENT

	CHAIN NAME	GAUGE NAME	ROLLER COLOR	FILE DIAMETER (MM / INCH)	COMBINATION FILE GAUGE	FILE KIT	FILE GAUGE	DEPTH GAUGE TOOL
X-CUT™	SP21G	P21	Green	4.0 / 5/32	595 00 47-01	595 00 46-01	—	—
	S93G	93	Grey	4.0 / 5/32	587 80 90-01	587 80 67-01	—	—
	SP33G	P33	Orange	4.8 / 3/16	586 93 84-01	586 93 34-01	—	—
	C83/C85/S85	83/85	Blue	5.5 / 7/32	586 93 86-01	586 93 85-01	—	—
	H00	1/4"	—	4.0 / 5/32	580 68 74-01	580 68 75-01	505 69 81-18	—
H-CHAIN	H38	3/8"mini Pixel	—	4.5 / 11/64	—	—	579 55 88-01	505 69 81-03
	H37	3/8"mini	—	4.0 / 5/32	—	579 65 36-01	505 24 37-01	—
	H30	.325" Pixel	—	4.8 / 3/16	505 69 81-08	505 69 81-27	—	—
	H21/22/23/25	.325"	—	4.8 / 3/16	505 69 81-09	505 69 81-25	—	505 69 81-00
	H42/46/47/48/80/81	3/8" Chisel	—	5.5 / 7/32	505 24 35-01	505 69 81-30	—	505 69 81-01
	H49/51/54/58/70	3/8" Semi-Chisel	—	5.5 / 7/32	575 99 15-01	—	—	—
	H64	.404"	—	5.5 / 7/32	—	—	505 69 81-15	505 69 81-02



WOOD HANDLE AXES

A series of high-quality forged axes with ash wood handle. Part of the handle is painted in orange for improved visibility.

- Hatchet, 36 cm, 0.6 kg. 597 62 77-01
- Universal axe, 70 cm, 1.25 kg. 597 62 90-01
- Small splitting axe, 50 cm, 1.25 kg. 599 67 31-01
- Splitting axe, 80 cm, 2.5 kg. 597 62 94-01

CAMPING AXE

A smaller axe ideal for outdoor life in woods and fields, suitable for most tasks like chopping wood for the campfire. The size is perfect for packing in your backpack. The axe can also be attached to your belt using the edge cover that follows. High-quality, hand-forged Swedish steel. 37.5 cm.

- 576 92 63-01
- Spare shaft, 576 92 63-02



FOREST AXE

Suitable for small-scale tree felling, limbing logs, branch trimming and clearing bushes. The long handle gives power to the cut. High-quality, hand-forged Swedish steel. 65 cm.

- 576 92 62-01
- Spare shaft, 576 92 62-02



SPLITTING AXE

This heavier splitting axe is best suited for splitting thicker wood and fire wood. The head is designed to go easy into the wood, with minimal effort by the chopper, and split the wood in two parts. The long handle creates extra power and has space for two-hand grip. High-quality, hand-forged Swedish steel. 75 cm.

- 576 92 67-01

SMALL SPLITTING AXE

This small splitting axe is best suited for basic splitting of lighter fire wood. The head is designed to go easy into the wood, with minimal effort by the chopper, and split the wood in two parts. The small size makes it possible to use with one-hand grip. High-quality, hand-forged Swedish steel. 50 cm.

- 576 92 68-01
- Spare shaft, 576 92 68-02



CARPENTER'S AXE

The carpenter's axe is best suited for carpentry and other wood work. Recess in the head so that the hand gets as close as possible to the cutting edge for maximum control. High-quality, hand-forged Swedish steel. 50 cm.

- 576 92 65-01
- Spare shaft, 576 92 68-02



SLEDGE AXE

The sledge axe is our most powerful and heaviest axe made for splitting logs and large chunks of wood. It has a hardened striking face in the neck and can therefore be used as a sledge or in combination with a splitting wedge. High-quality, hand-forged Swedish steel. 80 cm.

- 576 92 66-01
- Spare shaft, 576 92 66-02



HATCHET AXE

Small, light axe that can be used for cutting branches or splitting small camp fire wood. High-quality, hand-forged Swedish steel. 37.5 cm.

- 576 92 64-01



NEW

HIKING HATCHET

A smaller axe for hiking and camping. Hand forged high-quality steel, hardened to stay sharp, with a hickory handle and leather egg cover. 24 cm.

- 599 67 35-01



HUSQVARNA A1400

Universal axe ideal for splitting resinous wood. 60 cm.

- 580 76 11-01



HUSQVARNA A2400

Powerful universal axe for different kinds of wood work. 70 cm.

- 580 76 12-01



HUSQVARNA S1600

Splitting axe for splitting logs and chunks of wood. 60 cm.

- 580 76 13-01



HUSQVARNA S2800

Powerful splitting axe for splitting large logs. 70 cm.

- 580 76 14-01



HUSQVARNA H900

Small hatchet for trekking, gardening and other outdoor activities. 34 cm

- 580 76 10-01



TROLLEY BAG

Robust trolley bag with easy-access u-shaped zipper and silent rubber wheels. Moulded bottom and side make the bag stand upright without support. Two organizing bags included. 90 litres, 593 25 81-01



DUFFEL BAG

Moisture-repellent and easily cleaned material, smart inside pockets and soft top handles. Removable shoulder straps and organizing bags included. 70 litres, 593 25 83-01



CHAINSAW BAG

Bag made from recycled PET bottles, with special pockets for chainsaw files, and a bar cover that is easily removed and attached to the bag with hook-and-loop fastenings. Fits all our chainsaws. 48 litres, 597 41 83-01



BACK PACK

Durable backpack for all weathers. Easily cleaned material that keeps the inside dry. Roll-up seal and smart compartments for your laptop, thermos and water bottle. 30 litres, 593 25 82-01



NEW

GRINDSTONE

Small-size silicon carbide grinding stone for sharpening axes. Dual grains (course and fine) for fast or fine grinding. Can be used both dry or with oil or water. Comes with a leather pouch. 599 67 46-01

POWER BOX

Tough handy carrying case designed to carry a chainsaw, lubricants and other accessories. 531 30 08-72



MAKING EASY WORK OF THE TOUGHEST OF TASKS

Husqvarna forestry clearing saws are designed to tackle long workdays in tough terrain with ease. Abundant power, professional-quality components and an ergonomic design – including the renowned Balance XT™ harness – make work quick and efficient, with less strain on your muscles.

X-TORQ®


ALL THE POWER YOU NEED. WITHOUT ALL THE FUMES YOU DON'T.

X-Torq® engines deliver great combustion efficiency, with no compromise on power or torque. Every cycle, the cylinder is flushed with fresh air before the air-fuel mixture enters the cylinder, to prevent unburnt fuel from mixing with the exhausts. The result? A significant reduction of exhaust emissions as well as improved fuel efficiency, compared to similar models without X-Torq®.

TAILORED DESIGN

MANOEUVRING AT THE PERFECT ANGLE

The keys to the productivity of Husqvarna clearing saws are the design of the bevel gear and the tower as well as the length of the tube. The bevel gear is designed to keep the blades at a perfect angle, making it easier to fell trees in the right direction, while the tower is lowered and the tube shortened for easier manoeuvring with less effort.



USER-CENTRIC DESIGN

MAKING A HEAVY JOB LESS HEAVY

To make the job less strenuous, we've put a lot of research into the development of our clearing saws. This has resulted in an extremely well-balanced design, a comfort handle with a thumb throttle, effective vibration damping and the renowned Balance XT™ harness, minimizing the strain on your body.

You can find our full range of harnesses on page 73.




BATTERY COMFORT
**QUIET PERFORMANCE
IN A 3-KG PACKAGE**

The Husqvarna 530iPX is a sheer pleasure to work with. It has an incredibly low weight and excellent ergonomics, yet delivers impressive performance. It also spares you all the fumes and much of the noise – and as soon as you let go of the throttle, it turns completely quiet.



BATTERY SYSTEM
FLEXIBLE COMFORT

To achieve the best ergonomics, attach your 530iPX to a backpack harness. The choice of integrated or backpack battery is up to you.



UNIQUE DESIGN
**TRY SOMETHING
COMPLETELY DIFFERENT**

The Husqvarna 530iPX is a unique forestry clearing saw, offering a whole new level of freedom of movement in dense vegetation. Since the saw head can be tilted 90 degrees, you can cut comfortably in any direction you like. Whether you're clearing, thinning or pruning trees – this is the perfect tool.

THUMB THROTTLE**ALL THE POWER AT YOUR THUMB-TIP**

The thumb-operated throttle gives you precision control and reduces strain on your hand muscles. Just as convenient as it should be.

START MODE**EASY STARTS, EASY WORK**

No matter the temperature of your engine, our Start Mode will make easy work of starting up your machine. With the Start Mode activated, the engine is optimized for quick starts and at the same time a top speed brake makes sure the blade is kept from rotating while starting, increasing safety. Push the Start Mode button, pull the cord and get to work. As easy as it should be.

LOW VIB®**STAY ALERT AND SAVE YOUR FINGERS FROM VIBRATION**

Thanks to effective vibration damping, you can work comfortably and efficiently – without getting vibration white finger. By separating the tank and handles from the engine and cutting equipment with carefully tuned anti vibration elements, we have managed to keep the vibrations in the handles at extremely low levels. All this helps spare your arms and hands, allowing you to stay safe in the long run.

AUTOTUNE™**FULL ENGINE PERFORMANCE, WHATEVER THE CONDITIONS**

With AutoTune™, you can always expect reliable starts and maximum performance from your Husqvarna. It's an automatic feature that constantly fine-tunes the air-fuel mixture, compensating for factors such as humidity, altitude, temperature, fuel quality and, not least, air filter clogging. Your engine runs perfectly – and you never have to tune the carburettor manually again.

HUSQVARNA FLEET SERVICES™**MAKING IT EASY TO KEEP TRACK OF YOUR EQUIPMENT**

Keeping track of your equipment has never been easier. Just attach Husqvarna sensors, and you'll always know where your machines are, how much they've been used, when they need service and much more. You always have total control from your computer, tablet or smartphone.

Read more on page 14.



FORESTRY CLEARING SAW RANGE

HUSQVARNA 555FXT



 **53.3 cm³**
 **2.8 kW**
 **9.1 kg**

A very powerful clearing saw developed for full time spacing tasks in rough conditions. The 53cc engine provides the boost and rapid acceleration you need for the toughest of jobs. Excellent comfort thanks to the Balance XT™ harness. Equipped with heated handles.

- X-Torq®
- Low Vib®
- Auto return stop switch
- Smart Start®
- Heated handles

HUSQVARNA 555FX



 **53.3 cm³**
 **2.8 kW**
 **8.9 kg**

A very powerful clearing saw developed for full time spacing tasks in rough conditions. The 53cc engine provides the boost and rapid acceleration you need for the toughest of jobs. Excellent comfort thanks to the Balance XT™ harness.

- X-Torq®
- Low Vib®
- Auto return stop switch
- Smart Start®

HUSQVARNA 545FXT AUTOTUNE™



 **45.7 cm³**
 **2.2 kW**
 **8.4 kg**

Tough, easy-to-use, high-performance 45cc clearing saw developed for full-time clearance work. Excellent comfort thanks to the Balance XT™ harness. Equipped with heated handles.

- X-Torq®
- Low Vib®
- Auto return stop switch
- Start Mode
- AutoTune™
- Heated handles

HUSQVARNA 545FX AUTOTUNE™



 **45.7 cm³**
 **2.2 kW**
 **8.2 kg**

Tough, easy-to-use, high-performance 45cc clearing saw developed for full-time clearance work. Excellent comfort thanks to the Balance XT™ harness.

- X-Torq®
- Low Vib®
- Auto return stop switch
- Start Mode
- AutoTune™

HUSQVARNA 545F



 **45.7 cm³**
 **2.0 kW**
 **8.4 kg**

Simple, easy-to-use, 45cc clearing saw developed for heavy-duty clearance work. Excellent comfort thanks to the Balance X™ harness.

- X-Torq®
- Low Vib®
- Auto return stop switch
- Smart Start®

HUSQVARNA 530iPX



 **3/8"**
 **25-30 cm**
 **3.1 kg**

Battery powered clearing saw that also can be used as a pole saw (the cutting head can be angled 90 degrees) with a power output equivalent of a 30cc petrol machine. Its low weight, excellent ergonomics and quiet operation make it comfortable to use in any location at any time of day. For further technical specifications, please see page 34.

- Brushless E-TORQ motor
- savE™
- Intuitive keypad
- Weatherproof (IPX4)
- Adjustable cutting head



HUSQVARNA 535FBX



	34.6 cm ³		33 cm
	1.6 kW		12.4 kg
	.325" Pixel		

The first application for top spacing. The design provides total load distribution, with the 34cc engine located in a harness on your back. The cutting equipment is hinged in a flexible suspension for best comfort and flexibility, to make work easy and with high precision.

- X-Torq®
- Low Vib®
- Auto return stop switch
- Detachable shaft
- Flexible saw suspension

PETROL FORESTRY CLEARING SAWS	555FXT	555FX	545FXT AUTOTUNE™	545FX AUTOTUNE™	545F	535FBX
TECHNICAL SPECIFICATIONS						
Cylinder displacement, cm ³	53.3	53.3	45.7	45.7	45.7	34.6
Power output, kW	2.8	2.8	2.2	2.2	2.0	1.6
Fuel tank volume, litres	1.1	1.1	1.0	1.0	0.9	0.6
Fuel consumption, g/kWh	480	480	450	450	450	463
Sound pressure level at operator's ear, dB(A)*	103	103	99	99	99	94
Guaranteed sound power level, LWA dB(A)**	117	117	116	116	114	111
Equivalent vibration level (ahv, eq) left/right handle, m/s ² ***	2.1/2.3	2.1/2.3	3.5/3.2	2.9/3.3	2.9/3.2	—
Equivalent vibration level (ahv, eq) front/rear handle, m/s ² ***	—	—	—	—	—	1.8/1.2
Maximum power speed, rpm	9000	9000	9000	9000	9000	8400
Idling speed, rpm	2800	2800	2700	2700	2700	2900
Gear ratio	1:1.29	1:1.29	1:1.29	1:1.29	1:1.29	1:1.29
Drive gear angle	24	24	24	24	24	—
Weight (excl. cutting equipment), kg	9.1	8.9	8.4	8.2	8.4	12.4
FEATURES						
X-Torq® engine	●	●	●	●	●	●
Low Vib®	●	●	●	●	●	●
Auto return stop switch	●	●	●	●	●	●
Fuel pump	●	●	●	●	●	●
Tool-less adjustment of handlebar / handle	●	●	●	●	—	●
Forestry bevel gear	●	●	●	●	●	—
Smart Start®	●	●	—	—	●	—
Smart Mode	—	—	●	●	—	—
AutoTune™	—	—	●	●	—	—
Handle heating	●	—	●	—	—	—
Detachable shaft	—	—	—	—	—	●
Flexible saw suspension	—	—	—	—	—	●
HARNESSES INCLUDED						
Balance XT™	●	●	●	●	—	—
Balance X™	—	—	—	—	●	—
CUTTING EQUIPMENT INCLUDED						
OEM Saw blade	Scarlett 225–24	Scarlett 225–24	Scarlett 225–24	Scarlett 225–24	Scarlett 225–24	—
OEM bar and chain	—	—	—	—	—	.325" 13" Pixel

*Equivalent sound pressure level at the operator's ear, measured according to ISO 22868, dB(A). Reported data for equivalent sound pressure level for the machine has a typical statistical dispersion (standard deviation) of 1 dB(A).

Noise emissions in the environment measured as sound power (LWA) in conformity with EC directive 2000/14/EC. Reported sound power level for the machine has been measured with the original cutting attachment that gives the highest level. The guaranteed sound power level includes variation in production as well as variation from the test code with 1–3 dB(A). *Equivalent vibration levels (ahveq) at handles, measured according to EN ISO 11806-1 and ISO 22867, m/s². Reported data for equivalent vibration level has a typical statistical dispersion (standard deviation) of 1 m/s².

NOMINAL POWER The EU machinery directive (2006/42/EC) came into force on January 1, 2010, requiring manufacturers to declare the nominal power of engines, in kilowatts (kW). The power rating of the engines indicated is the average net power output during a normal working situations and meets applicable noise regulations (at specified rpm, see owner manual) of a typical production engine for the engine model measured to SAE standard J 1349/ISO 1585. Mass production engines may differ from this value. Actual power output for the engine installed in the final machine will depend on the operating speed, environmental conditions and other variables.

A NEW STANDARD IN SUSTAINABLE POWER

The Husqvarna range of brushcutters and trimmers are built to withstand the most demanding jobs. They are not only reliable, powerful and efficient, but also well-balanced, lightweight and easy to handle. So you get much more done in much less time. Our 535 range of battery-powered brushcutters provides you with a new level of productivity and sustainable power, challenging everything you thought you knew about battery-powered brushcutting tools once and for all.





35cc EQUIVALENT POWER

GAME-CHANGING BATTERY-POWERED BRUSHCUTTING

Husqvarna 535iRXT, 535iRX and 535iFR are the most powerful battery-powered brushcutters in our range. The 35cc equivalent power E-TORQ motor and 45 cm cutting diameter provides you with the reliable levels of high performance you need to get the job done on time.



ROBUST DESIGN

A MOTIVATIONAL, INSPIRATIONAL FEELING OF QUALITY

The battery-powered brushcutters in our 535 range are designed with a professional look and feel. Many vital components come from our proven petrol range, such as the bevel gear. The rigid handle tower and motor suspension are crafted from magnesium.




2-WAY TRIMMER HEAD
**SWITCH DIRECTION
WHENEVER YOU WANT**

The unique Husqvarna 2-way trimmer head on 520iRX and 520iLX allows you to switch direction of rotation, so you can avoid spraying grass onto walkways or into flower beds. It's also a great feature when you are working close to parked cars and other things you want to protect from gravel and dirt.



BATTERY SERIES
**EXPERIENCE A QUIET AND
COMFORTABLE WORKDAY**

Thanks to their quiet electric E-TORQ-motors, lightweight designs and fumeless operation, our professional, battery-powered trimmers and brushcutters all contribute to a much more comfortable and less stressful day – for you as well as for the people around you. The excellent anti-vibration system in Husqvarna 535i RXT/RX adds even more comfort.



ERGOFEED™
**SAVING TIME, EFFORT
AND TRIMMER LINE**

The ErgoFeed™ function on Husqvarna 535iRXT allows you to feed the trimmer line with a simple push of a button located on the right handle. Since you don't need to tap the trimmer head on the ground, you'll also reduce the risk of unintentional feed. So, you'll spend less time and money on buying and loading new trimmer line. The ErgoFeed™ trimmer head is designed with a minimum of moving parts which makes it robust and durable.



TRULY CORDLESS
**CHOOSE INTERNAL
OR BACKPACK BATTERY**

With Husqvarna battery-powered brushcutters you are free to choose the battery solution that suits your own preferences and capacity needs. The Balance XB harness features a battery holder so you can easily bring one extra battery.



USABILITY

INTUITIVE KEYPAD PROVIDING MORE CONTROL


We've re-designed the user interface on our battery-powered products with bigger, more responsive buttons and a battery indicator so you'll always can keep an eye on your current charging status.



E-TORQ MOTORS

BATTERY PERFORMANCE TO RELY ON

The unique Husqvarna E-TORQ motor concept sets a new level of productivity for battery equipment. The E-TORQ motors are developed and produced by Husqvarna and are perfectly adapted for each application. The brushless design minimizes the number of moving parts and the motors are built to withstand tough, prolonged professional use, are completely maintenance-free and will last for the product's whole lifespan.



INTEGRATED CONNECTIVITY

MAKING IT EASY TO KEEP TRACK OF YOUR EQUIPMENT

Husqvarna 535iRXT and 535iFR feature a built-in connectivity module that allows them to connect with Husqvarna Fleet Services™. No need for an external sensor here. Keep track of your brushcutters' usage stats, service history and last known location in the Husqvarna Fleet Services™ app. [Read more on page 14.](#)



CLEARING DIAMETER


CUT MORE – MOVE LESS

With our brushcutters you can cut a significantly larger area, when comparing with most other machines. The reason for this is the optimized transmission and powerful engine with an impressive gear ratio. This means that the machine has the power to manage a much longer trimmer line, giving you more clearing diameter per revolution which translates into increased productivity, allowing you to finish the job at hand faster.

DESIGNED TO PERFORM

GLIDE OVER THE GRASS AT A PERFECT ANGLE

Our bevel gears are precisely angled to facilitate and improve your grass clearing work. Calculations and empirical studies have shown that an angle of 30–35 degrees ensure that the blade does not hit the ground but glides over the grass, giving you the best possible cutting performance. The angle of the steering and tube has been optimized to keep the cutting equipment centered, in front of the operator for maximum control.



HUSQVARNA FLEET SERVICES™

MAKING IT EASY TO KEEP TRACK OF YOUR EQUIPMENT


Keeping track of your equipment has never been easier. Just attach Husqvarna sensors, and you'll always know where your machines are, how much they've been used, when they need service and much more. You always have total control from your computer, tablet or smartphone. [Read more on page 14.](#)

HARNESSES

DESIGNED AROUND YOU

Using a harness improves your pattern of movement, helps you work more safely and provides relief for your body. This is why we have invested so much time in developing harnesses that help you get the most out of your machine. By efficiently distributing the weight to provide the best possible balance, they make the machine feel lighter, more manoeuvrable and less strenuous to operate. All contributing to better results. [Check out our products on page 73.](#)





BALANCE

DESIGNED FOR EFFORTLESS HANDLING

How a piece of equipment handles has a lot to do with how well-balanced it is. And we've gone to great lengths to achieve just that, to boost manoeuvrability and make work less strenuous. The angled handlebar, comfort handle and adjustable harness eyelet ensure a good working posture and comfortable grip, while the well-adapted shaft length enables more efficient clearing.

LOW VIB®

STAY ALERT AND SAVE YOUR FINGERS FROM VIBRATION

Thanks to effective vibration damping, you can work comfortably and efficiently – without getting vibration white finger. By separating the tank and handles from the engine and cutting equipment with carefully tuned anti vibration elements, we have managed to keep the vibrations in the handles at extremely low levels. All this helps spare your arms and hands, allowing you to stay safe in the long run.

AUTOTUNE™

FULL ENGINE PERFORMANCE, WHATEVER THE CONDITIONS

With AutoTune™, you can always expect reliable starts and maximum performance from your Husqvarna. It's an automatic feature that constantly fine-tunes the air-fuel mixture, compensating for factors such as humidity, altitude, temperature, fuel quality and, not least, air filter clogging. Your engine runs perfectly – and you never have to tune the carburettor manually again.



X-TORQ®

ALL THE POWER YOU NEED. WITHOUT ALL THE FUMES YOU DON'T.

X-Torq® engines deliver great combustion efficiency, with no compromise on power or torque. Every cycle, the cylinder is flushed with fresh air before the air-fuel mixture enters the cylinder, to prevent unburnt fuel from mixing with the exhausts. The result? A significant reduction of exhaust emissions as well as improved fuel efficiency, compared to similar models without X-Torq®.

ONE MACHINE FOR ANY NEED

Our combi trimmers and brushcutters are really smart investments – in many aspects. Firstly, you don't need to pack your trailer with several machines when traveling from job to job. You only need the various attachments to deal with upcoming tasks. Secondly, you only need to refuel and start up one machine. Finally, less time and money is wasted on maintenance and servicing several machines. These are just some of the benefits that come from using a combi trimmer.



ATTACHMENT RANGE

WHATEVER YOU WANT TO TRIM, CUT OR REMOVE

A smart design with quick connections makes it easy to switch between different attachments and avoid wasting valuable work time on site. Each attachment comes with a durable design and – most importantly – sufficient power to trim dense grass, cut vigorous bushes, blow or sweep huge piles of leaves and debris.



PERFORMANCE

JUST AS RELIABLE. JUST MORE FLEXIBLE.

We never compromise when it comes to power, durability and productivity. That's why we have designed our combi machines to work equally well as our conventional machines. This means that you get a reliable workmate that handles everything from powerful pole sawing to efficient cultivating with ease.

BRUSHCUTTER AND TRIMMER RANG

HUSQVARNA 555RXT



 53.3 cm³
 54 cm
 2.8 kW
  9.2 kg

A rugged, powerful and fuel-efficient, 53cc brushcutter, for day in day out use. With superb operator comfort, thanks to its ergonomic design and the Balance XT™ body harness, it's ideal for all agricultural, horticultural and utility applications.

- X-Torq®
- Standalone starter
- Auto return stop switch
- Low Vib®
- Smart Start®

HUSQVARNA 553RBX



 50.6 cm³
 49 cm
 2.3 kW
  12.1 kg

A powerful, 50cc backpack brushcutter developed for the most demanding full-time jobs in difficult terrain. Its unique harness efficiently reduces the strain on your muscles, and makes moving around easy and comfortable.

- X-Torq®
- Standalone starter
- Comfortable harness
- J-handle

HUSQVARNA 543RBX



 40.1 cm³
 49 cm
 1.5 kW
  11.9 kg

A high-performance, 40cc backpack brushcutter developed for demanding full-time jobs in difficult terrain. Its unique harness efficiently reduces the strain on your muscles and makes moving around easy and comfortable.

- X-Torq®
- Standalone starter
- Comfortable harness
- J-handle

HUSQVARNA 535RXT



 34.6 cm³
 47 cm
 1.6 kW
  6.7 kg

Durable and easy-to-use, 35cc brushcutter for frequent trimming of thick grass and weeds. The class-leading power-to-weight ratio translates into maximum performance with minimum strain on your body, further enhanced by the anti-vibration system.

- X-Torq®
- Standalone starter
- Auto return stop switch
- Low Vib®

HUSQVARNA 535RX



 34.6 cm³
 47 cm
 1.6 kW
  6.1 kg

Durable and easy-to-use, 35cc brushcutter for frequent trimming of thick grass and weeds. The class-leading power-to-weight ratio translates into maximum performance with minimum strain on your body.

- X-Torq®
- Standalone starter
- Auto return stop switch
- Low Vib®

HUSQVARNA 535iRXT



 45 cm
 4.9 kg

Robust, high-performance battery-powered brushcutter with a power output equivalent to a 35cc petrol brushcutter. Lightweight and well-balanced for full-time use. Excellent comfort thanks to the Balance XB™ harness and ErgoFeed™ trimmer head. Includes trimmer head and grass blade.

- Brushless E-TORQ motor
- 3-speed mode
- Intuitive keypad with battery status
- ErgoFeed™ trimmer head
- Anti-vibration
- Integrated connectivity
- Weatherproof (IPX4)

E

HUSQVARNA 545RXT



 45.7 cm³
 48 cm
 2.2 kW
  8.9 kg

High-performance, 45cc brushcutter with excellent ergonomics for comfortable full-time use. Ideal for heavy agricultural, horticultural and utility applications. Comes with the renowned Balance XT™ harness.

- X-Torq®
- Standalone starter
- Auto return stop switch
- Low Vib®
- Start Mode
- AutoTune™

HUSQVARNA 545RX



 45.7 cm³
 48 cm
 2.1 kW
  8.5 kg

High-performance, 45cc brushcutter with excellent ergonomics for comfortable full-time use. Ideal for heavy agricultural, horticultural and utility applications.

- X-Torq®
- Standalone starter
- Auto return stop switch
- Low Vib®
- Smart Start®

HUSQVARNA 545FR



 45.7 cm³
 48 cm
 2.1 kW
  8.7 kg

High-performance, versatile 45cc brushcutter with excellent ergonomics for frequent use on brush and weeds. Ideal for heavy agricultural, horticultural and utility applications. Includes trimmer head, grass blade and saw blade.

- X-Torq®
- Auto return stop switch
- Low Vib®
- Smart Start®

HUSQVARNA 535iRX



 45 cm
 4.9 kg

Robust, high-performance battery-powered brushcutter with a power output equivalent to a 35cc petrol brushcutter. Lightweight and well-balanced for full-time use. Includes trimmer head and grass blade.

- Brushless E-TORQ motor
- 3-speed mode
- Intuitive keypad with battery status
- Anit-vibration
- Weatherproof (IPX4)

HUSQVARNA 535iFR



 45 cm
 4.5 kg

Robust and versatile, high-performance battery-powered brushcutter with a power output equivalent to a 35cc petrol brushcutter. Lightweight and well-balanced for frequent use on grass, brush and light forestry clearing. Includes trimmer head, grass blade and saw blade.

- Brushless E-TORQ motor
- 3-speed mode
- Intuitive keypad with battery status
- Integrated connectivity
- Weatherproof (IPX4)



FIND OUT MORE ABOUT OUR BATTERIES
AND CHARGERS ON PAGE 138

HUSQVARNA 525RXT



 25.4 cm³
 45 cm
 1.0 kW
  5.2 kg

Lightweight and ergonomic, yet efficient, 25cc brushcutter for frequent trimming duties and general landscape maintenance around commercial properties, estates, farms and parks. Very low vibration levels.

- X-Torq®
- Standalone starter
- Auto return stop switch
- Low Vib®

HUSQVARNA 525RX



 25.4 cm³
 45 cm
 1.0 kW
  4.9 kg

Lightweight and ergonomic, yet efficient, 25cc brushcutter for frequent trimming duties and general landscape maintenance around commercial properties, estates, farms and parks.

- X-Torq®
- Standalone starter
- Auto return stop switch

HUSQVARNA 525LX



 25.4 cm³
 45 cm
 1.0 kW
  4.6 kg

Lightweight and ergonomic, yet efficient, 25cc brushcutter for frequent trimming duties and general landscape maintenance around commercial properties, estates, farms and parks.

- X-Torq®
- Standalone starter
- Auto return stop switch
- Low Vib®

HUSQVARNA 524R



 25 cm³
 45 cm
 0.7 kW
  5.5 kg

Efficient brushcutter equipped with a 25cc 4-stroke engine for long, fast-paced work shifts. Suitable for parks, golf courses, gardens etc. The ergonomic and comfortable double harness and the angled handlebars for quick adjustment provide a comfortable working position.

- Smart Start®
- Pure petrol engine

HUSQVARNA 520iRX



 40 cm
 3.8 kg

A lightweight, battery-powered brushcutter with high performance. Perfect for gardeners, landscapers and contractors. Features excellent ergonomics and balance, 2-way rotation trimmer head and long-lasting brushless motor.

- Brushless E-TORQ motor
- savE™
- Intuitive keypad
- Weatherproof (IPX4)
- Two-way rotation

HUSQVARNA 520iLX



 40 cm
 3.0 kg

A lightweight, battery-powered loop-handle trimmer with high performance. Perfect for gardeners, landscapers and contractors. Features excellent ergonomics and balance, 2-way rotation trimmer head and long-lasting brushless motor.

- Brushless E-TORQ motor
- savE™
- Intuitive keypad
- Weatherproof (IPX4)
- Two-way rotation



FIND OUT MORE ABOUT OUR BATTERIES
AND CHARGERS ON PAGE 138



USER-CENTRIC DESIGN

WORK IN COMFORT

We want to make your work easier and help you work more efficiently. For this reason we have angled the handlebar seven degrees, allowing you to always have the cutting equipment directly in front of you with a minimum of effort. This solution also means that you can make equally large sweeps on both sides of your body. Moreover, our offset posts are extra high. On many of our machines, the handlebar is on a 15-cm high post. As a result, you can work in an upright, comfortable position while enjoying plenty of legroom. Something that's particularly beneficial when working on slopes.



BATTERIES AND CHARGERS

STAY CHARGED. ANY WAY YOU WANT TO.

We offer a wide selection of batteries, ranging from the handy, integrated ones to our high-capacity backpack batteries, that can keep you going for up to a full day. Learn more about all of them – including specific working and charging times – [on page 138](#).



COMBI MACHINE RANGE

HUSQVARNA 336RK



 34.6 cm³
 47 cm
 1.4 kW
  7.4 kg

Powerful 35cc bullhorn combi machine. Thanks to the click-on connection on the shaft, it's quick and easy to convert from a brushcutter to a trimmer or a clearing saw.

- X-Torq®
- Auto return stop switch
- Click-on attachments

HUSQVARNA 535LK



 34.6 cm³
 45 cm
 1.5 kW
  5.8 kg

Lightweight, 35cc loop-handle combi machine with several features for easy and comfortable use. Thanks to the 24 mm shaft diameter, it can be equipped with a host of different attachments, making it the perfect multi-tool.

- X-Torq®
- Standalone starter
- Auto return stop switch
- Click-on attachments

HUSQVARNA 525LK



 25.4 cm³
 47 cm
 1.0 kW
  4.5 kg

Lightweight, 25cc loop-handle combi machine with several features for easy and comfortable use. Thanks to the 24 mm shaft diameter, it can be equipped with a host of different attachments, making it the perfect multi-tool.

- X-Torq®
- Standalone starter
- Auto return stop switch
- Smart Start®
- Click-on attachments

HUSQVARNA 524LK



 25 cm³
 47 cm
 0.7 kW
  5.4 kg

Efficient, 25cc loop-handle combi machine equipped with an easy-to-start 4-stroke engine. Thanks to the 24 mm shaft diameter, it can be equipped with a host of different attachments, making it the perfect multi-tool.

- Smart Start®
- Pure petrol engine
- Click-on attachments

TRIMMER HEADS

Trimmer head attachment equipped with a combination guard and a T35 Tap-n-Go trimmer head. Shaft diameter 28 or 24 mm.

TA 850/24, fits 525LK and 524LK.
Shaft diameter 24 mm. 537 35 35-01
TA1100/24, fits 535FBX
Shaft diameter 24 mm. 967 30 08-01

BRUSHCUTTERS

Brushcutter attachment equipped with a combination guard and a grass knife. Shaft diameter 28 or 24 mm.

BCA 850/24 with Multi 255-4 grass knife, complete with J-handle and harness. Fits 525LK and 524LK. 967 18 59-01

HEDGERS**NEW**

Hedge trimmer attachment. Cutting deck 60 cm. Shaft diameter 24 mm.

HA 200, tube length 11 cm. Fits 535LK, 525LK and 524LK. 596 31 65-01
HA 860, tube length 85 cm. Fits 535FBX, 535LK, 525LK and 524LK. 596 31 66-01

POLE SAW

Provides extra reach when needed. Cuts branches up to approx. 15 cm in thickness. Length 73-110 cm. Shaft diameter 24 mm.

PA 1100, 110 cm, fits 535FBX, 525LK and 524LK. 537 18 33-23
PAX1100, 110 cm, fits 535LK, 525LK and 524LK. 967 68 83-01
PAX 730, 73 cm, fits 535LK, 525LK and 524LK. 967 68 82-01

EDGER

Keeps lawns, pathways and flowerbeds looking good with straight, neat edging. Shaft diameter 24 mm.

ESA 850, straight shaft, fits 535LK, 525LK and 524LK. 967 90 85-01
ECA 850, curved shaft, fits 535LK, 525LK and 524LK. 967 90 86-01

TILLER

Ideal on delicate flowerbeds and around the base of trees. Shaft diameter 24 mm.

CA 230, fits 535LK, 525LK and 524LK. 967 29 42-01

BRISTLE BRUSH

Sturdy brush that removes dirt from paths, driveways and even in deep grooves. Guard is included. Width 60 cm. Shaft diameter 24 mm.

BR 600, fits 535LK, 525LK and 524LK. 967 29 67-01

SWEEPER

High-capacity rubber broom that cleans sand and gravel from paths, driveways and lawns. Guard is included. Width 60 cm. Shaft diameter 24 mm.

SR 600-2, fits 535LK, 525LK and 524LK. 967 29 44-01

DETHATCHER

Cleans away moss to provide a healthier lawn. Width 60 cm. Shaft diameter 24 mm.

DT 600, fits 535LK, 525LK and 524LK. 967 29 69-01

BLOWER

Powerful blower that frees paths and driveways from leaves, litter and grass clippings. Shaft diameter 24 mm.

BA 101, fits 535LK, 525LK and 524LK. 967 28 64-01

WEED SCISSORS

Cutting attachment for weed control and grass edging along sidewalks and gravel paths, reduces risk of scattered rocks and other debris. Shaft diameter 24 mm.

RA 850, fits 525LK and 524LK. 967 90 85-01
RA-V, fits 525RXT, 525RX and 525LX. 967 90 86-01

EXTENSION

Shaft extension that provides an extra reach of almost 80 cm. Shaft diameter 24 mm.

EX 780, fits 535FBX, 535LK, 525LK and 524LK. 967 29 71-01

PETROL BRUSHCUTTERS AND TRIMMERS	555RXT	553RBX	543RBX	545RXT	545RX	545FR	535RXT
TECHNICAL SPECIFICATIONS							
Cylinder displacement, cm ³	53.3	50.6	40.1	45.7	45.7	45.7	34.6
Power output, kW	2.8	2.3	1.5	2.2	2.1	2.1	1.6
Fuel tank volume, litres	1.1	0.8	0.75	1.0	0.9	0.9	0.6
Fuel consumption, g/kWh	480	476	424	450	450	450	475
Sound pressure level at operator's ear, dB(A)*	101	97	99	102	101	100	96
Sound power level guaranteed (LWA) dB(A)**	121	118	114	117	117	117	114
Equivalent vibration level (ahv, eq) left/right handle, m/s ² ***	1.5/1.6	—	—	3.3/3.5	3.2/2.9	3.6/3.8	2.4/3.1
Equivalent vibration level (ahv, eq) front/rear handle, m/s ² ***	—	2.7/3.8	4.8/4.6	—	—	—	—
Maximum power speed, rpm	9000	9500	9000	9000	9000	9000	8400
Idling speed, rpm	2800	2800	3000	2700	2700	2700	2900
Gear ratio	1:1.47	1:1.4	1:1.4	1:1.4	1:1.4	1:1.4	1:1.4
Drive gear angle	35	30	30	35	35	35	35
Cutting width, cm	54	49	49	49	48	48	47
Tube diameter, mm	35	28	28	32	32	32	28
Weight (excl. cutting equipment), kg	9.2	12.1	11.9	8.6	8.9	8.7	6.7
FEATURES							
Fuel pump	●	●	●	●	●	●	●
Grass bevel gear	●	●	●	●	●	●	●
Transparent fuel tank	●	●	●	●	●	●	●
Tap-n-Go trimmer head	●	●	●	●	●	●	●
X-Torc® engine	●	●	●	●	●	●	●
Standalone starter	●	●	●	●	●	●	●
Combi-guard	—	●	●	●	●	●	●
Auto return stop switch	●	—	—	●	●	●	●
Smart Start®	●	—	—	●	●	●	—
Smart Mode	—	—	—	●	—	—	—
Tool-less adjustment of handlebar	●	—	—	●	●	●	●
7° offset handlebar	●	—	—	●	●	●	●
High handlebar	●	—	—	●	●	—	●
Tool-less adjustment of harness hook eyelet	●	—	—	●	●	●	●
Low Vib®	●	—	—	●	●	●	●
Pure petrol engine	—	—	—	—	—	—	—
AutoTune™	—	—	—	●	—	—	—
HARNESSES INCLUDED							
Balance XT™	●	—	—	●	—	—	—
Balance X™	—	—	—	—	●	●	●
Balance 55	—	—	—	—	—	—	—
Balance 35	—	—	—	—	—	—	—
CUTTING EQUIPMENT INCLUDED							
OEM Trimmer head	T55X M12	T45X M12	T35 M12				
OEM Grass blade	Multi 350-3	Multi 275-4	Multi 275-4	Multi 300-3	Multi 300-3	Multi 300-3	Multi 300-3
OEM Saw blade	—	—	—	—	—	Scarlett 200-22	—
AVAILABLE ATTACHMENTS							
Trimmer head TA 850/24	—	—	—	—	—	—	—
Brushcutter BCA 850/24	—	—	—	—	—	—	—
Blower BA 101	—	—	—	—	—	—	—
Bristle brush BR 600	—	—	—	—	—	—	—
Dethatcher DT 600	—	—	—	—	—	—	—
Edger EA 850	—	—	—	—	—	—	—
Hedger, long HA 860	—	—	—	—	—	—	—
Hedger, short HA200	—	—	—	—	—	—	—
Pole saw PA 1100	—	—	—	—	—	—	—
Sweeper SR 600-2	—	—	—	—	—	—	—
Tiller CA 230	—	—	—	—	—	—	—
Weed scissors RA 850	—	—	—	—	—	—	—
Weed scissors RA-V	—	—	—	—	—	—	—
Extension EX 780	—	—	—	—	—	—	—

*Equivalent sound pressure level at the operator's ear, measured according to ISO 22868, dB(A). Reported data for equivalent sound pressure level for the machine has a typical statistical dispersion (standard deviation) of 1 dB(A). **Noise emissions in the environment measured as sound power (LWA) in conformity with EC directive 2000/14/EC. Reported sound power level for the machine has been measured with the original cutting attachment that gives the highest level. The guaranteed sound power level includes variation in production as well as variation from the test code with 1-3 dB(A). ***Equivalent vibration levels (ahv,eq) at handles, measured according to EN ISO 11806-1 and ISO 22867, m/s². Reported data for equivalent vibration level has a typical statistical dispersion (standard deviation) of 1 m/s².

535RX	525RXT	525RX	525LX	524R	336RK	535LK	525LK	524LK
346	25.4	25.4	25.4	25	346	346	25.4	25
1.6	1.0	1.0	1.0	0.7	1.4	1.5	1.0	0.7
0.6	0.5	0.5	0.5	0.5	0.6	0.6	0.5	0.5
475	600	600	630	510	435	475	600	510
95	94	93	94	93	98	99	94	97
114	106	106	106	106	113	114	106	107
3.4/4.1	1.8/1.9	2.1/2.3	1.9/2.1	2.9/3.1	3.5/5.0	—	—	—
—	—	—	—	—	—	4.5/3.9	3.0/3.3	8.5/6.5
8400	8500	8500	9500	7000	8400	8400	8500	7000
2800	3000	3000	3000	3100	2900	2900	3000	3100
1:1.4	1:1.46	1:1.46	1:1	1:1.46	1:1.4	1:1.5	1:1.46	1:1.46
35	30	30	30	30	35	30	30	30
47	45	45	47	45	47	45	47	47
28	24	24	N/A	24	28	24	24	24
6.1	5.2	4.9	4.5	5.5	7.4	5.8	4.5	5.4
●	●	●	●	●	●	●	●	●
●	●	●	●	●	●	●	●	●
●	●	●	●	●	●	●	●	●
●	●	●	●	●	●	●	●	●
●	●	●	●	—	●	●	●	—
●	●	●	●	—	—	●	●	—
●	●	●	—	●	●	●	—	—
●	●	●	●	—	●	●	●	—
—	●	●	●	●	—	●	●	●
—	—	—	—	—	—	—	—	—
●	●	●	—	●	●	—	—	—
●	●	●	—	●	●	—	—	—
●	●	●	—	—	—	—	—	—
●	●	—	—	●	—	—	—	—
●	●	—	—	—	—	—	—	—
—	—	—	—	●	—	—	—	●
—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—
—	●	—	—	—	—	—	—	—
●	—	●	—	●	●	—	—	—
T35 M12	T35 M10	T35 M10	T35 M10	T35 M10	T35 M12	T35 M10	T35 M10	T35 M10
Multi 300-3	Grass 255-4	Grass 255-4	—	Grass 255-4	—	—	—	—
—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	●	●	●
—	—	—	—	—	—	●	●	●
—	—	—	—	—	—	●	●	●
—	—	—	—	—	—	●	●	●
—	—	—	—	—	—	●	●	●
—	—	—	—	—	—	●	●	●
—	—	—	—	—	—	●	●	●
—	—	—	—	—	—	●	●	●
—	—	—	—	—	—	●	●	●
—	—	—	—	—	—	●	●	●
—	—	—	—	—	—	—	●	●
—	●	●	●	●	—	—	—	—
—	—	—	—	—	—	●	●	●

NOMINAL POWER The EU machinery directive (2006/42/EC) came into force on January 1, 2010, requiring manufacturers to declare the nominal power of engines, in kilowatts (kW). The power rating of the engines indicated is the average net power output during a normal working situations and meets applicable noise regulations (at specified rpm, see owner manual) of a typical production engine for the engine model measured to SAE standard J1349/ISO 1585. Mass production engines may differ from this value. Actual power output for the engine installed in the final machine will depend on the operating speed, environmental conditions and other variables.

BATTERY BRUSHCUTTERS AND TRIMMERS	535iRXT	535iRX	535iFR	520iRX	520iLX
TECHNICAL SPECIFICATIONS					
Battery type	Li-ion	Li-ion	Li-ion	Li-ion	Li-ion
Voltage, V	36	36	36	36	36
Motor type	BLDC (brushless)				
Sound pressure level at operator's ear, dB(A) *	80.2	82	80	76.1	76.1
Guaranteed sound power level, LWA, dB(A) **	96	96	96	96	96
Equivalent vibration level (ahv,eq) left/right handle, m/s ² ***	1.2/1.4	1.3/1.4	1.4/1.7	1.2/0.7	—
Equivalent vibration level (ahv,eq) front/rear handle, m/s ² ***	—	—	—	—	1.2/0.7
Cutting width, cm	45	45	45	40	40
Tube diameter, mm	28	28	28	24	24
Weight (excl. battery), kg	4.9	4.9	4.5	3.8	3.0
FEATURES					
Intuitive keypad	●	●	●	●	●
3-speed mode	●	●	●	—	—
High handlebar	●	●	—	●	—
Integrated connectivity	●	—	●	—	—
Anti-vibration	●	●	—	—	—
savE™	—	—	—	●	●
Two way rotation	—	—	—	●	●
ErgoFeed™ trimmer head	●	—	—	—	—
HARNESSES INCLUDED					
Balance XB	●	—	—	—	—
Balance 55	—	●	●	—	—
Balance 35B	—	—	—	●	—
CUTTING EQUIPMENT INCLUDED					
OEM Trimmer head	E35B	T35	T35	T25B	T25B
OEM Grass blade	Multi 300–3	Multi 300–3	Multi 300–3	Multi 255–3	Multi 255–3
OEM Saw blade	—	—	Scarlett 200–22	—	—

*Equivalent sound pressure level at the operator's ear, measured according to ISO 22868, dB(A). Reported data for equivalent sound pressure level for the machine has a typical statistical dispersion (standard deviation) of 3 dB(A).

**Noise emissions in the environment measured as sound power (LWA) is reported as guaranteed value in conformity with EC directive 2000/14/EC, with statistical dispersion included. Measured according to ISO 10884.

***Equivalent vibration levels (ahv,eq) at handles, measured according to ISO 22867, m/s². Typical statistical dispersion (standard deviation) of ± 2 m/s².

HARNESSES	BALANCE XT™	BALANCE X™	BALANCE XB	BALANCE FLEX	BALANCE 55	BALANCE 35	BALANCE 35 B	BACKPACK HARNESS
FEATURES								
Wide, ventilated back plate	●	●	●	●	●	●	●	—
Quick set adjustment points	●	●	●	●	●	●	●	●
Padded, ergonomics straps	●	●	●	●	●	●	●	●
Shock-absorbing hip pad	●	●	●	—	●	—	—	—
Flexible hip pad suspension	●	●	●	—	●	●	●	—
Wide, supporting hip belt	●	●	●	—	—	—	—	—
Quick release on hip pad	●	●	●	—	—	—	—	—
Grass and forest mode	●	●	●	—	—	—	—	—
Height-adjustable back plate	●	—	—	—	—	—	—	●
Flexible shoulder section	●	—	—	—	—	—	—	●
Flexible hip fixing point	—	—	—	—	—	—	—	●
Special setting for women	●	—	—	—	—	—	—	—
Holder for your battery carrier	—	—	●	—	—	—	—	—

NOMINAL POWER The EU machinery directive (2006/42/EC) came into force on January 1, 2010, requiring manufacturers to declare the nominal power of engines, in kilowatts (kW). The power rating of the engines indicated is the average net power output during a normal working situations and meets applicable noise regulations (at specified rpm, see owner manual) of a typical production engine for the engine model measured to SAE standard J 1349/ISO 1585. Mass production engines may differ from this value. Actual power output for the engine installed in the final machine will depend on the operating speed, environmental conditions and other variables.

BALANCE XT™

Our most advanced harness with several useful features such as settings for men and women, and a pivoting shoulder section. Weight is evenly distributed across the shoulders and between the chest and back. Also, it distributes load from the shoulders to the hips. 578 44 98-01

BALANCE X™

Delivers great relief to your upper body and arms thanks to well balanced weight distribution between the shoulders, between the chest and back, and from the shoulders to the hips. 578 44 97-01

BALANCE XB

Delivers great relief to your upper body and arms thanks to well balanced weight distribution in three ways: between the shoulders, between the chest and the back, and from the shoulders to the hips. Equipped with an holder for a battery carrier so that you can easily bring an extra battery. 597 46 93-01

BALANCE FLEX

For all petrol-powered pole saws and pole hedge trimmers, this harness provides good support whether you're working high up, far away or close in. 578 44 99-01

BALANCE 55/BALANCE 35

Ergonomically designed harnesses that distribute the load optimally between your shoulders, chest and back.

Balance 55, 537 27 57-01

Balance 35, 537 27 57-02

BALANCE 35 B

Ergonomically designed harness specially developed for our battery trimmers. Distributes the weight of the machine. Hip pad with travelling connection, to further save your back.

537 27 57-05

BACKPACK HARNESS

Ergonomically designed harness for carrying a backpack battery. It allows you to easily detach and switch batteries between team members while keeping your harness optimally adjusted for individual fit. It's also a perfect harness for the 530iPX clearing saw. 581 03 58-01




YOUR OPTIMAL CHOICE OF CUTTING EQUIPMENT

Our trimmer heads, trimmer lines and blades do more than simply cut. Their excellent design, high-quality materials and facilitating technology mean you are always properly equipped to take on the job. [Find out more at husqvarna.com](https://www.husqvarna.com)

COMBI-GUARD

NO NEED TO SWITCH

The combination guard is handy if you want to switch between using a grass blade and a trimmer head, without having to remove and replace the guard. It works equally well for both.



CONVENIENT FEED

NEED MORE TRIMMER LINE? JUST PUSH OR TAP.

With the Tap-n-Go feature, all you have to do to feed more trimmer line, is press the trimmer head against the ground. For machines equipped with ErgoFeed™, all it takes is a press on the button on the handle. Easy, more robust and a smart stop to unintentional line feed when you hit rocks or stones.



ERGOFEED™

SAVING TIME, EFFORT AND TRIMMER LINE

The ErgoFeed™ function on Husqvarna 535iRXT allows you to feed the trimmer line with a simple push of a button located on the right handle. Since you don't need to tap the trimmer head on the ground, you'll also reduce the risk of unintentional feed. So, you'll spend less time and money on buying and loading new trimmer line. The ErgoFeed™ trimmer head is designed with a minimum of moving parts which makes it robust and durable.





SAW BLADES

Developed in close collaboration with professional clearing saw workers, delivering a winning combination of maximum cutting capacity and low vibration levels. Available with 22 or 24 teeth.



GRASS BLADES

For dense, coarse grass, but not for woody growth. Grass falls onto the blade for neat rows. Available with 4 or 8 teeth.



GRASS KNIVES

For dense, coarse grass, but not for woody growth. Available with 2, 3 or 4 teeth.



SEMI-AUTOMATIC TRIMMER HEADS, 25-55cc

The Tap-n-Go function automatically feeds line when the head is pushed against the ground. On the X variants, the Tap-n-Go button is equipped with ball bearing for a longer working life. T35 Universal includes adapters that allow it to be attached to most other trimmers.



MANUAL TRIMMER HEADS, 25-42cc

Trimmer head with manual cord feed. The cord is fed manually by the user when pushing the cord feed button and pulling the cord.



TRIMMER HEAD ALLOY

Robust and reliable with quick and easy line loading. Maintenance is minimized and the low cutting height provides a tidy result.



ErgoFeed™ TRIMMER HEAD

Fits battery-powered brushcutters equipped with the ErgoFeed™ feature. The trimmer line is fed with a simple push of a button on the handle. The ErgoFeed™ trimmer head is designed with a minimum of mechanical parts which makes it very robust and durable.



CORECUT TRIMMER LINE

Professional trimmer line with a pentagon profile. Perfect combination of energy efficiency and cutting performance. Dual Pro Polymer material with a flexible inner core and a durable anti-weld surface made to last. Fits all standard trimmer heads.



WHISPER TWIST TRIMMER LINE

Professional trimmer line with a twisted profile, creating an aerodynamic shape for low noise and low vibrations. The pro polymer material ensures optimal performance. Fits all standard trimmer heads.



OPTI PENTA TRIMMER LINE

All-round trimmer line with a pentagon profile. An ideal combination of energy efficiency and cutting performance for a wide range of applications. Fits all standard trimmer heads.



OPTI QUADRA TRIMMER LINE

All-round trimmer line with a square profile. The sharp edges provide excellent cutting performance, especially on thick/heavy grass. Fits all standard trimmer heads.




OPTI ROUND TRIMMER LINE

All-round trimmer line with a round profile. Provides good cutting performance and wear resistance for a wide range of applications. Fits all standard trimmer heads.



PRODUCT GUIDE – ACCESSORIES

MODEL	GRASS	
555FXT/555FX	A6 + 11 12 13	
545FXT/545FX	A3 + 11 13	C2 + 15
535FBX	9	
555RXT	A5 + 11 12 13	
553RBX/543RBX	A4 B2 + 8 9 10 11 13 15	
545RXT/545RX/545FR	A2 B3 + 11 12 13 15	C1 + 15
520iRX	A8 + 16	
520iLX	A8 + 16	
535RXT/535RX	A4 B2 + 8 9 10 11 13 15	
535iRXT	A9 + 9 10 17	
535iRX/535iFR	A9 + 9 10	
525RXT/525RX	A1 B1 + 2 4 5 6 7 14	22
525LX	A1 B1 + 1 2 5 6 7 14	22
525LK/524LK	A1 B1 + 2 5 6 7 14	2 3 4 8 16 17 18 21
535LK	B1 + 2 5 6 7 14	2 3 4 16 17 18
336RK	A4 B2 + 8 9 10 11 13 15	10

TRIMMER GUARDS	COMBINATION GUARDS	GRASS BLADE GUARDS	SAW BLADE GUARDS	SUPPORT CUPS	KITS
A1 588 54 37-01 	B1 588 1179-01 	C1 537 28 85-01 	D1 537 29 95-01 200 mm (adapter incl.) 	E1 503 89 01-01 	F1 537 04 85-01 incl. B1 E1 
A2 503 95 43-01 	B2 537 33 16-01 	C2 537 29 74-01 	D2 537 31 09-02 200 mm (adapter incl.) 	E2 503 90 18-02 (20 mm/1") 	
A3 537 29 73-01 	B3 544 46 43-01 	C3 502 46 49-01 	D3 502 30 36-01 200 mm 	E3 502 15 70-02 M12 (20 mm/1") Ballbearing 	F4 587 37 50-01 For blade attachment 
A4 537 34 94-03 		C4 590 88 00-01 	D4 574 50 67-02 225 mm 	E4 503 89 01-02 M12 	
A5 544 10 74-02 			D5 501 32 04-02 200 mm (adapter incl.) 		
A6 502 46 50-01 			D6 502 43 55-01 225 mm (adapter incl.) 		
A7 574 47 95-01 					
A8 577 01 83-03 					
A9 590 88 01-01 					

COARSE GRASS	BUSHES AND TREES	HARD SURFACES
C3 + E2 E3 + 4 5 6	D3 + 8 D4 + 9	
C2 + E2 E3 + 3 4 6	D3 + 8 D4 + 9	
	1 6 7 19 20	
C3 + E2 E3 + 4 5 6	D6 + 9	
B2 + E4 + 3 4 6 7		
C1 B3 + E2 E3 + 3 4 6	D2 + 8	
2 3		
F4 + 2 3		
B2 + E4 + 2 3 4 6	D5 + 8	
C4 + E4 + 2 3 4 6	D5 + 8	
C4 + E4 + 2 3 4 6	D5 + 8	
B1 + E1 + 1 2 3	D1 + 8	
F1		
14	1 5 6 7	13 15 19 20
14	1 5 6 7	13 15 19 20
B2 + E4 + 2 3 4 6 11	12	



CUTTING EQUIPMENTS				ATTACHMENTS							
1	578 44 82-01 Alloy 	(Fixed)	11	578 44 68-01 T45X M12 	(Semiauto)	1	578 44 40-01 Grass 255-8 (1") 	1	537 18 33-23 PA 1100 	12	967 02 69-01 CSA 850-28
2	578 44 61-01 T25 	(Semiauto)	12	578 44 70-01 T55X M12 	(Semiauto)	2	578 44 37-01 Grass 255-4 (1") 	2	967 29 44-01 SR 600-2 	13	967 28 64-01 BA 101
3	578 44 61-01 T25 	(Semiauto)	13	578 44 78-01 SII M12 	(Manual)	3	578 44 49-01 Multi 255-3 (1") 	3	967 90 85-01 ESA 850 	14	967 18 59-01 BCA 850-24
4	578 44 74-01 S35 M10 	(Manual)	14	578 44 91-01 TriCut M10 	(Semiauto)	4	578 44 47-01 Multi 275-4 (1") 	4	967 90 86-01 ECA 850 	15	967 29 67-01 BR 600
5	578 44 63-01 T35 M10 	(Semiauto)	15	578 44 93-01 TriCut M12 	(Semiauto)	5	578 44 44-01 Multi 350-3 (1") 	5	537 19 66-05 HA 110 	16	967 29 69-01 DT 600
6	578 44 65-01 T35X M10 	(Semiauto)	16	579 29 40-03 T25B 	(Semiauto)	6	578 44 45-01 Multi 300-3 (1") 	6	537 19 66-06 HA 850 	17	967 29 42-01 CA 230
7	578 44 71-01 Superauto II M10 (1") 	(Semiauto)	17	594 72 70-01 E35B 	(ErgoFeed™)	7	578 44 51-01 Multi 330-2 (1") 	7	967 29 71-01 EX 780 	18	579 44 35-01 Second blade set. fits CA 230
8	578 44 76-01 S35 M12 	(Manual)				8	578 44 25-01 Scarlett 200-22 (1") 	8	537 35 35-01 TA 850 	19	967 68 82-01 PAX 730
9	578 44 64-01 T35 M12 	(Semiauto)				9	578 44 27-01 Scarlett 225-24 (1") 	9	967 30 08-01 TA 1100 	20	967 68 30-01 PAX 1100
10	578 44 66-01 T35X M12 	(Semiauto)						10	967 11 31-01 GTA 850-28 	21	967 90 85-01 RA 850
								11	967 02 67-01 BCA 850-28 	22	967 90 86-01 RA-V

TRIM MORE. WITH LESS EFFORT.

Everything we do is about making your work easier. This is particularly evident in the development of our hedge trimmers. They are robust and powerful, yet at ergonomically designed solutions and smart features – such as the multi-position handle – they allow you to work quickly and efficiently, in even the most demanding situations.

PERFORMANCE

OPTIMIZED FOR HEAVY-DUTY USE

Low weight, perfected balance – all tried and tested by real users, in the field. And no matter if you're facing a heavy-duty coarse-cut task or a lighter, easier job, you'll experience an impressive high cutting capacity thanks to the perfect match between blade speed and teeth design. The Husqvarna 522 series of hedgetrimmers will make easy work of anything from the most dense or overgrown of hedges to regular trimming.





LOW VIBRATION

STAY ALERT AND SAVE YOUR FINGERS FROM VIBRATION

Husqvarna hedge trimmers are a pleasure to work with. Not least because of their extremely low vibration levels, sparing your hands and arms a lot of strain. Low Vib® is our anti-vibration system that provides efficient dampening to minimize vibration in the handles.

MULTI-POSITION HANDLE

CUT IN ANY ANGLE YOU LIKE

No need to twist and turn your body into awkward positions. With the multi-position handle, you can easily angle the machine to operate the cutter bar in any direction you want. Perfect when you're switching between cutting the sides and the top of the hedge. You can always keep an ergonomic position – reducing the strain on your arms, wrists and shoulders – while you have precise control for a great end result.



BATTERY SERIES

MAKE WORK FEEL LESS LIKE WORK


Feel the difference in your arms and shoulders, as well as in your nose and ears. Thanks to the low weight, low vibration levels and the absence of direct emissions, our battery hedge trimmers provide a healthier working environment for the operator. And to the delight of both operator and local residents, the battery-powered motor runs quietly. Moreover, we're the only manufacturer who offer a truly professional range of hedge trimmers where you can choose freely between internal or external battery power.



BATTERY SERIES

BATTERY COMFORT THAT LASTS

The reliable and well-balanced electric motor is especially adapted for hedge trimmers. Enjoy impressive performance with full torque from zero to full speed. The reliable and safe Li-ion battery technology ensures durability, even at high temperatures, while the savE™ economy mode makes the batteries last longer.



R MODEL

OVERGROWN HEDGES ARE NO LONGER A PROBLEM

The R model hedge trimmers will make easy work of the most demanding tasks. Thanks to the high-torque gear and the coarse-cut knife configuration that has been especially developed to increase the trimmers' cutting capacity, you'll be able to take on the most dense or overgrown hedges. The R model is available in two lengths – 60 and 75 centimetres.

POLE HEDGE TRIMMERS

COVER MORE WITH TOTAL CONTROL FROM A DISTANCE

Pole hedge trimmers allow you to adopt a much more comfortable and ergonomic position, so you can stay alert throughout the workday. You reach large areas without having to move around, and have great control of the end result. On some models, the cutter bar can be adjusted remotely, to a wide range of angles, all depending on the task.



CUTTING KNIVES

AN EFFICIENT JOB STARTS WITH A SHARP BLADE

The design of the cutting knives allows you to work efficiently in all situations. The two blades are made of hardened special steel and have optimized edge angles as well as our intelligent solution for decreased friction. Moreover, the knife speed and large teeth openings help you cut through branches like a hot knife through butter, increasing your productivity.



TOUGH GEAR DESIGN

DETAILS YOU CAN RELY ON. YEAR AFTER YEAR.

Our machines are built for many years of trouble-free work. Gear housings and covers are made of high-graded, light-weight aluminium and magnesium. High-precision machined gear wheels ensure reliable operation. Connecting rods with needle bearings and sealed, permanently greased bearings allow for easy maintenance and extended service intervals. And the specially-developed seals efficiently prevent dust and dirt from getting into the gears.



HEDGE TRIMMER RANGE

HUSQVARNA 522HDR75X



	21.7 cm ³
	0.6 kW
	75 cm
	3200 cuts/min
	5.2 kg

22cc, double-sided hedge trimmer with a 75 cm cutter bar for the tough cuts. The multi-position handle and low weight combined with the slim, balanced design provides excellent handling, while the high-capacity blades, open blade guard and impressive power output result in reliability and high work output.

- Low Vib®
- Standalone starter
- Auto return stop switch
- High-torque gear
- Coarse-cut configuration
- 2-stage air filter
- Adjustable rear handle

HUSQVARNA 522HDR60X



	21.7 cm ³
	0.6 kW
	60 cm
	3200 cuts/min
	5.0 kg

22cc, double-sided hedge trimmer with a 60 cm cutter bar for the tough cuts. The multi-position handle and low weight combined with the slim, balanced design provides excellent handling, while the high-capacity blades, open blade guard and impressive power output result in reliability and high work output.

- Low Vib®
- Standalone starter
- Auto return stop switch
- High-torque gear
- Coarse-cut configuration
- 2-stage air filter
- Adjustable rear handle

HUSQVARNA 522HD60X



	21.7 cm ³
	0.6 kW
	60 cm
	4400 cuts/min
	4.9 kg

22cc, double-sided hedge trimmer with a 60 cm cutter bar. The multi-position handle and low weight combined with the slim, balanced design provides excellent handling, while the high-capacity blades, open blade guard and impressive power output result in reliability and high work output.

- Low Vib®
- Standalone starter
- Auto return stop switch
- High-speed gear
- Trim-cut configuration
- 2-stage air filter
- Adjustable rear handle

HUSQVARNA 525HE4

NEW




	25.4 cm ³
	1.0 kW
	60 cm
	4300 cuts/min
	6.3 kg

25cc, double-sided pole hedge trimmer with a 60 cm cutter bar. Its 4-meter reach, 37 mm pitch and 10 fixed angle positions allow you to comfortably and efficiently trim the top of tall hedges without using a ladder or cherry picker.

- X-Torq®
- Easy start
- Adjustable cutter bar
- Auto return stop switch
- Trim-cut configuration
- Rear impact guard
- 2-stage air filter
- Heavy-duty gearbox

HUSQVARNA 525HE3

NEW



	25.4 cm ³
	1.0 kW
	60 cm
	4300 cuts/min
	5.9 kg

25cc, double-sided pole hedge trimmer with a 60 cm cutter bar. Its 3-meter reach, 37 mm pitch and 10 fixed angle positions allow you to comfortably and efficiently trim the top of tall hedges without using a ladder or cherry picker.

- X-Torq®
- Easy start
- Adjustable cutter bar
- Auto return stop switch
- Trim-cut configuration
- Rear impact guard
- 2-stage air filter
- Heavy-duty gearbox

HUSQVARNA 520iHD70



	70 cm
	4000 cuts/min
	3.9 kg

Battery-powered, double-sided, 70-cm hedge trimmer. It combines petrol performance with zero direct emissions, low weight, low vibration levels and extremely quiet operation, so you can use it in noise-sensitive environments. The multi-position handle makes it easy to switch between cutting vertically and horizontally. Compatible with both integrated and external batteries.

- High-inertia motor
- savE™
- Intuitive keypad
- Weatherproof (IPX4)
- Trim-cut configuration
- Adjustable rear handle

HUSQVARNA 522HSR75X



- 21.7 cm³
- 0.6 kW
- 75 cm
- 3200 cuts/min
- 5.0 kg

22cc, single-sided hedge trimmer with a 75 cm cutter bar for the tough cuts. The comfortable handle and low weight combined with the slim, balanced design provides excellent handling, while the high-capacity blade and impressive power output result in reliability and high work output.

- Low Vib®
- Standalone starter
- Auto return stop switch
- High-torque gear
- Coarse-cut configuration
- 2-stage air filter
- Leaf catcher

HUSQVARNA 522HS75X



- 21.7 cm³
- 0.6 kW
- 75 cm
- 4400 cuts/min
- 5.0 kg

22cc, single-sided hedge trimmer with a 75 cm cutter bar. The comfortable handle and low weight combined with the slim, balanced design provides comfort, while the high-capacity blade and impressive power output allows for result in reliability and high work output.

- Low Vib®
- Standalone starter
- Auto return stop switch
- High-speed gear
- Trim-cut configuration
- 2-stage air filter
- Leaf catcher

HUSQVARNA 525HF3S



- 25.4 cm³
- 1.0 kW
- 65 cm
- 4339 cuts/min
- 6.1 kg

25cc, powerful, fixed pole hedge trimmer. Since the fixed cutter bar is mounted on an 81-cm shaft, you can cover a large area, efficiently and comfortably. The robust and durable quality makes for a long service life.

- X-Torq®
- Standalone starter
- Auto return stop switch
- Trim-cut configuration
- Metal skid plate
- Heavy-duty gearbox

HUSQVARNA 520iHD60



- 60 cm
- 4000 cuts/min
- 3.8 kg

Battery-powered, double-sided, 60-cm hedge trimmer. It combines petrol performance with zero direct emissions, low weight, low vibration levels and extremely quiet operation, so you can use it in noise-sensitive environments. The multi-position handle makes it easy to switch between cutting vertically and horizontally. Compatible with both integrated and external batteries.

- High-inertia motor
- savE™
- Intuitive keypad
- Weatherproof (IPX4)
- Trim-cut configuration
- Adjustable rear handle

HUSQVARNA 520iHT4



- 55 cm
- 4000 cuts/min
- 5.3 kg

Battery-powered pole hedge trimmer with a unique design and up to 4.5 m reach. Cut wide, high and low hedges efficiently thanks to the adjustable cutter bar angle. It combines market-leading performance with zero direct emissions, low weight, low vibration levels and extremely quiet operation, so you can use it in noise-sensitive environments.

- Brushless motor
- savE™
- Intuitive keypad
- Weatherproof (IPX4)
- Adjustable cutter bar
- Trim-cut configuration
- Rear impact guard
- Telescopic shaft

HUSQVARNA 520iHE3



- 55 cm
- 4000 cuts/min
- 4.15 kg

Battery-powered pole hedge trimmer with a unique design and up to 3.5 m reach. Cut wide, high and low hedges comfortably thanks to the adjustable cutter bar angle. It combines market-leading performance with zero direct emissions, low weight, low vibration levels and extremely quiet operation, so you can use it in noise-sensitive environments.

- Brushless motor
- savE™
- Intuitive keypad
- Weatherproof (IPX4)
- Adjustable cutter bar
- Trim-cut configuration
- Rear impact guard



FIND OUT MORE ABOUT OUR BATTERIES
AND CHARGERS ON PAGE 138

PETROL HEDGE TRIMMERS	522HDR75X	522HDR60X	522HD60X	522HSR75X	522HS75X
TECHNICAL SPECIFICATIONS					
Cylinder displacement, cm ³	21.7	21.7	21.7	21.7	21.7
Power, kW	0.6	0.6	0.6	0.6	0.6
Fuel tank volume, litres	0.45	0.45	0.45	0.45	0.45
Fuel consumption, g/KWh	620	620	620	620	620
Sound pressure level at operator's ear, dB(A)*	93	93	93	93	93
Guaranteed sound power level, LWA dB(A)**	102	102	102	102	102
Equivalent vibration level (ahv, eq) front/rear handle, m/s ² ***	2.1/2.2	2.8/1.3	2.7/1.2	2.2/2.1	2.9/1.8
Maximum power speed, rpm	7800	7800	7800	7800	7800
Gear ratio	1.5:70	1:5.70	1:4.09	1:5.70	1:4.09
Length cutter bar, cm	75	60	60	75	75
Teeth opening, mm	30.5	30.5	30	30.5	30
Recommended maximum twig diameter, mm	25	25	20	25	20
Cutting speed, cuts/min	3200	3200	4400	3200	4400
Total length, cm	127.7	110.5	110.5	121	121.4
Length in transport mode, cm	127.7	110.5	110.5	121	121.4
Weight, kg	5.2	5.0	4.9	5.0	5.0
FEATURES					
X-Torq® engine	—	—	—	—	—
Standalone starter	●	●	●	●	●
Fuel pump	●	●	●	●	●
Auto return stop switch	●	●	●	●	●
Low Vib®	●	●	●	●	●
Trim-cut configuration	—	—	●	—	●
Coarse-cut configuration	●	●	—	●	—
Adjustable rear handle	●	●	●	—	—
Metal skid plate	—	—	—	—	—
Rear impact guard	—	—	—	—	—

*Equivalent sound pressure level at the operator's ear, measured according to EN ISO 22868, dB(A). Reported data for equivalent sound pressure level for the machine has a typical statistical dispersion (standard deviation) of 1 dB(A).

Noise emissions in the environment measured as sound power (LWA) in conformity with EC directive 2000/14/EC. Reported sound power level for the machine has been measured with the original cutting attachment that gives the highest level. The guaranteed sound power level includes variation in production as well as variation from the test code with 1–3 dB(A). *Equivalent vibration levels (ahveq) at handles, measured according to EN ISO 22867, m/s². Reported data for equivalent vibration level has a typical statistical dispersion (standard deviation) of 1 m/s².

BATTERY HEDGE TRIMMERS	520iHD70	520iHD60	520iHT4	520iHE3
TECHNICAL SPECIFICATIONS				
Battery type	Li-ion	Li-ion	Li-ion	Li-ion
Voltage, V	36	36	36	36
Motor type	PMDC (4-brush)	PMDC (4-brush)	BLDC (brushless)	BLDC (brushless)
Sound pressure level at operator's ear, dB(A)*	78	78	80	84
Guaranteed sound power level, LWA, dB(A)**	94	94	94	95
Equivalent vibration level (ahv, eq) front/rear handle, m/s ² ***	2.3/3.5	1.6/2.5	2.0/2.0	3.5/2.5
Knife length, cm	70	60	55	55
Teeth opening, mm	32	32	32	32
Cutting speed, cuts/min	4000	4000	4000	4000
Total length, cm	127	117	350	226
Weight without battery, kg	3.9	3.8	5.3	4.15
FEATURES				
save™	●	●	●	●
Intuitive keypad	●	●	●	●
Trim-cut configuration	●	●	●	●
Adjustable rear handle	●	●	—	—
Working angle adjustment	—	—	●	●
Rear impact guard	—	—	●	●
Telescopic shaft	—	—	●	—

*Equivalent sound pressure level at the operator's ear, measured according to ISO 11203, dB(A). Reported data for equivalent sound pressure level for the machine has a typical statistical dispersion (standard deviation) of 3 dB(A).

**Noise emissions in the environment measured as sound power (LWA) is reported as guaranteed value in conformity with EC directive 2000/14/EC, with statistical dispersion included. Measured according to ISO 11094.

***Equivalent vibration levels (ahveq) at handles, measured according to EN 60745-1, m/s². Typical statistical dispersion (standard deviation) of ± 1.5 m/s².

NOMINAL POWER The EU machinery directive (2006/42/EC) came into force on January 1, 2010, requiring manufacturers to declare the nominal power of engines, in kilowatts (kW). The power rating of the engines indicated is the average net power output during a normal working situations and meets applicable noise regulations (at specified rpm, see owner manual) of a typical production engine for the engine model measured to SAE standard J 1349/ISO 1585. Mass production engines may differ from this value. Actual power output for the engine installed in the final machine will depend on the operating speed, environmental conditions and other variables.

525HF3S	525HE4	525HE3
25.4	25.4	25.4
1.0	1.0	1.0
0.51	0.5	0.5
395	600	600
92	95	96
105	107	107
3.9/2.9	4.6/3.9	5.6/4.4
8500	8500	8500
1:5.53	1:5.16	1:5.16
65	60	60
30	30	30
24	20	20
4339	4300	4300
192	257.9	192.5
192	192	126.6
6.1	6.3	5.9
●	●	●
●	●	●
●	●	●
●	●	●
—	—	—
●	●	●
—	—	—
—	—	—
●	—	—
—	●	●



MORE PERFORMANCE. LESS EXHAUSTION.

Our blowers have state-of-the-art fans that generate high air velocity and air flow. This goes for our powerful backpack blowers, as well as for our lightweight handheld ones. Whichever you choose, you will have enough force to get the job done efficiently. All blowers are ergonomically designed and have low vibration levels, for high productivity and comfortable use.

THROTTLE HANDLE POSITION

ELIMINATING LATERAL FORCES FOR LESS STRENUOUS WORKDAYS

On all Husqvarna blowers, the throttle handle is located in a position that effectively eliminates the lateral forces from the airstream. For the operator, this means a relaxed, comfortable working position, without difficult lateral forces, allowing many hours of efficient work.



BATTERY PERFORMANCE

NO NEED TO COMPROMISE

Our battery-powered blowers not only offer an unbeatable level of comfort with their low vibration levels, low noise and no fumes. They also pack an impressive performance thanks to the responsive electric motor and our advanced fan design. Plus, all our battery blowers are equipped with Boost mode, providing extra airflow when you need it.

FAN GEOMETRY


OPTIMAL DESIGN FOR MAXIMUM BLOWING PERFORMANCE

The geometry of our blower fans has been inspired by turbine technology. Their fan system allows for high pressure and a high peripheral speed at lower engine speeds. In addition, we have designed fans and fan housings that reduce turbulence and ensure minimal air loss. We have also optimized the tubes and nozzles to generate streamlined airflows. For the 550iBTX a purpose-built, special fan construction ensures efficiency. All this contributes to high airflow and powerful, directed air that allows you to work very efficiently.



USER-CENTRIC DESIGN**PERFECTLY BALANCED**

Our battery-powered blowers are lightweight and extremely well-balanced to ensure easy handling. We've gone to great lengths to optimize the centre of gravity to make them easier to handle comfortably, so you experience less fatigue and less strain on your body.

**BATTERY COMFORT****EXPERIENCE A NEW LEVEL OF COMFORT**

Low noise, low weight, low vibration levels, no fumes and zero direct emissions. Battery-powered blowers are a dream come true for any professional user. All our electric blowers also come with a comfortable handle with an intuitive keypad, for excellent ergonomics. Want even more comfort? Just activate the cruise control.

**HUSQVARNA 525BX****GREAT BLOWING CAPACITY WITH GREAT BALANCE**

This high performance blower allows you to work a whole day without suffering too much fatigue, thanks to its low-weight, compact and well-balanced body with efficient anti-vib system. You don't have to fight any lateral forces either, since the S-shaped outlet thrusts the airstream in line with the handle. The high blowing capacity is delivered by a powerful, yet fuel-efficient X-Torq® engine, together with an optimized fan and tube design.

COMMERCIAL GRADE AIR FILTER

A CLEAN ENGINE IS A LONG-LASTING ENGINE

Our largest backpack blowers are equipped with a heavy-duty, commercial-grade air filter. The incoming air is filtered in two stages – first through a foam filter and then through a pleated paper filter – efficiently protecting the engine from dust and particles, contributing to a long and trouble-free service life.



PROFESSIONAL QUALITY

GET MORE DONE IN LESS TIME

At Husqvarna, we always design our commercial-grade blowers for maximum productivity and minimal user strain. Every detail, from the capacity of the batteries and fuel tanks, to the shape of the nozzle, is optimized to make your workday more profitable and convenient. We also design every component for high durability, helping you reduce downtime and stay productive in the long run.



X-TORQ®

ALL THE POWER YOU NEED. WITHOUT ALL THE FUMES YOU DON'T.

X-Torq® engines deliver great combustion efficiency, with no compromise on power or torque. Every cycle, the cylinder is flushed with fresh air before the air-fuel mixture enters the cylinder, to prevent unburnt fuel from mixing with the exhausts. The result? A significant reduction of exhaust emissions as well as improved fuel efficiency, compared to similar models without X-Torq®.

ERGONOMIC HARNESS

A LIGHTER FEEL

Our backpack blowers are all equipped with ergonomic harnesses that effectively distributes the load and reduces the strain on your body. It has padded shoulder straps and a waist belt that transfers the weight from your shoulders onto your hips.

BLOWER RANGE

HUSQVARNA 525BX



25.4 cm ³	0.9 kW	15 N	13 m ³ /min	4.3 kg
----------------------	--------	------	------------------------	--------

Lightweight, 25cc handheld blower with high power output and blowing capacity. The S-shaped outlet thrusts the air stream in line with the handle, eliminating lateral forces, making work less strenuous – even during long shifts. Its commercial grade air filter makes for long operating time and trouble-free use.

- X-Torq®
- Low Vib®
- Cruise control
- 2-stage air filter
- Smart Start®
- Auto return stop switch
- S-shaped outlet

HUSQVARNA 530iBX



16 N	14.1 m ³ /min	2.9 kg
------	--------------------------	--------

Very light and well-balanced, handheld battery blower, for use with a backpack battery or battery belt FLEXi. Equally comfortable to use with either hand. Its high blowing force and low noise levels makes it possible to work in public settings and noise restricted areas.

- Brushless motor
- Intuitive keypad
- Boost mode
- Cruise control
- Weatherproof (IPX4)
- Silencer nozzle

HUSQVARNA 525iB



14.5 N	13.3 m ³ /min	2.4 kg
--------	--------------------------	--------

Very light and well-balanced handheld, battery blower, with zero direct emissions, low vibration levels and low noise, allowing you to work in public settings. Equally comfortable to use with either hand. Thanks to the cordless design and low weight, you can move around freely.

- Brushless motor
- Intuitive keypad
- Boost mode
- Cruise control
- Weatherproof (IPX4)

HUSQVARNA 580BTS



75.6 cm ³	3.3 kW	40 N	26 m ³ /min	11.8 kg
----------------------	--------	------	------------------------	---------

Our most powerful backpack blower, designed for the most demanding tasks. The 75cc engine and efficient fan design provide an immense air flow (26 m³/s in pipe) and high air speed. Its commercial grade air filter and Air Injection™ make for long operating time and trouble-free use. The harness has a padded hip belt for increased comfort.

- X-Torq®
- Low Vib®
- Cruise control
- Ergonomic harness
- 2-stage air filter
- Air Injection™

HUSQVARNA 570BTS



65.6 cm ³	2.9 kW	37 N	22 m ³ /min	11.2 kg
----------------------	--------	------	------------------------	---------

65cc backpack blower with an impressive air flow (22 m³/s in pipe) and high air speed, thanks to the efficient fan design. Its commercial grade air filter makes for long operating time and trouble-free use. The harness has a padded hip belt for increased comfort.

- X-Torq®
- Low Vib®
- Cruise control
- Ergonomic harness
- 2-stage air filter


HUSQVARNA 350BT



50.2 cm ³	1.6 kW	21 N	14 m ³ /min	10.2 kg
----------------------	--------	------	------------------------	---------

Handy, mid-sized 50cc backpack blower, offering plenty of capacity in a convenient package. The backpack harness allows you to work comfortably for hours.

- X-Torq®
- Low Vib®
- Cruise control
- Ergonomic harness



FUME-FREE

YOU'RE NOW WELCOME INSIDE

One huge benefit of battery-powered blowers is the possibility to use them indoors. Since they're fumeless and quiet, you can take on jobs cleaning up sports stadiums, malls, concert venues or any other place where you can't use a petrol-powered blower.



HUSQVARNA 550iBTX



21 N
15.6 m³/min
6.3 kg

Powerful and ergonomic backpack battery blower with impressive blow force (21 N). Its low vibration and noise levels allow you to work in public settings and since the blower is weatherproof, you can increase both flexibility and productivity.

- Brushless motor
- Intuitive keypad
- Boost mode
- Cruise control
- Weatherproof (IPX4)
- Ergonomic harness



FIND OUT MORE ABOUT OUR BATTERIES
AND CHARGERS ON PAGE 138



USER INTERFACE

SMART AND USER-FRIENDLY KEYPAD

The intuitive keypad on the 550iBTX displays battery status and has an ergonomical cruise control side button for easy handling.



FLAT NOZZLE

Extended reach. Fits all battery blowers.
579 79 75-01

SILENCER NOZZLE

Nozzle with built-in sound absorber, making work even more pleasant for user and surroundings. Fits all battery blowers.
589 81 17-01



HANDLEBAR

Allows you to use both hands for manoeuvring the blowers, for a more convenient and relaxed working position. Can be used with or without the hip-pad.
Fits 550iBTX and 530iBX.
501 71 51-01, 530iBX
544 40 00-04, 550iBTX

PETROL BLOWERS	580BTS	570BTS	350BT	525BX
TECHNICAL SPECIFICATIONS				
Cylinder displacement, cm ³	75.6	65.6	50.2	25.4
Power, kW	3.3	2.9	1.6	0.9
Blow force, N	40	37	21	15
Air flow in housing, m ³ /min	29	28	19.6	14
Air flow in pipe, m ³ /min	26	22	14	13
Air speed round nozzle, m/s	92	106	80.5	70
Air speed flat nozzle, m/s	93	91	—	86
Maximum power speed, rpm	7200	8000	7500	7300
Idling speed, rpm	2000	2000	2200	3000
Fuel tank volume, litres	2.6	2.2	1.25	0.45
Fuel consumption, g/kWh	440	431	455	518
Sound pressure level at operator's ear, dB(A)*	100	99	94	91 (round nozzle)/ 92 (flat nozzle)
Guaranteed sound power level, LWA dB(A)**	112	110	104	106
Equivalent vibration level (ahv, eq) handle, m/s ² ***	1.6	1.8	2.2	1.2 (round nozzle)/ 2.0 (flat nozzle)
OEM Nozzle type	Round	Round	Round	Round and flat
Weight, kg	11.8	11.2	10.2	4.3
FEATURES				
X-Torq® engine	●	●	●	●
Low Vib®	●	●	●	●
Cruise control	●	●	●	●
Fuel pump	●	●	●	●
Adjustable handle	●	●	●	—
Ergonomic harness	●	●	●	—
2-stage air filter	●	●	—	●
Air Injection™	●	—	—	—
Smart Start®	—	—	—	●
Auto return stop switch	—	—	—	●
S-shaped outlet	—	—	—	●

*Equivalent sound pressure level at the operator's ear measured according to EN 15503, dB(A). Reported data for equivalent sound pressure level for the machine has a typical statistical dispersion (standard deviation) of 1 dB(A).

**Noise emissions in the environment measured as sound power (LWA) in conformity with EC directive 2000/14/EC. The guaranteed sound power level includes variation in production as well as variation from the test code with 1–3 dB(A).

***Equivalent vibrations levels (ahv,eq) at handles, measured according to EN 15503, m/s². Reported data for equivalent vibration level has a typical statistical dispersion (standard deviation) of 1 m/s².

BATTERY BLOWERS	550iBTX	530iBX	525iB
TECHNICAL SPECIFICATIONS			
Battery type	Li-ion	Li-ion	Li-ion
Voltage, V	36	36	36
Blow force boost, N	21	16	14.5
Air flow in pipe, m ³ /min	12.8	12.4	11.6
Air flow in pipe boost, m ³ /min	15.6	14.1	13.3
Air speed, m/s	54.0	49.6	48.0
Air speed boost, m/s	66.0	56.2	56.0
Motor type	BLDC (brushless)	BLDC (brushless)	BLDC (brushless)
Sound pressure level at operator's ear, dB(A) *	73	77.6	82
Guaranteed sound power level, LWA dB(A) **	94	91	98
Equivalent vibration level (ahv, eq) handle, m/s ² ***	0.1	0.4	0.5
OEM Nozzle type	Round	Round	Round
Weight without battery, kg	6.3	2.9	2.4
FEATURES			
Boost mode	●	●	●
Cruise control	●	●	●
Intuitive keypad	●	●	●
Belt hook	—	●	●
Requires backpack battery / battery belt FLEXI	●/—	●/●	—
Ergonomic harness	●	—	—
Battery slot	—	—	●
Different tube lengths	(●)	(●)	(●)

*Equivalent sound pressure level at the operator's ear, measured according to EN ISO 11203, dB(A). Reported data for equivalent sound pressure level for the machine includes statistical uncertainty. **Noise emissions in the environment measured as sound power (LWA) is reported as guaranteed value in conformity with EC directive 2000/14/EC, with statistical dispersion included. Measured according to ISO 11094. ***Equivalent vibration levels (ahv,eq) at handles, measured according to EN ISO 22867, m/s². Typical statistical dispersion (standard deviation) of ± 1 m/s².

NOMINAL POWER The EU machinery directive (2006/42/EC) came into force on January 1, 2010, requiring manufacturers to declare the nominal power of engines, in kilowatts (kW). The power rating of the engines indicated is the average net power output during a normal working situations and meets applicable noise regulations (at specified rpm, see owner manual) of a typical production engine for the engine model measured to SAE standard J 1349/ISO 1585. Mass production engines may differ from this value. Actual power output for the engine installed in the final machine will depend on the operating speed, environmental conditions and other variables.

**BATTERY SERIES****CUT AWAY – WITHOUT FUEL
OR EMISSIONS**

Experience battery-powered convenience and excellent cutting performance with the new Husqvarna K 535i. Based on Husqvarna's established battery motor platform, this 9"/230 mm lightweight power cutter provides you with reliable, quick starts and frees you up from depending on petrol or grid power. The machine is easy to manoeuvre and control, thanks to the placement of the blade, closer to the center of the machine. As an added bonus, you can cut away without worrying about direct emissions.

MAKING HARD WORK LOOK EASY

We're driven by our desire to constantly develop our range of power cutters, as well as the cutting industry itself. Through the introduction of new technology – often developed in-house – we create large and small innovations that help you cut more efficiently and with greater precision. Our basic philosophy is to offer you powerful cutters, without compromising on comfort and versatility.



ERGONOMICS

HEAVY CUTTING DOESN'T HAVE TO BE HEAVY

Husqvarna power cutters are designed to be easy and ergonomic to use. Thanks to outstanding power-to-weight ratio and low vibration levels, you can work efficiently for long hours without having to worry about fatigue.

DUST MANAGEMENT

HIGHLY EFFICIENT CUTTING – WITH MINIMAL DUST AND SLURRY

Power cutting in sensitive or public locations – whether indoors or outdoors – can be problematic. Sometimes it's not possible to use water, other times there are limitations on the spreading of dust. For wet cutting, many of our machines have a wet cutting kit with an integrated regulator that ensures a constant water flow that's sufficient to bind the dust, without an excess of water or slurry. For dry cutting, easy-to-install Vac attachments are available for the K 4000 and K 535i providing high-performing dust transportation. When demand rises, the K 770 VAC delivers outstanding dust collection performance.

SMARTCARB™**CLOGGED FILTER?
FULL POWER.**

SmartCarb™ is a sophisticated carburettor that automatically adjusts the air-fuel mixture so that the engine always maintains maximum power – even when the filters start to get clogged. It also has added benefits of better filter economy, lower fuel consumption and lower exhaust emissions.

SMARTTENSION™**NEVER TOO LOOSE.
NEVER TOO TIGHT.**

If you want your power cutter to keep performing reliably, you want to maintain a well-tensioned drive belt. The semi-automatic SmartTension™ is a feature that helps you find the right amount every time by using a patent-pending, spring-loaded mechanism. In addition, it is easy to change the belt and reverse the blade guard.

**ACTIVE AIR FILTRATION™****DON'T LET DUST INTERRUPT
YOUR WORK**

With the new generation of Active Air Filtration™, you can run your power cutter for a long period of time. Basically, you can keep going until the machine starts to lose power. How? Firstly, it uses centrifugal power to make the air up to 93% cleaner from dust particles and dirt. Secondly, the air passes a paper filter, which filtrates the smallest dust particles. The result of all this is less engine wear and longer service intervals – even when cutting in tough conditions.



VAC ATTACHMENT WHEN WET CUTTING ISN'T AN OPTION

Turn your K 4000 or your K 535i into a high-performance dry cutter by attaching our unique and easy-to-install vacuum attachment to the cutter's blade guard. Then just connect it to a dust extractor with HEPA-filters to efficiently get rid of all the dust. The result? Superior dust collection.



BLADE DESIGN ALWAYS REPLACE THE BLADE IN TIME

Safety and performance is key when operating a handheld power cutter. The smarter blade design of the Elite-cut, Vari-Cut and Tacti-Cut series gives you a clear and instant view of the blade's wear, side clearance, direction of rotation, cutting depth and intended application.

POLY-V BELT DESIGNED TO KEEP YOU GOING

The Poly V-belt has been specifically developed for Husqvarna power cutters, and lasts much longer than a conventional belt. Plus, it requires less re-tensioning and provides better transmission of power.

X-TORQ® ALL THE POWER YOU NEED. WITHOUT ALL THE FUMES YOU DON'T.

X-Torq® engines deliver great combustion efficiency, with no compromise on power or torque. Every cycle, the cylinder is flushed with fresh air before the air-fuel mixture enters the cylinder, to prevent unburnt fuel from mixing with the exhausts. The result? A significant reduction of exhaust emissions as well as improved fuel efficiency, compared to similar models without X-Torq®.

POWER CUTTER USER GUIDE THE ILLUSTRATED GUIDE TO SAFER AND MORE ERGONOMIC CUTTING

Whether you're a full-time power-cutter user, or use them less frequently, you might want to check out our Power cutter user guide. The digital tool is a complement to the operator's manual, and offers comprehensive, illustrated guides on how to handle and maintain a power cutter, so you can work more efficiently and safely. [Read more at husqvarnacp.com](http://husqvarnacp.com)



POWER CUTTER RANGE

HUSQVARNA K 1270



 119 cm³
 5.8 kW
 350/400 mm
 13.3/13.7 kg

Our largest power cutter is one of the strongest on the planet. Features include a fuel-efficient X-Torq® engine and digital ignition for easy starting. The steplessly adjustable magnesium blade guard saves weight.

- Active Air Filtration™
- SmartCarb™
- Poly-V belt
- X-Torq®

HUSQVARNA K 970



 94 cm³
 4.8 kW
 350/400 mm
 11.0/11.6 kg

Powerful enough for large cutting depths, yet agile enough to handle all-round jobs. With SmartTension™ for semi automatic belt tensioning, you minimize the risk of under- and over-tensioning. The magnesium blade guard saves weight.

- Active Air Filtration™
- SmartCarb™
- Poly-V belt
- DuraStarter™
- X-Torq®
- SmartTension™

HUSQVARNA K 770



 74 cm³
 3.7 kW
 300/350 mm
 10 / 10.1 kg

This power cutter combines the best features from the popular K 760 and K 970 models: The swift handling, the powerful and easy-to-start X-Torq® engine and the sturdy three-bolt bearing housing with SmartTension™ spring-loaded belt tensioning system.

- Active Air Filtration™
- SmartCarb™
- Poly-V belt
- DuraStarter™
- X-Torq®
- SmartTension™

HUSQVARNA K 770 VAC/ K 770 DRY CUT



 74 cm³
 3.7 kW
 300 mm
 11.3 kg

Ideal for dry cutting in slurry restricted environments. With a new specially designed blade guard, these power cutter have the ability to efficiently remove dust without compromising on either quality or productivity. K 770 VAC is OSHA Table 1 compliant and a perfect match for the S 26 dust extractor whilst K 770 Dry Cut has an integrated fan that extracts dust and transports into an external bag.

- Active Air Filtration™
- SmartCarb™
- Poly-V belt
- DuraStarter™
- X-Torq®

HUSQVARNA K 4000



 230/120/110 V
 2700/1800/2200 W
 350 mm
 8.5 kg

Ideal for wet cutting in sensitive environments where you want to minimize the amount of slurry. Easy to keep the water flow to a minimum, just enough to efficiently bind the dust. Can easily be equipped for dry cutting with the optional Vac attachment.

- Elgard, overload protection
- "Pulling" rotation
- Simple blade change
- Replaceable arbor bushing

HUSQVARNA K 535i



 230 mm
 3.5 kg

Battery-powered power cutter with excellent output that provides flexibility for lighter concrete jobs. Ergonomic and lightweight, ideal for landscapers, pavers and roofers. Thanks to low vibrations and the centered placement of the blade, you get superior cutting control compared to conventional angle grinders.

- Brushless E-TORQ motor
- Electric blade break
- savE™
- Intuitive keypad
- Weatherproof (IPX4)
- Integrated carry loop



FIND OUT MORE ABOUT OUR BATTERIES
AND CHARGERS ON PAGE 138

HUSQVARNA DIAMOND BLADES

MAKING IT EASIER TO WORK SMARTER

When working with handheld power cutters, the combination of high performance and safety is of the essence, but you must also factor in speed, the time it takes to find the right blade and mount it correctly. This is why Husqvarna S series blades for handheld power cutters feature a number of intuitive and immediately recognizable indicators. The application markers will make you confident you're always using the right blade for the right job, whereas the wear indicators will give you information on the blade's wear and side clearance, thus minimizing the risks of pinching or kickback accidents. And thanks to the directional arrow, you can easily make sure the blade is always mounted correctly.



HUSQVARNA ELITE-CUT FOR FAST CUTTING IN ALL MATERIALS

The Elite-Cut range is our top-of-the-line Gold category with superb cutting performance, ideal for intensive professional use. Its innovative segment design for efficient cutting, cooling and slurry evacuation increases both cutting speed and service life. Easy-fit blade bushing for bore hole expansion from 20 to 25.4 mm. The packaging is tailored to ensure you find the right blade for different materials.



HUSQVARNA VARI-CUT FOR ALL-ROUND APPLICATIONS

The Vari-Cut range is part of our Silver category, ideal for general contractors. It performs well and delivers high cutting speed with good service life, even with frequent all-round use. In this product family there are three versions for cutting in different materials, all clearly indicated on the packaging.



HUSQVARNA TACTI-CUT FOR OCCASIONAL CUTTING IN ALL MATERIALS

The Tacti-Cut range is our standard range, part of the Bronze category, ideal for occasional users. It offers ease of use combined with product quality, durability and affordability.



Which blade suits your job?
See the packaging for guidance,
[or go to husqvarnacp.com](http://or.go.to.husqvarnacp.com)

RECOMMENDATION CHART – DIAMOND TOOLS

MATERIAL	ELITE-CUT						VARI-CUT					TACTI-CUT				
	S25	S35	S45	S50	S65	S85	S35 TURBO	S45	S50	S65 PLUS	S85	S35	S50	S50 PLUS	S65	S85
SEGMENT SHAPE																
NATURAL STONE	●●●	●●○	○○○	○○○	○○○	○○○	●●○	○○○	○○○	○○○	○○○	●●○	○○○	○○○	○○○	○○○
HARD MATERIALS	●●○	●●●	●●○	●●○	○○○	○○○	●●●	●●○	●●○	○○○	○○○	●●●	●●○	●●○	○○○	○○○
CONCRETE	○○○	●●○	●●●	●●○	○○○	○○○	●●○	●●●	●●○	○○○	○○○	●●○	●●○	●●○	○○○	○○○
UNIVERSAL	○○○	○○○	●●○	●●●	●●○	○○○	○○○	●●○	●●●	●●○	○○○	○○○	●●●	●●●	●●○	○○○
ABRASIVE MATERIALS	○○○	○○○	○○○	●●○	●●●	●●○	○○○	○○○	●●○	●●●	●●○	○○○	●●○	●●○	●●●	●●○
ASPHALT	○○○	○○○	○○○	○○○	●●○	●●●	○○○	○○○	○○○	●●○	●●●	○○○	○○○	○○○	●●○	●●○

●●● = Optimal ●●○ = Good ●○ = Acceptable ○○○ = Not recommended

CUTTING TROLLEYS



Specifically designed for our handheld petrol power cutters. The trolleys make it easy to cut in straight or curved lines, as well as close to walls and curbstones. They have a guard stabilizer which keeps the machine stable in the cut. They are compact and can be folded for easy transportation.

KV 9/12, 587 76 84-02
KV 7, 587 76 84-01

HUSQVARNA WT 15



Compact and easy-to-use water tank with electric pump. Has a capacity of 15 litres and allows for continual cutting for 45 minutes. Battery-powered, 18.5V Gardena Li-ion accumulator system.

966 70 83-01, 220 V
966 70 83-02, 110 V

VAC ATTACHMENT



Leading dust collection enables you to cut without water. Quick connection.

523 09 50-01, K 4000
596 84 01-01, K 535i

WHEEL KIT



Enables easy movement on flat surfaces or when cutting on the ground. The rubber pads keep the machine steady when not used or in idle mode. Suitable for our petrol power cutters K 770, K 970 and K 1270.

589 33 43-01

WATER HOSE



9 metres long with quick connections and the possibility to join multiple sections together.

506 32 89-34

FUEL CAN



Fuel can with non-spill filler that makes refuelling convenient. Made of tough plastic with a capacity of 6 litres. Approved according to UN regulations.

505 69 80-01

TWO-STROKE OIL



Our selection of 2-stroke oils are made of the highest quality components. It meets all the high demands that you put on your product.

587 80 85-11

TRANSPORT BOXES



Perfect for both protecting and keeping track of different kind of equipment when moving between worksites. Made of plywood, with metal reinforcement at edges and corners.

K 1270/K 970, 506 31 08-02
K 770, 505 46 02-01

PETROL POWER CUTTERS	K 1270	K 970	K 770	K 770 VAC	K 770 DRY CUT
TECHNICAL SPECIFICATIONS					
Displacement, cm ³	119	94	74	74	74
Power, kW	5.8	4.8	3.7	3.7	3.7
Power/weight ratio	0.43/0.42	0.44/0.41	0.37/0.37	0.30	0.30
Blade/bar, mm	350/400	350/400	300/350	300	300
Max cutting depth, mm	118/145	125/155	100/125	125	125
Sound power level Lwa, dB (A)	117	115	115	115	115
Sound pressure level, dB (A)	104	104	101	101	101
Vibrations front handle equivalent, m/s ²	6.9/4.9	3.8/3.5	< 25	4.0	4.4w
Vibrations rear handle equivalent, m/s ²	6.3/5.3	4.2/4.0	< 25	2.8	3.3
Weight, without fuel and cutting equipment, kg	13.3/13.7	11.0/11.6	10 /10.1	11.0	11.9
FEATURES					
Active Air Filtration™	●	●	●	●	●
SmartCarb™	●	●	●	●	●
Poly-V belt	●	●	●	●	●
EasyStart decompression valve	●	●	●	●	●
Sealed transmission	●	●	●	●	●
Reversible cutting arm	●	●	●	●	●
Easy-adjust blade guard	●	●	●	●	●
Wet cutting kit	●	●	●	—	—
Replaceable arbor bushing	●	●	●	●	●
X-Torq® engine	●	●	●	●	●
Air Purge	●	●	●	●	●
Fuel indicator in the tank	●	●	●	●	●
DuraStarter™	—	●	●	●	●
SmartTension™	—	●	●	—	—



ELECTRIC POWER CUTTER	K 4000
TECHNICAL SPECIFICATIONS	
Electric motor, V	230/120/110
Power, W	2700/1800/2200
Rated current, A	12/15/20
Blade, mm	350
Cutting depth, mm	125
Sound power level Lwa, dB (A)	105
Sound pressure level, dB (A)	95
Vibrations front handle equivalent, m/s ²	3.5
Vibrations rear handle equivalent, m/s ²	3.5
Weight excl. cable and cutting equipment, kg	8.5
FEATURES	
Elgard, overload protection	●
"Pulling" rotation	●
Simple blade change	●
Replaceable arbor bushing	●
Wet cutting kit	●

BATTERY POWER CUTTER	K 535i
TECHNICAL SPECIFICATIONS	
Battery type	Li-ion
Voltage, V	36
Motor type	BLDC (brushless)
Blade, mm	230
Cutting depth, mm	76
Sound pressure level at operator's ear, dB(A)	98.5
Sound power level guaranteed (LWA) dB(A)	109.5
Equivalent vibration level (ahv, eq) front/rear handle, m/s ²	2.1 / 2.5
Weight (excl. battery and cutting equipment), kg	3.5
FEATURES	
Li-ion power	●
saveE™	●
Electric retarder	●
Safety loop	●

NOMINAL POWER The EU machinery directive (2006/42/EC) came into force on January 1, 2010, requiring manufacturers to declare the nominal power of engines, in kilowatts (kW). The power rating of the engines indicated is the average net power output during a normal working situations and meets applicable noise regulations (at specified rpm, see owner manual) of a typical production engine for the engine model measured to SAE standard J 1349/ISO 1585. Mass production engines may differ from this value. Actual power output for the engine installed in the final machine will depend on the operating speed, environmental conditions and other variables.

GET THE JOB DONE QUICKLY, WELL AND ANYWHERE

High power and extreme versatility in a compact, durable format. That's the winning formula behind the commercial-grade front mowers from Husqvarna. With their efficient cutting decks and a wide range of useful attachments, these agile machines will help increase your daily turnover all year round, whether you prefer diesel or petrol power.

CUTTING DECK DESIGN

EXCELLENT ACCESSIBILITY AND CONTROL

The front-mounted cutting deck gives excellent overview of the working area, enabling precise, close-up trimming. The design of the cutting deck lets you easily navigate corners as well as trim close to walls and fences, while its low profile provides unbeatable access under bushes, fences, park benches etc.



QUIET TRANSPORT WITH HYBRID DRIVELINE

SNEAK QUIETLY BETWEEN JOBS OR INTO THE GARAGE

The high-torque electric motors allow you to drive Husqvarna P 535HX quietly and without emissions between the working areas and in the garage. The diesel engine runs when the battery needs charging or when using the PTO.

103–180 CM

GREAT CUTTING DECKS FOR GREAT RESULTS

The R180 rear discharge cutting deck utilizes the hybrid power of Husqvarna P 535HX to maximize the mowing capacity. The Combi 132 and Combi 155 cutting decks (available for Husqvarna P 535HX, P 525DX and P 520DX) can be used for both BioClip® (mulching) and rear discharge. The inside has been stamped out of one solid piece of metal, allowing for an optimized airflow, which is the main reason for the high efficiency. The Combi decks are made from 4.5 mm steel and are equipped with replaceable side skid wears, for a long and reliable product life.

LAWN MOWING CONCEPT

REDUCE FOLLOW-UP TRIMMING – SAVE TIME AND MONEY



Our studies* show that large-scale commercial mowers only mow about 65% of the total area of the lawns they work on. The remaining 35% has to be taken care of later, using a walk-behind mower or a trimmer. The result is markedly lower productivity and higher labour costs. And in the end, reduced profitability. The reason for this is that most mowers aren't designed for the complex lawn shapes that professional landscapers have to deal with on a daily basis. The exception is our 500 series of compact front mowers. These machines offer lots of smart solutions that reduce the amount of follow-up trimming to 20%. This means you finish the job earlier and can be on the way to the next one.

* Husqvarna's internal tests comparing the mowing productivity of a rear-wheel steered front mower equipped with 72" cutting deck versus a Husqvarna P 500 series front mower, equipped with 61" cutting deck, carried out during a full cutting season.

CUTTING HEIGHT

CHANGE CUTTING HEIGHT WITHOUT LEAVING YOUR SEAT

Depending on your choice of cutting deck, there are different options for adjusting the cutting height. On the X-line Combi decks, the height can be controlled with hydraulic controls from the driver's seat.



HUSQVARNA
FLEET SERVICES™



HUSQVARNA FLEET SERVICES™

WANT TO KEEP TRACK OF YOUR MOWERS? CONNECT THEM.

If you want to manage all your mowers professionally, you should check out Husqvarna Fleet Services™. All you have to do is add a Husqvarna sensor to every mower, and it will constantly keep track of them. You get notifications when it's time for service and you always know their exact engine hours and service history, as well as their last known position.



DURABILITY

BUILT FOR YEARS OF COMMERCIAL USE

The rigid, reinforced heavy-duty steel ladder frame has an open design providing excellent serviceability. For improved durability, the complete rear wagon is in one piece ductile cast iron. The high-performance Combi deck is built on a sturdy frame and is stamped from a single piece of steel plate. It also has durable, flat-free support wheels with an air-filled core to provide good dampening and smooth operation with maximum uptime.

ARTICULATED STEERING SUPERIOR MANOEUVRABILITY

The articulated steering system allows the rear pair of wheels to swing in underneath the machine. The result is superior manoeuvrability with a minimum turning radius at full lock. The compact size together with the articulated steering makes it easy to manoeuvre the machine in narrow spaces and tricky areas.



RIGID TESTING

QUALITY IS NO COINCIDENCE

You should be able to rely on your Husqvarna to do its job, every day. That's why all our professional products have undergone extensive testing in realistic conditions, in our labs as well as out on the field, to make sure they meet our extreme standards in terms of quality and endurance.



DRIVER INTERFACE

A COMFORTABLE DRIVER IS A PRODUCTIVE DRIVER

Our professional front mowers have an ergonomic driver interface with easy-access controls for a comfortable ride during long working hours. The heavy-duty hydraulic-cylinder power steering makes driving less strenuous, while the large rear and front wheels provide excellent ride comfort and great accessibility, while reducing the risk of damaging sensitive surfaces.

LOW PROFILE

REACH UNDER BUSHES AND BENCHES

The low-profile, front-mounted cutting deck offers many advantages. It reaches where most other ride-on mowers don't, for example under park benches and bushes, so you can cut more without leaving your seat, reducing the need for manual touch-up trimming.



ELECTRONIC FUEL INJECTION

MORE POWER – LESS FUEL AND EMISSIONS

The P 524EFI is equipped with electronic fuel injection (EFI). Thanks to the efficient combustion, it delivers the additional power and torque you need to maintain a higher speed in uneven terrain. It also contributes to lower fuel consumption and less emissions. Starting is easy too, since there's no need for a manual choke. Just turn the key and go.



ALL-WHEEL DRIVE

ALL-TERRAIN DRIVING PERFORMANCE


All-Wheel-Drive (AWD) ensures traction on uneven, wet and slippery areas and slopes. The machine's low center of gravity in combination with the high-performing AWD system gives excellent slope and hillside stability. AWD automatically adjusts the traction on all wheels depending on situation and ground condition. Equipped with high-specified variable piston pumps with separate gear boxes for front and rear axle.



SERVICE POINTS

EASY ACCESS FOR EASY MAINTENANCE

The tilting hood and easy-access servicing points make the daily maintenance checks and servicing easy. The cutting deck features greasable mandrels that are easy to reach from above, while the service position facilitates cleaning and service under the cutting deck.



NO MORE LOW SEASON

The wide range of cutting decks and other attachments, as well as the cabin-equipped versions, turn our range of front mowers into exceptionally versatile vehicles. If you own a couple of them, you're never out of work – even during traditional low season periods.

QUICK COUPLING

TRANSFORM IT INTO SOMETHING ELSE IN NO TIME

From mower to blower to broom and back again. Thanks to the convenient quick coupling, it only takes a couple of minutes to change the attachment and start working with something completely different. You don't even need any special tools.



ALL-YEAR USE

WHATEVER THE TASK, WHATEVER THE SEASON

Our front mowers are so much more than just mowers. Thanks to the wide choice of attachments, they are versatile tools for a host of different groundcare and landscaping tasks. And if you opt for the cabled versions, you can work in any weather, all year round.



DESIGN**A ROOMY CABIN WITH A VIEW**

The cabin offers ample space and the large windows provide you with an unobscured view of your surroundings, so you always see exactly where you're going. Plus, the windshield wiper covers a large area, allowing you to safely control the vehicle in poor weather.

The cabin comes completely assembled, including Grammer™ seat, hydraulic kit, counterweight, control box, headlights with turning lights, beacon light and works lights – front and rear.

**REMOVABLE CABIN****WHEN SUMMER COMES,
JUST TAKE IT OFF**

The cabin is only available factory-installed, but that doesn't mean you can't remove it. If you prefer to spend your summer days in the open air, you can remove it yourself – without any special tools – and store it away until you need it again.

DRIVER'S POSITION**WORK IN COMFORT**

Here's a cabin you can look forward to spending your workdays in. The seat has full suspension, providing a comfortable feel throughout the day. Noise and vibration levels are low, since the cabin is vibration-isolated from the chassis, and the ceiling features sound-absorbing material. And during cold days, the integrated heater provides a warm climate.



FRONT MOWER RANGE

HUSQVARNA P535HX

NEW
HYBRID


 **1123 cm³**
 **17.8 kW @ 3000 rpm**
 **132–180 cm**
 **30–112 mm**

The most powerful ride-on machine in the Husqvarna range. Two electric motors power the wheel drive axles, while the PTO and electric generator are powered by a 1123cc Kubota™ diesel engine. The 20" wheels, all-wheel drive and articulated steering make it easy to manoeuvre even in rough terrain and complex areas. Prepared for high capacity cutting decks up to 180 cm, providing an excellent result in any terrain. Commercial-grade components and ease of service make for uncompromised durability and maximum uptime.

- Power steering
- Electric All-Wheel Drive (AWD)
- Hydraulic equipment lift
- ROPS
- Dynamic segment display
- Integrated connectivity
- Quiet transport with hybrid driveline
- Hydraulic attachment kit
- 4.2 kWh Li-Ion 52 V batteries
- Plug-in charging (accessory)

HUSQVARNA P525DX



 **1123 cm³**
 **18.7 kW @ 3000 rpm**
 **132/155 cm**
 **30–112 mm**

A very powerful ride-on machine, equipped with 20" wheels and a 1123cc Kubota™ diesel engine. The all-wheel drive and articulated steering make it easy to manoeuvre even in rough terrain and complex areas. Prepared for high-capacity cutting decks up to 155 cm, providing an excellent result in any terrain, it's the perfect choice for hotels, housing agencies, municipalities and contractors. Commercial-grade components and ease of service make for uncompromised durability and maximum uptime.

- Power steering
- All-Wheel Drive (AWD)
- Hydraulic equipment lift
- ROPS
- High contrast segment display
- Integrated connectivity
- Hydraulic attachment kit

HUSQVARNA P525DX WITH CABIN



 **1123 cm³**
 **18.7 kW @ 3000 rpm**
 **132/155 cm**
 **30–112 mm**

A very powerful ride-on machine, equipped with 20" wheels and a 1123cc Kubota™ diesel engine. The all-wheel drive and articulated steering make it easy to manoeuvre even in rough terrain and complex areas. Prepared for high-capacity cutting decks up to 155 cm, providing an excellent result in any terrain, it's the perfect choice for hotels, housing agencies, municipalities and contractors. Commercial-grade components and ease of service make for uncompromised durability and maximum uptime. Thanks to the cabin and the abundant supply of attachments, it easily becomes a versatile, all-year round tool for all sorts of ground care tasks, including snow removal, brushwood cutting and sweeping.

- Power steering
- All-Wheel Drive (AWD)
- Hydraulic equipment lift
- High contrast segment display
- Integrated connectivity
- Cabin

HUSQVARNA P520DX



	898 cm ³
	14.5 kW @ 3000 rpm
	132 / 155 cm
	30 - 112 mm

A powerful ride-on machine, equipped with 18" wheels and a 898cc Kubota™ diesel engine. The all-wheel drive and articulated steering make it easy to manoeuvre even in rough terrain and complex areas. Prepared for high-capacity cutting decks up to 155 cm, providing an excellent result in any terrain, it's the perfect choice for hotels, housing agencies, municipalities and contractors. Commercial-grade components and ease of service make for uncompromised durability and maximum uptime.

- Power steering
- All-Wheel Drive (AWD)
- Hydraulic equipment lift
- ROPS
- High contrast segment display
- Integrated connectivity

HUSQVARNA P524EFI



	726 cm ³
	15.6 kW @ 3000 rpm
	122 cm
	25 - 75 mm

Quick, capable and compact, petrol-powered front-mower. Equipped with all-wheel drive and articulated steering, it's easy to manoeuvre even in complex areas, making it a great choice for hotels, housing agencies, municipalities and contractors. Commercial-grade components and ease of service make for uncompromised durability and maximum uptime. The electronic fuel injection (EFI) increases power and torque, while lowering fuel consumption and emissions. It also makes starting easy by eliminating the need for a manual choke.

- Power steering
- All-Wheel Drive (AWD)
- Hydraulic equipment lift
- ROPS
- Electronic fuel injection
- Turn key start

HUSQVARNA P524



	726 cm ³
	13.9 kW @ 3000 rpm
	103 / 112 / 122 cm
	25 - 75 mm

Quick, capable and compact, petrol-powered front-mower. Equipped with all-wheel drive and articulated steering, it's easy to manoeuvre even in complex areas, making it a great choice for hotels, housing agencies, municipalities and contractors. Commercial-grade components and ease of service make for uncompromised durability and maximum uptime.

- Power steering
- All-Wheel Drive (AWD)
- Hydraulic equipment lift
- ROPS



ATTACHMENTS FOR P 535HX/P 525DX/P 520DX MODELS



COMBI DECKS

Husqvarna Combi decks combine very efficient BioClip® mulching with rear discharge. The heavy-duty design is stamped from one piece of 4.5 mm steel, which contributes to its high efficiency, thanks to the optimized airflow. All decks are equipped with replaceable side skid wears. Choose between

132 cm (52") or 155 cm (61") cutting width. The X-line comes with hydraulic height adjustment.

967 97 83-01, Combi 132
967 97 85-01, Combi 132X
967 97 84-01, Combi 155
967 97 86-01, Combi 155X



HUSQVARNA R180 CUTTING DECK

A robust, 180 cm wide rear discharge cutting deck. Optimal for use with the hybrid front mower Husqvarna P 535HX. Highly productive thanks to increased cutting width and mowing speed, when compared to Husqvarna Combi decks. Easy to install and operate.

967 98 56-01

BROOM



Shaft PTO driven broom for efficient clearing of thin snow, leaves and debris. Reinforced version with larger diameter and increased angle adjustments. Max/min working width 130/120 cm. Requires hydraulic kit and counterweight.

590 45 00-01

UTILITY BUCKET



Hydraulic adjustment of angling and emptying. Working width 120 cm. Loading capacity 65 kg. Requires hydraulic kit and counterweight.

965 99 74-01

FLAIL MOWER



Shaft PTO driven flail mower. Updated design with reinforced bevel gear, increased cutting height range and improved performance in dense vegetation. The front support wheels pivot and come with solid tyres. Working width 120 cm. Recommended for use on P 525D only. Requires counterweight.

596 86 75-01


WEED BRUSH



Shaft PTO driven rotating steel brush for efficient removal of weed and dirt in gutters, walking paths and along curbstones. Brush angle is adjustable from seat. Diameter 50 cm. Requires hydraulic kit and counter weight.

587 93 28-01

SPREADER



Electric spreader for gritting and de-icing walkways. Stepless adjustable roller speed. The galvanized bucket holds 70 litres.

967 33 98-01

CYCLONE SPREADER



For sand, salt, seeds or fertilizer up to 8 mm. With a volume of 70 litres, steplessly adjustable rotating plate speed and a lid that can be opened and closed from the seat.

967 09 89-01

SNOW BLADE



Rugged steel snow blade. Hydraulic angle adjustment and 140 cm working width. Requires hydraulic kit and counterweight. To meet requirements on different markets, the blade must be completed with either skids and a scraper or with support wheels and a rubber scraper.

592 75 51-01
592 75 52-01, Steel skids and steel scraper
592 75 53-01, Support wheels and rubber scraper

FOLDING PLOUGH



Individual, hydraulic, adjustable blades. Reversible Hardox® steel wears. Two adjustable skid plates. Max/min working width 140/119 cm. Requires hydraulic kit and counterweight.

965 99 72-01

SNOW THROWER



Highly efficient and heavy-duty two-stage snow thrower. Requires hydraulic kit and counterweight. Working width 120 cm, chute rotation 300 degrees.

590 45 19-01

BLOWER



Shaft PTO driven blower for cleaning of large open areas. Powerful low noise fan capable of 80 m³/min air flow. 360-degree rotating air outlet adjustable from seat. Requires hydraulic kit.

587 93 29-01

COUNTERWEIGHT



Rear counterweight for improved grip and stability. Must be used when operating front-mounted attachments. Total weight 62 kg. Includes 5 x 10 kg stackable, separate weights to be installed to a mounting frame (12 kg)

966 75 49-01

GRAMMER™ SEAT



Deluxe seat with many options for personal settings for optimum ergonomics. Available with or without heated seat cushion. Armrests available as accessories.

967 00 84-01
967 00 84-02, heated
965 89 68-01, armrest kit, right
965 89 70-01, armrest kit, left

HYDRAULIC KIT



Two auxiliary hydraulic connections to control front-mounted attachments. Includes valve, switch, hoses with connectors and wires.

966 75 45-01

ROAD KIT



We offer accessories needed for driving on public roads. Please check your local legislations to find out the requirements in your market.

966 79 09-01 Startkit
966 79 11-01 Low-speed vehicle triangle



FOR COMPLETE ATTACHMENT
RANGE VISIT [HUSQVARNA.COM](https://www.husqvarna.com)

ATTACHMENTS FOR P 524 MODELS

COMBI DECKS



Husqvarna Combi decks combine very efficient BioClip® mulching with rear discharge. The durable design is stamped from one piece of 3 mm steel, which contributes to its high efficiency, thanks to the optimized airflow. Choose between 103 cm (41"), 112 cm (44") or 122 cm (48") cutting width.

967 27 25-01, Combi 103, fits P 524

967 69 35-01, Combi 112, fits P 524

967 29 37-01, Combi 122, fits P 524EFI and P 524

FLAIL MOWER



Robust, reliable flail mower for rough areas with overgrown grass and low brushwood. Equipped with a hard-wearing mitre gear for maximum product life. Working width 100 cm.

966 79 65-01

BROOM



Rotating broom for sweeping up leaves, snow etc. Can be angled to either side. Working width 120 cm.

966 79 63-01

FOLDING PLOUGH



Compact and flexible folding plough in heavy-duty steel design. Mechanical adjustment of the blades makes it usable as an V-plough, point plough or diagonal plough. Equipped with rubber scrape blade. Working width 120 cm.

966 85 01-01

SNOW BLADE



Rugged steel blade with steel blade edge. Working width 125 cm.

966 83 30-01

531 00 71-34, rubber blade

SNOW THROWER



Highly effective, heavy-duty single-stage thrower with a working width of 100 cm, chute rotation 180 degrees.

966 79 64-01

RAKE



Rear-mounted attachment to be used in combination with gravel harrow for levelling out gravel and collecting weed. Lowered and lifted electrically from the driver's seat. Working width 125 cm.

587 93 25-01

GRAVEL HARROW



Front-mounted attachment ideal for loosening compacted gravel surfaces and cutting of weed roots. Recommended to use with rake for tidy result. Adjustable cutting depth. Working width 125 cm.

587 93 20-01

GRAMMER™ SEAT



Deluxe seat with many options for personal settings for optimum ergonomics. Available with or without heated seat cushion. Armrests available as accessories.

966 95 42-01

966 95 42-02, heated

965 89 68-01, armrest kit, right

965 89 70-01, armrest kit, left

FRONT MOWERS	P 535HX	P 525DX / P 525DX WITH CABIN	P 520DX	P 524EFI	P 524
TECHNICAL SPECIFICATIONS					
Engine manufacturer	Kubota™	Kubota™	Kubota™	Kawasaki	Kawasaki
Engine name	D1105	D1105	D 902	FX Series V-Twin	FX Series V-Twin
Net power at preset rpm, kW	17.8@ 3000	17.8@ 3000	14.7@ 3000	15.6@ 3000	13.9@ 3000
Transmission type	Electric AWD	Hydrostatic AWD	Hydrostatic AWD	Hydrostatic AWD	Hydrostatic AWD
Cylinder displacement, cm ³	1123	1123	898	726	726
Cylinders	3	3	3	2	2
Sound power level, guaranteed (LWA), dB(A) *	105	105	103	104	104
Sound pressure level at operator's ear, dB(A) **	88	92	88	88	88
Vibration level steering wheel, m/s ² ***	1.2	1.7	1.7	3	3
Vibration level seat, m/s ² ***	0.1	0.7	0.7	0.7	0.7
Engine cooling	Liquid	Liquid	Liquid	Air	Air
Generator, A	40 (12V) and 80 (48V)	40	40	20	20
Battery, V/Ah	12/62 (12V) and 52/40 (48V)	12/62	12/62	12/24	12/24
Air filter type	Heavy-duty canister style	Heavy-duty canister style	Heavy-duty canister style	Heavy-duty canister style	Heavy-duty canister style
Fuel tank volume, litre	23	25	25	22	22
Oil tank volume (incl. oil filter), litre	3.3	3.3	3.3	2.1	2.1
Transmission manufacturer	Benevelli	Kanzaki	Kanzaki	Kanzaki	Kanzaki
Transmission model	TX2	KTM 23	KTM 23	KTM 23	KTM 23
Speed forward, min – max, km/h	0–19.5	0–18	0–15	0–13	0–13
Speed reverse, min – max, km/h	0–11	0–11	0–12	0–9	0–9
Uncut circle, cm	58	58	55	50	50
Optional cutting decks	Combi 155, R180	Combi 155X/Combi 155/ Combi 132X/Combi 132	Combi 155X/Combi 155/ Combi 132X/Combi 132	Combi 122	Combi 103/Combi 112/ Combi 122
Deck thickness, mm	45	45	45	4	4
Cutting height, min – max, cm	30–112	30–112	30–112	25–75	25–75
Cutting height steps	7	7	7	7	7
Blade engagement	Electric clutch	Electric clutch	Electric clutch	Electric clutch	Electric clutch
Frame construction type	Ladder frame	Ladder frame	Ladder frame	Ladder frame	Ladder frame
Seat type	Full suspension	Full suspension	Full suspension	Premium	Premium
Tyre size front, inch	20 × 10–10	20 × 10–10	18 × 8.5–8	18 × 8.5–8	18 × 8.5–8
Tyre size rear, inch	20 × 10–10	20 × 10–10	18 × 8.5–8	18 × 8.5–8	18 × 8.5–8
Wheelbase, cm	106	106	106	100	100
Ground clearance, mm	134	140	105	105	105
Base machine length, cm	209	211/227	207.5	205	205
Base machine width, cm	116	114/125.5	111	98	98
Base machine height, cm	ROPS up 204, ROPS down 134	ROPS up 203, ROPS down 133, Cabin 201	ROPS up 200, ROPS down 130	ROPS up 192, ROPS down 115	ROPS up 192, ROPS down 115
Weight (excluding cutting deck), kg	790	665/907	627	410	387
FEATURES					
Power steering	●	●	●	●	●
All-Wheel Drive (AWD)	●	●	●	●	●
Oil cooler	●	●	●	●	●
Hydraulic equipment lift	●	●	●	●	●
Service position	●	●	●	●	●
Hinged armrests	●	●	●	●	●
Digital hour meter	●	●	●	●	●
12V outlet	●	●	●	●	●
ROPS	●	●/—	●	●	●
Integrated connectivity	●	●	●	—	—
High contrast segment display	—	●	●	●	—
Hydraulic attachment kit	●	●	—	—	—
Cup holder	—	—	—	●	●
Dynamic graphic display	●	—	—	—	—
Hybrid driveline	●	—	—	—	—

*Noise emissions in the environment measured and calculated as guaranteed sound power level according to EC-Directive 2000/14/EC. The guaranteed sound power level includes variation in production as well as variation from the test code with 1–2 dB(A). Noise emissions and sound pressure level can be influenced by the cutting deck used. Declared figures are for the machine equipped with the most used cutting unit for the specific mower model. For further information, see the Operator's manual. **Sound pressure level according to EN ISO 5395-1. Reported data for sound pressure level has a typical statistical dispersion (standard deviation) of 1.2 dB(A). ***Vibration level according to EN ISO 5395-1. Reported data for vibration has a typical statistical dispersion of 0.2 m/s² (steering wheel) and 0.8 m/s² (seat).

NOMINAL POWER The EU machinery directive (2006/42/EC) came into force on January 1, 2010, requiring manufacturers to declare the nominal power of engines, in kilowatts (kW). The power rating of the engines indicated is the average net power output during a normal working situation and meets applicable noise regulations (at specified rpm, see owner manual) of a typical production engine for the engine model measured to SAE standard J 1349/ISO 1585. Mass production engines may differ from this value. Actual power output for the engine installed in the final machine will depend on the operating speed, environmental conditions and other variables.

SPEED AND PRECISION. EVERYWHERE.

With a zero-turn mower from Husqvarna, you get the job done quickly and comfortably. You cross the lawn rapidly, and the sharp turns leave no grass uncut. The Z560X is developed for tough commercial use, so you can rely on it to deliver excellent results year after year.

COMFORT

A SHEER PLEASURE TO DRIVE

Great handling. Great balance. Great manoeuvrability. And behind the levers, you sit in great comfort in the full-suspended seat with EVC (elastomeric vibration control) and bolstered cushions. For an operator, this is a workplace to love.



SERVICEABILITY

EASY TO SERVICE AND MAINTAIN

Many zero-turn mowers can be a hassle to service. Not this one. Its open design gives you easy access to the transmission as well as the cutting deck, and you can adjust the neutral setting or remove the deck cover without any tools. So you can spend less time maintaining the mower and more time maintaining the lawn.



PRODUCTIVITY

GETS THE JOB DONE IN NO TIME

With a maximum speed of 19 km/h (12 mph) – which is a lot when mowing – and up to 152 cm (60") cutting width, the Z560X makes work efficient. Turns are sharp and precise, thanks to the individual, hydraulic wheel-drive system, allowing you to cover the lawn quickly. Its productivity is further enhanced by the new powerful battery and automatic parking brake, ensuring hassle-free starts and stops.

CUT QUALITY

CONSISTENTLY PERFECT RESULTS

The combination of 14-cm deck depth, high-performance blades and optimized deck baffles allows for exceptional cut quality and clipping dispersal. This gives you faster cutting speeds for increased productivity while minimizing missed grass or clumps.



DURABILITY

BUILT FOR YEARS OF COMMERCIAL USE

We've designed the Z560X with the toughest materials to ensure a long and productive product life. The weld-reinforced tubular steel frame, cast-iron spindles and heavy-duty, fabricated cutting deck are made to withstand years of tough commercial use.

ZERO-TURN MOWER

HUSQVARNA Z560X



 810 cm³
 17.3 kW @ 2900 rpm
 152 cm
 25-127 mm

Commercial-grade, zero-turn mower with high speed and great manoeuvrability, for efficient mowing of large lawns. The 152 cm (60") deck produces an excellent cut quality, while the durable design and easy maintenance make for a long and trouble-free product life.

COLLECTION SYSTEM



3 collector bins

DFS-system

Efficient collection system for grass clippings or leaf cleanup. Durable nylon bins with easy attachment of fan and collector. The impact resistant construction of housing and fan reduces weight and maximizes air flow. The in-line impeller design allows for maximum air velocity and efficiency. Available in two versions. Either with three collector bins (460 litres), or the convenient DFS-system (390 litres) which allows you to empty the collector without having to leave your seat. Both kits need to be complemented with a drive kit.

967 32 27-01, DFS-system (390 litres)
 967 32 26-01, 3 collector bins (460 litres)
 966 40 72-01, drive kit

OPERATOR CONTROLLED DISCHARGE CHUTE

A simple pull of the lever temporarily closes off the cutting deck's discharge opening when mowing along sidewalks, roads, flowerbeds etc. ensuring added efficiency and property protection while mowing.

966 48 87-01

MULCHING KIT



Reduces your lawn clippings to a fine fertilizing mulch and re-deposits them to your lawn.

966 44 47-01

LIGHT KIT FOR ROPS



ROPS-mounted light kit features twin 35 W halogen lights with simple clamp-on installation. Harness plugs into existing accessory plug for convenient function from the ignition key switch.

576 80 90-01

ZERO-TURN MOWER	Z560X
TECHNICAL SPECIFICATIONS	
Engine manufacturer	Briggs & Stratton
Engine name	Vanguard
Net power at preset rpm, kW	17.3 @ 2900
Transmission type	Hydrostatic
Cylinder displacement, cm ³	810
Cylinders	2
Sound power level, guaranteed (LWA), dB(A)*	105
Sound pressure level at operator's ear, dB(A)**	88
Vibration level steering wheel***	1.27
Vibration level seat***	0.08
Engine cooling	Air
Battery, V/Ah	12/150
Air filter type	Heavy duty canister style
Fuel tank volume, litres	45.4
Oil tank volume (incl. oil filter), litre	20
Transmission manufacturer	Hydro-Gear
Transmission model	ZT5400
Speed forward, min-max, km/h	0-19.3
Speed reverse, min-max, km/h	0-9.6
Deck thickness, mm	4.76 (7 gauge)
Cutting width, cm	152
Cutting height, min-max, mm	25-127
Cutting height steps	16
Blade engagement	Electromagnetic clutch
Frame construction type	2×3" welded tubular steel 11ga.
Cutting deck type / gauge	Fabricated / 7
Blade spindle type	Cast iron
Seat type	Professional, suspension
Tire size, front, inch	13×6.5-6 (Flat Free)
Tire size, rear, inch	24×12-12
Wheelbase, cm	127
Base machine length, cm	206
Base machine, width, cm	136
Base machine, height, cm	117
Weight, kg	630
FEATURES	
Adjustable sliding seat	●
Hour meter with service minder	●
Reinforced cutting deck	●
Headlights	(●)
CUTTING SYSTEMS	
Side discharge	●
Mulching	(●)
Collection	(●)

(●) = Accessory *Noise emissions in the environment measured and calculated as guaranteed sound power level according to EC-Directive 2000/14/EC. The guaranteed sound power level includes variation in production as well as variation from the test code with 1-2 dB(A). Noise emissions and sound pressure level can be influenced by the cutting deck used. Declared figures are for the machine equipped with the most used cutting unit for the specific mower model. For further information, see the Operator's manual. **Sound pressure level according to EN ISO 5395-1. Reported data for sound pressure level has a typical statistical dispersion (standard deviation) of 1.2 dB(A). ***Vibration level according to EN ISO 5395-1. Reported data for vibration has a typical statistical dispersion of 0.2 m/s² (steering wheel) and 0.8 m/s² (seat).

NOMINAL POWER The EU machinery directive (2006/42/EC) came into force on January 1, 2010, requiring manufacturers to declare the nominal power of engines, in kilowatts (kW). The power rating of the engines indicated is the average net power output during a normal working situations and meets applicable noise regulations (at specified rpm, see owner manual) of a typical production engine for the engine model measured to SAE standard J 1349/ISO 1585. Mass production engines may differ from this value. Actual power output for the engine installed in the final machine will depend on the operating speed, environmental conditions and other variables.

ROBOTIC, SUSTAINABLE MOWING WITH VIRTUAL WIRES

Robotic mowers are the perfect addition to the fleet of any green care company. With Husqvarna's new EPOS Automower® robotic mowers, the mowing possibilities are made even more flexible as the need for wires is made obsolete. The new Husqvarna Automower® 550 EPOS mower works without the need of physical wires and can be remotely programmed via Husqvarna Fleet Services™. And while they tirelessly spend their days producing a carpet-like lawn quality, you can spend your time focusing on other tasks.



HUSQVARNA EPOS TECHNOLOGY

MOWING WITHOUT PHYSICAL WIRES

The Husqvarna EPOS technology is the next step in flexible robotic mowing. Not only are the boundaries virtual, which means new levels of flexibility, but you also get unmatched possibilities when programming your mowers. You can define several work areas with different timers, with different settings as well as set temporary stay-out zones. Furthermore, you can pre-set your transport paths for a more flexible placement of the charging station. Easier, more efficient – and still the same impressive end-result.

ECONOMY**SPEND LESS.
GET MORE DONE.**

More time for your workforce to focus on other, more valuable, tasks – and less time spent maintaining grass areas.

HUSQVARNA FLEET SERVICES™**YOU CONTROL
THEM FROM ANYWHERE**

Learn more on pages 124–125.

**BATTERY POWER****REDUCE YOUR FOOTPRINT**

Automower® is electric and virtually silent. This means you can both reduce your environmental impact and let your people work without disturbing anyone.

AVAILABLE 24/7**WORKING NIGHT AND DAY.
RAIN OR SHINE.**

Automower® works tirelessly around the clock. It's also weather proof, providing great results even in wet conditions.

**WORLD LEADER****RELIABLE ROBOTIC MOWING
SINCE 1995**

More than 20 years of research and innovation have made Husqvarna world leaders in robotic mowing. More than one million Swedish-designed, European-made mowers have already been in service around the world. Our unique experience has given us invaluable knowledge and insights into robotic mowing that have led to the new all-wheel-drive model with its impressive slope performance. With built-in GPS navigation and full remote control, it is ready for fleet use in any type of professional application.

WEATHER TIMER

THE FASTER IT GROWS, THE MORE IT CUTS

When the grass is wet, the Automower® robotic lawn mower works just as well. In fact, thanks to the built-in weather timer, it mows more often when it has been raining and the grass is growing faster, than in dry weather when growth is slow. This ensures a consistent result regardless of season.



SAFETY FEATURES

DESIGNED TO PROTECT AND BE PROTECTED

Pivoting blades that quickly fold away if they should hit an obstacle, positioned at a safe distance from the outer edge. Lift, tilt and ultrasonic collision sensors, stopping it before any danger occurs. An Automower® robotic mower is packed with safety features. Professional control also protects from unauthorized tampering, and should the mower get stolen, it's immediately locked and rendered useless, the alarm goes off and the built-in GPS allows you to track its position.

AUTOMATIC PASSAGE HANDLING

PASSES THROUGH PASSAGES AS TIGHT AS 60 CM

The robotic mowers come equipped with a feature that detects narrow spaces, allowing them to pass through passages down to 60 cm. This is especially useful when they need to reach inaccessible parts of the lawn, or quickly navigate their way from and to the charging station.



AUTOMOWER® CLUB SOLUTION

IDEAL SOLUTIONS FOR SPORTS FIELDS

Automower® club solution is an ideal feature for football pitches or other sports areas. It has been designed to work with Automower® 550, enabling one single installation for an entire pitch. This means that up to three mowers can run simultaneously in the same area and aerating and grass repairing can be carried out without damaging any boundary wires.

TERRAIN / SLOPE PERFORMANCE**HANDLES SLOPES
AS STEEP AS UP TO 70 %**

Some lawns are more difficult than others. Fortunately, Automower® robotic mowers offer market-leading performance in hilly terrain. Our latest all-wheel drive mowers are equipped to handle slopes of up to an impressive 70 % (35°) incline, whereas our other models easily handles inclinations of up to 45 %.

**SAFE MOWING****AUTOMOWER® GOES
WHERE YOU CAN'T**

The impressive slope performance of our all-wheel-drive mower is beneficial in a number of ways. The fact that it manages an incline of up to 70% means that you no longer need to handle it manually, something which is often unsafe for the operator. Husqvarna Automower® 535 AWD will deliver perfect results even here, on slopes where it's close to impossible to operate a handheld machine, making your workday safer.

**CUT QUALITY****GIVE EVERY LAWN
A CARPET-LIKE LOOK**


Wherever you choose to use your Automower® robotic mower, it provides an excellent result. By cutting the grass a little bit at a time, the three razor sharp blades deliver a perfect, moss-free lawn. The minuscule clippings provide a constant source of mulch for the lawn, keeping it healthy, lush and green. As lawn clippings contain a large amount of water, robotic-mown surfaces require less irrigation than conventionally-mown lawns. And because of their random cutting pattern and their low weight, the mowers leave no visible tracks.

HUSQVARNA FLEET SERVICES™

THE PROFESSIONAL WAY TO MANAGE YOUR ROBOTIC MOWERS

When you invest in our professional robotic mowers, you also get access to Husqvarna Fleet Services™ – a digital tool allowing you to easily monitor and control them from your smartphone, tablet or laptop. Just as easy as it should be.

NEW
FEATURES: TAGS
& AUTOMOWER®
MACHINE
USAGE



OPERATIONAL INSIGHTS

MAKE SURE THEY ALL RUN AS SMOOTHLY AS THEY SHOULD

Should anything happen, such as an unexpected standstill for one mower, you'll immediately receive a notification to your phone. Information about where problems occur and how often give you valuable insights to continuously adjust and improve the installation, which ensure a smooth and efficient operation.

Through the Automower® Machine usage, you can review daily user data for more insights on whether unplanned stops occur too often or if the mower's size is appropriate for the work area. The info is summarized in an easy and accessible way, helping you make your fleet usage more efficient and productive.



REMOTE MANAGEMENT

FULL CONTROL AND SCHEDULING FROM ANYWHERE

Forget manual controls. With Husqvarna Fleet Services™, you – and only you – conveniently control your robotic mowers from anywhere. Perfect when you want to adjust the mowing schedule or cutting height, or park them before the storm arrives.

And thanks to tagging, you can exert exact control over all your mowers, grouping them and issuing batch commands, directly from your smartphone app.




TAGS**FILTERS THAT MAKE YOUR MOWERS MORE EFFICIENT**

For larger fleets of mowers, tags are a handy way of keeping them at their best behaviour. Different mowers can be "tagged" to different teams, or to different locations, and then grouped for easier handling. The different user roles can also be tagged with different levels of control.

MAP VIEW**ALWAYS KEEP TRACK OF THEIR EXACT LOCATIONS**

Want an overview of all your robotic mowers? Just check the map view. Thanks to the built-in GPS, you always know the exact location and status of every robotic mower. Use tags to issue commands to all mowers in specific areas for even easier fleet handling.

**CONNECTIVITY****10-YEAR DATA PLAN INCLUDED**

If you invest in one of our professional robotic mowers, we include a 10-year data plan for cellular communication, so you can use Automower® Connect and Husqvarna Fleet Services™ throughout its product life. (Please note that we can only guarantee the functionality of the product itself, and not the uptime or coverage of the 3rd party data connection.)

CONNECTED MACHINES**ALL YOUR EQUIPMENT IN ONE PLACE**

If you want to, you can also connect the rest of your equipment to the system by using Husqvarna Fleet Services™ sensors.

[Learn more at husqvarna.com](https://www.husqvarna.com)

TAKING CARE OF BUSINESS. WHEREVER IT'S NEEDED.

Husqvarna Automower® robotic mowers are a highly flexible addition. Thanks to their broad application range, they present a solution to a wide number of lawn tending needs. Landscapers, municipalities, sports clubs, facility managers or general greencare professionals will all be able to benefit from everything from the perfect results and the impressive slope performance to the chance to save on both time and equipment costs.



FACILITY MANAGERS

ADDING VALUE FOR YOUR CUSTOMERS AND YOUR BUSINESS

Working as a facility manager means that you often face a wide number of varying tasks throughout the workday. Handing over the lawn care part of the workload to a robotic mower reduces the overall investment costs while freeing up time to focus on other tasks. A robotic mower will help you create beautiful, healthy grass areas that makes both the area in your care and your business look good, while requiring a minimum time for management.



LANDSCAPERS

THE BEST SOLUTION FOR THE GREAT WIDE OPEN

Landscapers and greencare professionals in charge of wide stretches of lawns – like parks – are often subject to restrictions and regional regulations regarding emissions and/or noise. Using a number of Automower® robotic mowers will take care of huge areas, delivering perfect results while helping you achieve sustainability goals. Connecting your robotic mowers to Husqvarna Fleet Services™ will further assist you in staying in control and planning for high and low seasons.



SPORTS FIELDS AND GOLF COURSES

HEAVY USE, HEAVY DEMANDS

A golf course or sports field, be it for soccer or athletics, is often heavily used and the grass requires extra tending and care. The maintenance can often be difficult, and the need for fertilizing, watering and minute care can be both expensive and time-consuming. An Automower® robotic mower works according to your schedule so as not to interfere, and cuts the grass every day or night, adding small composting clippings which don't need collecting. These clippings serve as natural fertilizer that strengthen the lawn.



MUNICIPALITIES

TOWARDS A GREENER CITY

In most cities and urban areas, there are rules for emissions. Thanks to its significantly lowered CO₂ emissions, using Husqvarna Automower® will help lower the overall footprint substantially. The moderate equipment costs and minimum labour needs makes it a beneficial solution for professionals employed by municipalities. Replacing manual mowing of steep slopes with robotic mowing using Husqvarna Automower® 535 AWD also eliminates the risk of slipping accidents.

ROBOTIC MOWERS RANGE

HUSQVARNA

AUTOMOWER® 550 EPOS

NEW

HUSQVARNA

AUTOMOWER® 550



5000 m²
 45%
 20-60 mm
 14.2 kg

Fully equipped robotic mower featuring Husqvarna EPOS guidance with transport paths, AppDrive and precise area management. With virtual boundaries you can define several work areas with different settings as well as set temporary stay-out zones. Handles complex lawns of up to 5000 m² and navigates narrow passages, obstacles, tough terrain and slopes up to 45 % with ease. Reference station required.

- Husqvarna EPOS technology
- EPOS guidance
- Weather timer
- Remote object detection
- Safety lights
- FOTA – software update automatically
- Husqvarna Fleet Services™



5000 m²
 45%
 20-60 mm
 13.5 kg

Fully equipped robotic mower designed for professional fleet use. It handles complex lawns of up to 5000 m² and navigates narrow passages, obstacles, tough terrain and slopes up to 45 % with ease. It keeps lawns green, fresh and perfectly cut, maintains high speed in open areas and slows down when detecting objects.

- GPS-assisted navigation
- Weather timer
- Remote object detection
- Automower® club solution
- Husqvarna Fleet Services™ *

HUSQVARNA

AUTOMOWER® 535 AWD



3500 m²
 70%
 30-70 mm
 17.0 kg

All-wheel-drive robotic lawn mower, developed for professional use. Specially developed to handle tough terrain and deliver impressive slope performance (up to 70%). It makes light work of complex lawns of up to 3500 m² and navigates narrow passages. Its smart features keep lawns green, fresh and perfectly cut, while you have total control from the office.

- Extreme slope/terrain performance
- GPS-assisted navigation
- Weather timer
- Remote object detection
- FOTA – software update automatically
- Husqvarna Fleet Services™ *

HUSQVARNA

AUTOMOWER® 520



2200 m²
 45%
 20-60 mm
 13.3 kg

Robotic mower designed for professional fleet use. It handles complex lawns of up to 2200 m² and navigates narrow passages, obstacles, tough terrain and slopes up to 45 % with ease. Its smart features keep lawns green, fresh and perfectly cut, while you have total control from the office.

- GPS-assisted navigation
- Weather timer
- Husqvarna Fleet Services™ *

* Requires a cellular connection from a local telecom operator. A data plan for the product life (10 years) is included. (Please note that we can only guarantee the functionality of the product itself, and not the uptime or coverage of the 3rd party data connection.)

Working area capacity, m² (+/- 20%)
 Maximum slope capacity, inside.%
 Cutting height, min-max, mm
 Weight, kg
 For more technical specifications and information on engine power rating, see page 129.



ACCESSORIES FOR ROBOTIC MOWERS

REFERENCE STATION



Handles the RTK-GNSS signals between the products and the satellites. Handles several EPOS units per installation. Work area up to 500-meter radius.

970 46 82-01

ROUGH TERRAIN KIT



Provides excellent traction on rough and sloping lawns, ensuring that your Automower® robotic mower performs to your expectations. The slope performance increases by some 5%-points at the edge of the lawn, depending on weather and lawn quality.

550 EPOS/550/520, 581 88 97-02

FAIRWAY KIT



Lowers the minimum cutting height by 10 mm. Makes it possible to mow the most demanding lawns like golf course fairways and other low-cut lawns. Lower cutting height may have effect on the area capacity.

550 EPOS/550/520, 597 49 63-02

ENDURANCE HSS BLADES



High speed steel blades with soft core and hardened edges for extra lifetime and robustness. Cuts with four sharp edges for improved cutting results.

599 80 52-01 (6 pcs)
599 80 52-02 (45 pcs)
599 80 52-03 (300 pcs)

Use only Husqvarna original blades. Tested and approved by Intertek (a Notified body), regarding safety, function, and noise levels in accordance with EN50636-2-107 and IEC60335-2-107.

ENDURANCE BLADES



Husqvarna Automower® Endurance blades last for more than twice the lifetime of classic blades, thanks to its design. The design allows for a harder and sharper edge without compromising on safety standards and provides cutting edges on all 4 sides.

6 pcs, 595 08 44-01
45 pcs, 595 08 44-02
300 pcs, 595 08 44-03

Use only Husqvarna original blades. Tested and approved by Intertek (a Notified body), regarding safety, function, and noise levels in accordance with EN50636-2-107 and IEC60335-2-107.

REPLACEABLE TOP COVER



Change the look of your Automower® robotic mower by replacing the top cover.

Grey, 520, 591 49 60-01
Grey, 550, 591 49 61-01
Grey, 535 AWD, 596 30 02-01

BOUNDARY WIRE PRO



5.5 mm diameter extra-durable boundary wire for areas with high demands on strength (due to rodent problems, high UV resistance demands etc.). The double insulation cable makes the wire very robust and less sensitive for scratches without affecting the electrical signal.

593 29 77-02, 300 m

BOUNDARY WIRE HEAVY DUTY



A robust boundary wire for demanding Automower® robotic mower installations. 100 % copper core with isolated surface to minimize signal loss.

522 91 41-02, 500 m

To see the entire accessories range, please visit [husqvarna.com](https://www.husqvarna.com)

ROBOTIC MOWERS	AUTOMOWER® 550 EPOS	AUTOMOWER® 550	AUTOMOWER® 535 AWD	AUTOMOWER® 520
TECHNICAL SPECIFICATIONS				
Working area capacity, m ² (+/- 20%)	5000	5000	3500	2200
Area capacity per hour, m ²	208	208	146	92
Maximum slope capacity, inside / by edge, %	45 / 15	45 / 15	70 / 50	45 / 15
Boundary type	Virtual	Wire	Wire	Wire
Navigation system and starting points	Irregular	Irregular / 5	Irregular / 5	Irregular / 5
Number of guides, pcs	EPOS Guidance	3	3	3
Search system	EPOS Guidance	Pentasearch	Pentasearch	Pentasearch
Charging system	Automatic	Automatic	Automatic	Automatic
Charging current, A	7.0	7.0	7.0	2.2
Battery type	Li-ion	Li-ion	Li-ion	Li-ion
Battery capacity, Ah	10.4	10.4	5.0	3.2
Battery voltage, V	18	18	18	18
Power consumption during cutting, W	35	35	40	30
Cutting width, cm	24	24	22	24
Cutting height, min-max, mm	20-60	20-60	30-70	20-60
Brushless drive motor type	Ultrasilent drive, DC	Ultrasilent drive, DC	Ultrasilent drive, DC	Ultrasilent drive, DC
Brushless blade motor type	3-phase, DC	3-phase, DC	3-phase, DC	3-phase, DC
Sound level, dB(A) (measured / guaranteed)*	60 / 61**	60 / 61**	60 / 62**	58 / 59**
Extra blades, pcs	6	6	6	6
Length x width x height, cm	72 x 56 x 32	72 x 56 x 31	93 x 55 x 29	72 x 56 x 31
Weight, kg	14.2	13.5	17.0	13.3
FEATURES				
Husqvarna Fleet Services™	●	●	●	●
Automower® Connect	●	●	●	●
Husqvarna EPOS technology	●	—	—	—
Reference station	(●)	—	—	—
Precise area management	●	—	—	—
Automower® Club solution	—	●	—	—
All-Wheel Drive	—	—	●	—
FOTA – software update automatically	●	—	●	—
GPS-assisted navigation	—	●	●	●
Automatic passage handling	●	●	●	●
Weather timer	●	●	●	●
Remote object detection	●	●	●	—
Electric height adjustment	●	●	●	●
Park button on charging station	—	●	●	●
Professional control	●	●	●	●
Safety light	●	—	—	—
GPS theft tracking	●	●	●	●
Anti-theft alarm	●	●	●	●
PIN code lock	●	●	●	●
Lift sensor	●	●	●	●
Tilt sensor	●	●	●	●
Wheel brush	●	●	(●)	●

(●) = Accessory *Noise emissions in the environment measured as sound power (LWA) in conformity with EC directive 2000 /14 /EC. The guaranteed sound power level includes variation in production as well as variation from the text code with 1-3 dB(A) ** Measured with wheel brushes mounted on mower. Noise level without brushes: 58 / 59 dB(A) on the 550 and 56 / 56 dB(A) on the 520.

NOMINAL POWER The EU machinery directive (2006/42/EC) came into force on January 1, 2010, requiring manufacturers to declare the nominal power of engines, in kilowatts (kW). The power rating of the engines indicated is the average net power output during a normal working situations and meets applicable noise regulations (at specified rpm, see owner manual) of a typical production engine for the engine model measured to SAE standard J 1349/ISO 1585. Mass production engines may differ from this value. Actual power output for the engine installed in the final machine will depend on the operating speed, environmental conditions and other variables.

A blurred city street scene with various traffic signs and a car in the foreground. The signs include a blue square sign with a white triangle and a pedestrian, a blue square sign with a white 'P' and 'Avg. 100', a yellow triangular warning sign with a black diamond and a bus, a blue circular sign with a white arrow pointing up, and a yellow rectangular sign with the word 'CAFE'. A silver car is visible on the left side of the frame.

WALKING BEHIND. STAYING AHEAD.

Our professional lawnmowers come equipped with smart and convenient features to make your work more productive. Their powerful battery-powered motors and petrol engines, and their durable cutting decks, make them ideal for all areas to be cut. Thanks to their robust design they'll be reliable workmates for many years. Husqvarna's constant focus on ergonomics and user-friendliness means you can keep up the pace and stay efficient even during longer shifts.



DEPENDABLE BATTERY POWER

BATTERY POWER FOR PROFESSIONAL MOWING PERFORMANCE

Our 500-series battery-powered lawn mowers are designed for professional use. This means powerful brushless motors, durable aluminium chassis and superb mowing performance even in tall grass, whether you prefer mulching or collection. You can use them with either integrated or backpack batteries, making them ideal complements to your Husqvarna battery-powered equipment fleet.



**DIGITAL KEYPAD****CONVENIENT OPERATION AND CONTROL**

The digital keypad on the handle makes it easy to check the battery status, switch savE™ on/off and adjust the variable speed (on self-propelled battery mowers).

**DUAL BATTERY SLOTS****LONGER BATTERY RUNTIME FOR CONTINUOUS WORK**

For maximum runtime and convenient productivity, our battery-powered lawn mowers have two battery slots with an automatic switch. When battery #1 is empty, just put it in the charger and continue working with battery #2.

**BACKPACK BATTERY MOUNT****USE YOUR BACKPACK BATTERY, SAVE YOUR BACK**

With the optional mounting bracket, you can attach a backpack battery directly on top of the battery mower, instead of wearing a harness.

COLLECTION UNIT**HIGH-CAPACITY COLLECTING**

Collecting the grass provides a tidier cutting result and prevents seeding weeds. Husqvarna's professional collector mower features a high capacity collector with dust blocker and convenient one-hand emptying.

**DIRECT DRIVE****4 SPEED FORWARD AT HIGH TORQUE**

The drive wheels are powered by a direct drive transmission with a dedicated, brushless electric motor. This means high productivity, energy efficiency and long service life. For transporting, the forward drive can be activated without engaging the blades.

**POWERBOOST™****EXTRA CUTTING FORCE WHERE YOU NEED IT**

The PowerBoost™ function increases the rpm of the cutting blades automatically when working in tough conditions, such as when mowing tall grass. This gives a "petrol-like" user experience.



USER-CENTRIC FOCUS**TAKING CARE OF YOU**

Thanks to features and functions like anti-vibration handles and easy start, you will experience better ergonomics, less vibrations and an easier workday.

CHASSIS DESIGN**DURABLE ALUMINIUM CHASSIS**

We've been very selective when choosing the material for our mowers. Not least when it comes to the cutting decks. They are all cast in one-piece aluminium, which gives optimal torsional rigidity and extends service life. Aluminium is a light material that doesn't rust, and it is solid enough for years of tough and demanding operation. Some decks feature our side protection bumper, which protects the deck from wear and keeps the mower looking good for longer.

**CUTTING DECK DESIGN****SUPERB CUTTING IN ALL SITUATIONS**

The generous design of the cutting decks enables high volumes of grass to be cut at the same time. This is a major contribution to the machines' well-known and appreciated performance. The deck design also helps to deliver great cutting results even on damp surfaces. Some mowers feature blade brake clutch, which allows you to stop the cutting blades without having to stop the engine.

**MULCHING LAWN MOWERS****EXPERIENCE EFFICIENT MOWING AND GREENER LAWNS**

Many Husqvarna lawnmowers are mulching machines, which means that the grass is cut twice and finely chopped. On the lawn surface, the cuttings quickly break down, providing nourishment to the soil. Vital nutrients are returned to the soil, and the grass grows stronger and healthier. This discourages weed and moss growth. The denser coverage also shades the soil and improves moisture retention.

LAWN MOWER RANGE

**HUSQVARNA
DBY51**


A robust machine designed for high grass and small brush clearing. The design is focused on reliability, manoeuvrability and ergonomics in order to give the best conditions to the operator. High mowing/clearing capacity and an easy to use central cutting height adjustment from the handle. Self-propelling with large rear wheels for good traction and swivelling front wheel for optimal handling.

- Self-propelled, single speed
- Adjustable cutting height
- Central cutting height adjustment
- Double ball bearing wheels

**HUSQVARNA
KLIPPO LB 553S e**


Self-propelled, petrol lawnmower with a 53-cm, BioClip® mulching cutting deck, and front-wheel drive for improved handling. It's designed for tough professional use and to provide great results – even in wet weather – as well as excellent operator comfort. It also comes with special features that make it easy to start, and equipped with an ergonomic anti-vibration handle.

- BioClip®
- Self-propelled, single speed
- Handle height adjustment
- Ergonomic, side-adjustable handle
- Central cutting height adjustment
- Anti-vibration handle
- Easy-start features

**HUSQVARNA
KLIPPO LB 548S e**


Self-propelled, petrol lawnmower with a 48-cm, BioClip® mulching cutting deck, and front-wheel drive for improved handling. Ideal for professionals who want great results and good ergonomics when working on mid-sized lawns. It also comes with special features that make it easy to start, and equipped with an ergonomic anti-vibration handle.

- BioClip®
- Self-propelled, single speed
- Handle height adjustment
- Central cutting height adjustment
- Ergonomic, side-adjustable handle
- Anti-vibration handle

**HUSQVARNA
LC 551iV**


Self-propelled, battery-powered lawnmower with a robust 51-cm cutting deck, collection unit and rear-wheel drive. Its variable speed gives you more control when cutting complex lawns. Ideal for professionals looking for a quiet and powerful mower with low running costs.

- Collection/ BioClip®/Rear discharge
- Self-propelled, 4-step variable speed
- Central cutting height adjustment
- Brushless motor
- savE™
- Intuitive keypad

HUSQVARNA LC 551VBP



Self-propelled, petrol lawnmower with a 51-cm cutting deck, collection unit and rear-wheel drive. Its variable speed gives you more control when cutting complex lawns, while the blade brake clutch and side-protection bumper make working in tough conditions easier.

- Collection/Rear discharge
- Self-propelled, variable speed
- Handle height adjustment
- Blade brake clutch
- Side protection bumper
- Central cutting height adjustment

HUSQVARNA LC 551SP



Self-propelled, petrol lawnmower with a 51-cm cutting deck, collection unit and rear-wheel drive. Ideal for professionals who need an affordable and durable mower they can rely on.

- Collection/Rear discharge
- Self-propelled, single speed
- Handle height adjustment
- Central cutting height adjustment

HUSQVARNA LB 548i



Robust, battery-powered lawnmower with a 48-cm mulching cutting deck. Extremely easy to start and operate. Ideal for professionals who are looking for a quiet and powerful mower with low running costs.

- BioClip®
- Central cutting height adjustment
- Brushless motor
- savE™
- Intuitive keypad

HUSQVARNA S500 PRO



A robust dethatcher designed for strenuous tasks. The free-swinging flail blades, together with a powerful engine, efficiently remove matted thatch and moss from the lawn. The compact design and foldable handle makes it easy to transport and store.

- Ball-bearing rotor with free-swinging blades
- Heavy-duty design
- Easily-foldable handle bar



PETROL LAWN MOWERS	DBY51	KLIPPO LB 553S e	LC 551VBP	LC 551SP	KLIPPO LB 548S e	S500 PRO
TECHNICAL SPECIFICATIONS						
Engine manufacturer	Yamaha	Honda	Kawasaki	Kawasaki	Honda	Briggs & Stratton
Engine name	MA190V-LE	GCVX170	FJ180 KAI	FJ180	GCVX 170	950-series
Cylinder displacement, cm ³	189	166	179	179	166	208
Net power at preset rpm, kW	3.4 @ 3200	3.3 @ 2900	2.9 @ 2800	2.9 @ 2800	3.3 @ 2900	4.5 @ 3300
Engine lubrication type	Splash	Splash	Pressure with oilfilter	Pressure with oilfilter	Splash	—
Fuel tank volume, litres	1.2	0.9	1.9	1.9	0.93	3.1
Drive system	Self-propelled, single speed	Self-propelled, single speed	Self-propelled, variable speed	Self-propelled, single speed	Self-propelled, single speed	Push
Drive wheels	Rear	Front	Rear	Rear	Front	—
Speed, km/h	2.3	4.8	5.0	4.1	4.5	—
Cutting deck material	Steel	Aluminium	Aluminium	Aluminium	Aluminium	Steel
Cutting methods	Side discharge	BioClip®	Collection / BioClip® / Rear discharge	Collection / BioClip® / Rear discharge	BioClip®	Dethatching
Cutting width, cm	51	53	51	51	48	50
Cutting height, min – max, mm	60–120	28–65	26–74	26–74	30–60	– 5 – 0
Cutting height steps	4	5	6	6	6	—
Cutting height adjustment	Central	Central, spring assisted	Central	Central	Central	Knob
Wheel size, front/rear, mm	200 / 420	203 / 203	210 / 210	210 / 210	203 / 203	211
Rims, material	Plastic	Aluminium	Aluminium	Aluminium	Steel	—
Blade type	Brush gator blade	Mulcher	Collect	Collect	Mulcher	—
Collector type	—	—	Fabric with dust blocker	Fabric with dust blocker	—	—
Collector volume, litres	—	—	65	65	—	—
Handle type	Ergonomic	Anti-vibrated	Ergonomic	Ergonomic	Anti-vibrated	—
Sound power level, guaranteed (LWA), dB(A)*	98.2	97	98	98	92	100
Sound pressure level at operator's ear, dB(A)**	86.6	82	84	87	77	—
Weight, kg	58.5	36.7	53	50	32.5	65
FEATURES						
Double ball-bearing wheels	●	●	●	●	●	—
Throttle control	●	—	●	●	—	●
Foldable handle	●	●	●	●	●	●
Handle height adjustment	●	●	●	●	●	●
Ergonomic, side-adjustable handle	—	●	—	—	●	—
Blade brake clutch	—	—	●	—	—	●
Side protection bumper	—	—	●	—	—	●
Ball-bearing rotor with free-swinging blades	—	—	—	—	—	●

*Noise emissions in the environment measured and calculated as guaranteed sound power level according to EC-directive 2000/14/EC. The guaranteed sound power level includes variation in production as well as variation from the test code with 1–2 dB(A). **Sound pressure level according to EN ISO 5395-1. Declared sound pressure level has a typical statistical dispersion (standard deviation) of 15 dB(A).

NOMINAL POWER The EU machinery directive (2006/42/EC) came into force on January 1, 2010, requiring manufacturers to declare the nominal power of engines, in kilowatts (kW). The power rating of the engines indicated is the average net power output during a normal working situations and meets applicable noise regulations (at specified rpm, see owner manual) of a typical production engine for the engine model measured to SAE standard J 1349/ISO 1585. Mass production engines may differ from this value. Actual power output for the engine installed in the final machine will depend on the operating speed, environmental conditions and other variables.

BATTERY LAWN MOWERS	LC 551iV	LB 548i
TECHNICAL SPECIFICATIONS		
Power source	Battery	Battery
Battery type	Li-ion	Li-ion
Battery voltage, V	36	36
Power, W	1500	1500
Drive system	Self-propelled, variable speed	Push
Drive wheels	Rear	—
Speed, km/h	5	—
Cutting deck material	Aluminium	Aluminium
Cutting methods	Collection/BioClip®/Rear discharge	BioClip®
Cutting width, cm	51	48
Cutting height, min-max, mm	26-74	30-60
Cutting height steps	6	6
Cutting height adjustment	Central	Central
Wheel size, front/rear, mm	210/210	208/208
Rims, material	Aluminium	Steel
Blade type	Collect	Mulcher
Collector type	Fabric with dust blocker	—
Collector volume, litres	65	—
Handle type	Ergonomic	Straight
Sound power level, guaranteed (LWA), dB(A)*	96	92
Sound pressure level at operator's ear, dB(A)**	83	78
Weight, kg	41	31
FEATURES		
savE™	●	●
PowerBoost	●	●
Double battery slots	●	●
Double ball-bearing wheels	●	●
Foldable handle	●	—
Handle height adjustment	●	●
Side protection bumper	●	●
Ergonomic, side-adjustable handle	—	●
BioClip® kit available as accessory	●	—

*Noise emissions in the environment measured and calculated as guaranteed sound power level according to EC-directive 2000/14/EC. The guaranteed sound power level includes variation in production as well as variation from the test code with 1-2 dB(A). **Sound pressure level according to EN ISO 5395-1. Declared sound pressure level has a typical statistical dispersion (standard deviation) of 1.5 dB(A).



STAY CHARGED. ANY WAY YOU WANT TO.

Battery-powered equipment is all about superior comfort – less noise and vibrations to put up with, less weight to carry around – and no fumes at all. Switching to battery power goes a long way when it comes to the work's impact on the environment.

And with our easy-to-use system of batteries and chargers, you've got everything you need for a comfortable and hassle-free workday.



FLEXIBILITY

JUST PICK A BATTERY AND CONNECT

Our battery system is based on batteries that all fit in all our machines' slots. You can also easily switch to a high-capacity backpack battery allowing you to move around comfortably. Or opt for the battery belt FLEXI, with room for up to three batteries.



BATTERY CAPACITY

THE POWER YOU NEED. WHERE YOU NEED IT.

Our standard batteries last about as long as one tank of gas, while our backpack batteries have enough capacity to keep you going up to a full day. For our top-handle battery chainsaw, the BLi200X battery will add even more power to your workday. This battery has been specifically designed for the tree-care saw and will provide all the performance and efficiency needed in the treetops.



SMART CHARGING

FROM 0 TO 80% IN 30 MINUTES

Our chargers fit all our batteries and make charging quick and easy. The smart charging algorithm quickly charges up to 80% – for most batteries in as little as half an hour. So even if you run out of battery, you don't have to wait long to be up and running again.

BATTERIES

Interchangeable Li-ion batteries with a capacity of 94, 187 or 338 Wh.



BACKPACK BATTERIES

Comfortable, heavy-duty backpacks with enough battery capacity for up to a full day's work. Choose between 562 or 1120 Wh.

BATTERY BELT FLEXI

Comfortable belt with room for up to three batteries as well as additional accessories. Available in three different versions.





CHARGERS

Quickly charge integrated batteries as well as backpack batteries with our chargers with active battery cooling.



ADAPTER

The adapter allows you to connect a backpack or battery belt FLEXI with connector kit to a handheld machine, to lighten the load on your arms and shoulders and to have more runtime.



ACCESSORIES

Our range of storage boxes, carrying bags and other accessories make your battery-powered workday even more convenient and productive.

THREE WAYS TO CONNECT. YOU CHOOSE.

Combination optimized for maximum agility.

1 MACHINE + BATTERY



Combination optimized for low weight.

2 MACHINE + BATTERY + BATTERY BELT FLEXI WITH ADAPTER KIT



Combination optimized for longest runtime.

3 MACHINE + BACKPACK BATTERY + ADAPTER



HOW LONG WILL THE BATTERY LAST?

The working time with a fully charged battery depends on three variables: the capacity of the battery, which machine the battery is used with, and if you're doing light or tough work. The chart shows an estimate of the operating time you can expect from your Husqvarna battery equipment in different work situations.

The charging time for a fully discharged battery depends on the capacity of the battery and which of the chargers you use. In many cases the charging time will be shorter than the working time. This means with two batteries available, you can work continuously – one battery operating and the other battery charging.



CHARGING TIME FOR DIFFERENT BATTERIES AND CHARGERS

BATTERY	CHARGING CYCLES	QC500		QC330		QC80F	
		CHARGING LEVEL		CHARGING LEVEL		CHARGING LEVEL	
		80%	100%	80%	100%	80%	100%
Bli950X	1500	1 h 40 min	2 h 20 min	3 h	4 h 5 min	—	—
Bli550X	1500	1 h	1 h 25 min	1 h 40 min	2 h 5 min	—	—
Bli300	1500	35 min	1 h	55 min	1 h 20 min	4 h	4 h 20 min
Bli200X/ Bli200	1500	30 min	50 min	30 min	50 min	2 h 25 min	2 h 40 min
Bli100	1500	30 min	50 min	30 min	50 min	1 h 5 min	1 h 25 min

Required temperature for charging: min. 5°C, max. +40°C.

WORKING TIME ON ONE CHARGE


BATTERY	540iXP®/ T540iXP®/ 535i XP®/ T535i XP®				540iXP®/ T540iXP®	530iPX	535iFR	535iRX/535iRX/ 535iFR		520iRX/520iLX	
	CARPENTER	PRUNING	LOG CUT	PRUNING	TAKE DOWN	CLEARING	CLEARING	TOUGH	TOUGH	LIGHT	TOUGH
Bli950X	18 h 45 min	7 h 30 min	3 h 30 min	17 h 30 min	12 h	8 h 15 min	3 h 20 min	1 h 50 min	2 h 25 min	8 h 15 min	4 h 15 min
Bli550X	9 h 30 min	3 h 45 min	1 h 45 min	9 h	6 h	4 h 15 min	1 h 35 min	50 min	1 h 5 min	4 h 15 min	2 h
Bli300	5 h 30 min*	2 h 15 min	1 h	5 h 30 min*	3 h 30 min	2 h 30 min	1 h	30 min	45 min	2 h 15 min	1 h 15 min
Bli200X	3 h*	1 h 15 min*	35 min*	3 h*	2 h*	1 h 20 min	30 min	15 min	25 min	1 h 20 min	40 min
Bli200	3 h	1 h 15 min	35 min	3 h	2 h	1 h 20 min	30 min	15 min	25 min	1 h 20 min	40 min
Bli100	1 h 30 min	40 min	15 min	1 h 30 min	1 h	40 min	—	—	—	40 min	20 min

The runtimes are up-to times and correspond to work time using save™: actual work, basic maintenance and movement /climbing needed for generic operations. * Recommended for maximum performance


Requires Bli backpack batteries. *Requires backpack battery / battery belt FLEXI. ****Requires adapter plate and battery adapter for use with backpack battery

WHAT A TEAM COULD SAVE IN 2 YEARS

Petrol is expensive. Electricity less so. So when you invest in battery-powered equipment, it doesn't take long before you get your money back. In the long run, you can actually save a lot of money by switching to battery power. This example is based on a landscaping team of three people working for two years with a typical range of comparable equipment.



Want to estimate your payback period for a specific type of Husqvarna equipment?
 Visit [husqvarna.com](https://www.husqvarna.com)



BATTERY	530iPT5/ 530iP4	520iHT4/520iHE3/ 520iHD70/520iHD60		550iBTX**		530iBX***/525iB		LC 551iV****	LB 548i****	K 535i
	PRUNING	LIGHT	TOUGH	LIGHT	TOUGH	LIGHT	TOUGH	MOWING	MOWING	CUTTING
BLi950X	11 h 30 min	12 h 30 min	6 h	1 h 45 min	1 h	3 h 30 min	1 h 45 min	1 h 35 min	2 h 20 min	—
BLi550X	5 h 45 min	6 h 15 min	3 h	50 min	30 min	1 h 45 min	45 min	50 min	1 h 15 min	—
BLi300	3 h 30 min	3 h 45 min	1 h 45 min	—	—	1 h	35 min	30 min	45 min	up to 240 pcs
BLi200X	2 h	2 h	1 h	—	—	35 min	15 min	15 min	25 min	up to 140 pcs
BLi200	2 h	2 h	1 h	—	—	35 min	15 min	15 min	25 min	up to 140 pcs
BLi100	50 min	1 h	30 min	—	—	20 min	10 min	—	—	—

Best option

HUSQVARNA BLi950X

-  31.1 Ah
-  1120 Wh
-  8.5 kg with harness



Very high-capacity, 31.1 Ah backpack battery with long-lasting power and top-class performance, allowing you to work with fewer breaks and higher efficiency. The adjustable harness is ergonomically designed and provides great comfort thanks to the wide, padded straps and hip belt.

967 09 32-01
579 82 22-01, battery only

HUSQVARNA BLi550X

-  15.6 Ah
-  562 Wh
-  7.1 kg with harness



High-capacity, 15.6 Ah backpack battery with long-lasting power and top-class performance, allowing you to work with fewer breaks and higher efficiency. The adjustable harness is ergonomically designed and provides great comfort thanks to the wide, padded straps and hip belt.

967 09 31-01
579 82 44-01, battery only

BACKPACK BATTERY HARNESS

Ergonomically designed harness for carrying a backpack battery. It allows you to easily detach and switch batteries between team members while keeping your harness optimally adjusted for individual fit. It's also a perfect harness for the 530iPX clearing saw.

582 90 90-01

HUSQVARNA BLi300

-  9.4 Ah
-  338 Wh
-  1.9 kg

Integrated, 9.4 Ah battery for professional use. Provides excellent runtime and market-leading capacity/weight ratio. Features 4-LED charge indicator, all-weather operation and excellent cooling. Rechargeable up to 1500 times.

967 07 19-01

HUSQVARNA BLi200X

-  5.2 Ah
-  187 Wh
-  1.3 kg

Integrated, 5.2 Ah battery optimized for use with the T540i XP® chainsaw. Provides excellent runtime in a slim package. Features 4-LED charge indicator, all-weather operation and excellent cooling. Rechargeable up to 1500 times.

970 44 89-01

HUSQVARNA BLi200

-  5.2 Ah
-  187 Wh
-  1.3 kg

Integrated, 5.2 Ah battery for professional use. Provides good runtime in a slim package. Features 4-LED charge indicator, all-weather operation and excellent cooling. Rechargeable up to 1500 times.

967 09 19-01

HUSQVARNA BLi100

-  2.6 Ah
-  94 Wh
-  0.9 kg

Integrated, 2.6 Ah battery for professional use. Provides low weight. Features 4-LED charge indicator, all-weather operation and excellent cooling. Rechargeable up to 1500 times.

967 09 18-01

HUSQVARNA QC500 / QC330

Extremely fast battery charger. Actively cools batteries. 2-LED status indicator.

QC500, 967 09 15-01
QC330, 967 09 14-01

HUSQVARNA QC80F

QC80F is a field charger for charging from a 12 V car/truck outlet during transport.

967 62 83-01

HUSQVARNA VI600F INVERTER

Enables quick charging in the field by converting 12 V DC from any lead-acid battery to 220 V AC for your QC500 or QC330 quick chargers.

967 62 85-01

HUSQVARNA BATTERY BELT FLEXI

Husqvarna battery belt FLEXI allows you to carry up to three Husqvarna BLi batteries and accessories on your hips for added comfort during long, productive workdays. By having your product connected to the battery, and carrying the battery in the belt, you can reduce the load for your arms and hands. Durable and comfortable design for tough work.



CARRYING KIT



For carrying up to three spare batteries or accessories.

590 77 67-01

ADAPTER KIT



For connecting to Husqvarna products with a BLi battery slot. Also, for carrying spare batteries and accessories.

590 77 67-02

CONNECTOR KIT



For connecting Husqvarna 530iBX blower. Also, for carrying spare batteries and accessories. Adapter available for connecting to Husqvarna products with a BLi battery slot (sold separately).

590 77 67-03

ACCESSORIES BATTERY BELT FLEXI



1. HARNESS FOR BATTERY BELT FLEXI

Thanks to the padded shoulder straps, the harness evens the load distribution over the shoulders when using machines in different angles.

593 83 76-01

2. ADAPTER

Connects your handheld equipment to a backpack battery or to a battery belt FLEXI with connector kit, for a more comfortable workday.

582 78 05-01

3. ACCESSORY BAG

Convenient bag that fits your battery belt FLEXI. For storing all sorts of small tools, water bottle and other accessories.

596 25 29-01

4. BLi CARRIER

Attach up to three BLi carriers to your battery belt FLEXI or one carrier to your Balance XB harness.

590 77 72-01

5. COMBI HOLSTER WITH WEDGE POCKET

Combi holster for lifting tong, or lifting hook plus a pocket for wedges.

593 83 83-02

6. FILE AND COMBI-TOOL HOLDER

Holder for one round and one flat file, plus combi-tool. The holder effectively prevents broken or lost tools.

593 83 94-01

7. SPRAY CAN HOLDER

Holder for spray can, makes sure the can is securely kept in its place.

593 83 95-01

8. CARRIER HOOK

A multi-purpose hook for carrying various tools, water cans or other equipment.

593 83 96-01

BATTERY BAG

Keeps batteries warm in winter and cool in summer. Effectively absorbs shocks and protects against dirt, grime and moisture. Fits BLi200 / BLi100.

585 37 18-01



BATTERY BOX

Box for safe transport and storage of Husqvarna batteries, chargers and other accessories.

Small box 400×300×160 mm with lid foam

585 42 87-01

Medium box 400×300×210 mm with lid foam and plastic inlet, fits for 6 BLi 100/200 batteries or 4 BLi 100/200/300 batteries and 1 QC330/500 charger

597 16 85-01

Large box 500×300×210 mm with lid foam

585 42 88-01

HIP-PAD

Completes the backpack battery harness in combination with battery brushcutters and battery blowers. For a more convenient and relaxed working position.

587 83 40-01





HUSQVARNA FUEL CANS

**REFUEL AND REFILL
IN A BREEZE**

Our fuel cans take the hassle out of refuelling. Choose from several sizes and variants, with overfill protection and other convenient features. The combi cans are especially handy, as they have separate containers for fuel and chain oil, as well as a small tool box.

FEED YOUR HUSQVARNA A HEALTHY DIET

If you want your equipment to perform at its best, day in day out, you want to be sure to only use the best fuel and lubricants. When you choose from our range, you can rely on getting the very same exceptional quality we used when we developed and tested your Husqvarna product.

HUSQVARNA VEF
VERIFIED ENGINE FORMULA

HUSQVARNA TWO-STROKE OIL, XP®

THE PERFECT OIL FOR ALL OUR 2-STROKE ENGINES

An excellent, fully synthetic and biodegradable 2-stroke oil developed for tough use with high loads and engine speeds. Suitable for all our products. Fulfills the requirements of JASO FD/ISO EGD and Rotax 253 snowmobile test. VEF approved.

0.1 litres, 578 18 03-03
1 litre dosage, 578 03 70-03
4 litres, 578 03 71-03
10 litres, 578 18 00-03
208 litres, 578 18 04-03

HUSQVARNA TWO-STROKE OIL, LS+

A semi-synthetic low-smoke oil that provides very good seizure protection, both against lean and carbon-related piston seizures. The additive package is one of the best on the market. Fulfills the requirements of JASO FD/ISO EGD and Rotax 253 snowmobile test. VEF approved.

0.1 litres, 578 18 03-02
1 litre dosage, 578 03 70-02
4 litres, 578 03 71-02
10 litres, 578 18 00-02
208 litres, 578 18 04-02



FIVE BENEFITS OF THE HUSQVARNA XP® OIL

- Gives your Husqvarna engine the best conditions to deliver to its full potential in relation to cost/specification.
- Minimizes downtime and need for service.
- Maximizes the engine's lifetime.
- Improves your working environment.
- Reduces your environmental footprint.



HUSQVARNA XP® POWER 2 FUEL

THE PERFECT FUEL MIX, EVERY TIME

The best tools deserve the best fuel. The Husqvarna XP® Power 2 is a pre-mixed fuel for Husqvarna 2-stroke engines. It contains our ethanol-free, high-quality, alkylate petrol, mixed with the exact right amount of the fully-synthetic XP® 2-stroke oil. The fuel guarantees an extremely clean and efficient combustion, with less harmful emissions as well as less risk of corrosion and deposits on engine components. Plus, correctly stored, it remains fresh for years.



HUSQVARNA TWO-STROKE OIL, HP

Developed with carefully selected components to work well with low quality petrol. Fulfills the requirements of JASO FB/ISO EGB and Rotax 253 snowmobile test. VEF approved.

0.1 litres, 587 80 85-01
1 litre dosage, 587 80 85-11
1 litre standard, 587 80 85-10
4 litres, 587 80 85-20
20 litres, 587 80 85-30
208 litres, 587 80 85-40

HUSQVARNA BIO CHAIN OIL, X-GUARD

A premium bio chain oil, based on renewable raw materials. Biodegradable and non-toxic. Recommended as a year-round chain oil with a top-class lubrication and adhesion. Very good anti-corrosive and storage properties.

1 litre, 596 45 73-01
5 litres, 596 45 73-02
10 litres, 596 45 73-03
20 litres, 596 45 73-04
200 litres, 596 45 73-05

HUSQVARNA MINERAL CHAIN OIL

With adhesive agent for high-performance chainsaws. Guaranteed low wear of chains and rails. For universal use all year round.

1 litre, 579 39 60-01
5 litres, 579 39 61-01
20 litres, 579 39 62-01
200 litres, 579 39 63-01

HUSQVARNA AIR FILTER OIL

Effectively traps particles in the filter, keeping the engine cleaner and reducing wear.

1 litre, 531 00 92-48



HUSQVARNA ACTIVE CLEAN SPRAY

Husqvarna Active Clean spray is phosphate free and biodegradable. Effective for cleaning chain saws, garden machines, air filters, and clothes.

0.5 litres, 597 25 57-01



HUSQVARNA TRANSMISSION OIL, 10W-30

High-performance hydrostatic drive fluid specially developed for use with Husqvarna AWD vehicles, to extend product life. Provides exceptional shear stability, anti-oxidancy and anti-wear properties. Suitable for both warm and cold conditions.

1 litre, 597 68 70-01
4 litres, 597 68 70-04

HUSQVARNA FOUR-STROKE OIL, SAE 10W-40

High-quality oil for all our 4-stroke engines. Developed for easy starting at low temperatures, perfect lubrication in all operating conditions and low oil consumption. Meets requirements of API SL (CF), ACEA A3 (B3).

0.08 litre, 531 00 92-71
1 litre, 577 41 97-04
1.4 litres, 577 41 97-02

HUSQVARNA SNOW THROWER OIL, 5W-30

A high-quality synthetic motor oil for use in low temperatures, specially developed for to protect engines which require API SN and ILSAC GF-5 standards. Suitable for use in snow throwers, air-cooled and water-cooled 4-stroke lawnmowers and small tractors.

1 litre, 597 68 68-01



HUSQVARNA POWER 4

An alkylate fuel ideal for small 4-stroke engines. Provides less residues when combusted, which keeps the engine parts cleaner and extends the engine life. The fuel has less environmental impact compared to regular petrol, especially when used in small sized engines without emission control systems.

1 litre, 589 22 79-01
5 litres, 589 22 79-10
10 litres, 589 22 79-20
25 litres, 583 95 59-02
200 litres, 589 22 79-40



HUSQVARNA XP® POWER 2 FUEL THE FUEL YOUR HUSQVARNA WANTS

Advanced 2-stroke alkylate fuel mixed with 2% Husqvarna XP® 2-stroke oil, especially formulated for Husqvarna engines. Exceptional cleanliness and lubricity ensures long-term durability under the toughest working conditions, allowing your Husqvarna machine to deliver to its full potential. High-quality, alkylate fuel, mixed with fully synthetic, biodegradable oil, results in less harmful exhaust emissions than regular fuels – creating a healthier working environment for improved productivity. Features VEF – Verified Engine Formula, a Husqvarna verification program that secures long time durability of Husqvarna engines.

1 litre, 589 22 76-01
5 litres, 589 22 76-10
25 litres, 583 95 29-02
60 litres, 583 95 29-03
200 litres, 583 95 29-04

HUSQVARNA POWER FILLER

Fuel spout with optimized flow and autostop function to be used for Husqvarna 5-litre alkylate petrol canister. This spout allows you to refuel quickly without splash effects or any waste. The spout is also equipped with a mechanical lock.

582 06 66-01
586 11 06-01 (25 litres)



HUSQVARNA ECO GREASE

For brushcutter bevel gears. Proven grease that lubricates the transmission and absorbs the axial forces. Environmentally compatible. Biodegradable.

100g, 5039764-01

GREASE GUN

For lubricating bar tip bearing and clutch needle bearings.

595 01 17-01, pre-filled

HUSQVARNA MULTI-PURPOSE GREASE

Grease with good corrosion protection and load carrying capacity. Suitable for general greasing purposes.

225g, 5025127-01

HUSQVARNA FUEL CAN, 15 LITRES

AN EASIER WAY TO REFUEL

Fuel can for wheeled machines. It offers an innovative way of refuelling, mainly due to the three uniquely placed, ergonomic grips and the special spout design. All this allows you to easily lift and carry the can, and – most importantly – quickly refuel without any splash effects and waste.

580 75 45-01

Fuel spout, 586 1106-01



HUSQVARNA COMBI CAN, 5/2.5 LITRES

ALL THE FUEL AND CHAIN OIL YOU NEED – IN ONE CAN

Allows you to refuel quickly without splash effects and waste. The two containers are designed to achieve an optimized fuel and chain oil ratio. Integrated tool box for frequently needed spare parts. Approved in accordance with UN recommendations.

580 75 42-01

Fuel spout, 586 1104-01

Oil spout, 586 1105-01

Winter oil spout, 586 1107-01



HUSQVARNA COMBI CAN, 6/2.5 LITRES

Combi can with an effective overfill protection. When the tank is full, the flow is automatically shut off and you can lift the can without spillage. Approved in accordance with UN recommendations.

505 69 80-00

HUSQVARNA FUEL CAN, 6 LITRES

Can with an effective overfill protection. Approved in accordance with UN recommendations.

505 69 80-01

FUEL PIPE

Fuel pipe with an effective overfill protection. For Husqvarna fuel can and combi can (6 litres).

505 69 80-02

OIL PIPE

Oil pipe with inside air venting for Husqvarna oil can and combi can (6 litres).

505 69 80-03

CAP WITH RETAINING STRAP

To be used on Husqvarna's in-house developed oil and fuel pipe.

505 69 80-11

STAY SAFE. MOVE FREELY.

Good protective equipment must withstand demanding conditions and provide the required protection. That's why we use nothing but high-quality materials. Our range of protective clothing is developed to match the different requirements of every type of work. In fact, our extensive range of safety clothing, offering the latest innovations in design and materials, will provide you with the level of protection and comfort you need to get the job done.



LANDSCAPER GEAR

TAILORED FOR BRUSHCUTTING AND TRIMMING

If you spend your days working with a trimmer or a brushcutter, you should check out our Technical series for brushcutting. It's designed with lightweight, yet durable materials, with extra padding to reduce the strain on your shoulders and to protect your right hip, so you can work comfortably in a harness all day, in any conditions.

[Learn more on pages 156–157.](#)

COMFORT**A PLEASURE TO WORK IN**

Our range of protective clothing is designed to keep you comfortable and focused throughout the day. The clothes are carefully crafted for perfect fit, with lightweight stretch fabric, extra padding and pre-bent materials in the right places, so you can move freely with minimum effort. Ventilated jackets, trousers and helmets help you stay cool, even when you work hard.

PROTECTION**DON'T COMPROMISE ON SAFETY**

Working outdoors can sometimes be hazardous. To minimize the risk of injury, be sure to choose the right protective gear. The Technical Extreme and Technical ranges are specifically developed for the tough demands of professional forestry and landscaping, with high-quality materials, saw protection and user-friendly design, efficiently protecting your limbs, head, ears and eyes from harm.

**THE TECH-KNEE TECHNOLOGY****EXCEPTIONAL PROTECTION AND MOBILITY**

ADDED PROTECTION LAYERS The Tech-Knee provides excellent saw protection, thanks to the additional fibre layers. This improves safety, especially in situations where the trousers fit tight to the knee.

PRE-BENT FABRIC The complete knee, including the saw protection fabric, has been pre-bent to ensure a perfect fit in all working positions.

WATER REPELLENT The knee has a water-resistant inner lining and an outer layer made of water-repellent fabric, keeping water and moisture from penetrating the saw protection layers. This means you can work comfortably in wet conditions for a longer time.

TECHNICAL EXTREME

LIGHTWEIGHT PERFORMANCE. EVERY DAY.

Husqvarna Technical Extreme is our ultimate range of protective clothing. It's designed for people who need lightweight comfort, breathability and protection in extreme conditions. With pre-bent knees and sleeves, slim fit, durable stretch fabrics, protective materials and smart, task-specific design, it's designed to enable total performance all day.



FOREST JACKET, TECHNICAL EXTREME

THE ULTIMATE FOREST JACKET

Designed for long work shifts in the most challenging environments. Lightweight, breathable fabrics and pre-bent elbows increase your mobility, while efficient ventilation openings at the yoke and at the lower back keep you cool when working hard. Features high-visibility fabrics and reflective stripes.

582 33 10-xx, size S-XXL

582 34 07-xx, women's size XS-M



PROTECTIVE TROUSERS, TECHNICAL EXTREME

SAFETY NEVER FELT THIS COMFORTABLE

Designed for full-time forest, work on the highest professional level. Clever use of reflective fabrics, lightweight stretch and Cordura® reinforcement ensures protection, durability and all-day productivity. Modern slim fit provides supreme comfort and mobility with adjustable waist. Husqvarna Tech-Knee, pre-bent knees and ventilation openings. Braces included. Fulfills EN 381 Class 1 (20 m/s). Size XS-XXL.

594 99 68-xx

Also available with +7 cm legs (size M-XXL).



CLASS 1



Tech-Knee for exceptional protection.

The additional fibre layers improve safety, especially in situations where the trousers fit tight to the knee.



Adjust for perfect fit.

The clothes come with hook-and-loop straps on the wrists and ankles, as well as elastic drawstrings at the waist and at the lower bottom of the jacket, allowing you to adjust your gear for perfect fit.



Braces included.

The trousers are equipped with quality braces, so they stay safely and comfortably in place all day.



Pockets for your mobile phone.

The chest pockets have a padded lining for your mobile phone, keeping it well protected and within easy reach at all times.




TECHNICAL ROBUST



PROTECTIVE TROUSERS, TECHNICAL ROBUST CRAFTED FOR LONG, HARD WORKING DAYS

Clean design for the highest durability, with robust Dyneema® fabric on the front and reinforcements on the crotch in Aramide stretch and with Cordura® around the ankles. Tick protection around the ankles and stretch fabric on the trouser back ensure comfort and productivity – so you get more from every shift. Fulfills EN 381 Class 1 (20 m/s). Size S–XXL.

594 99 86-xx



Made to last.

Thanks to the tough materials used and the crotch and ankle reinforcements in Dyneema®, Aramide stretch and Cordura®, the trousers will withstand heavy-duty use.



Tick and snow protection.

Closes tightly with elastic and adjustable buttons around the ankle. Prevents snow and ticks from entering the trousers.



Well ventilated.

Openings at the yoke and the lower back provide good ventilation. Zippers in the armpits and at the back of the legs let you adjust the airflow to your liking.



Keep your trousers in place.

Attach the boot hook on the inside of the cuff to your laces, to keep them tightly secured.



HUSQVARNA ACTIVE CLEANING KEEP YOUR GEAR IN GOOD CONDITION

Protective clothing must be washed regularly to retain its effectiveness. Husqvarna Active Cleaning is phosphate free and biodegradable, and has been classified as environmentally compatible. Also effective for cleaning saw chains, garden machines, air filters, etc.

583 87 69-01

CLOTHING FOR ARBORISTS

TAILORED FOR HIGH-LEVEL TREE CARE AND PRUNING

As professional arborist, you have very special demands when it comes to protective clothing in terms of safety, mobility and comfort. When designing and manufacturing Husqvarna's arborist clothing, we choose the best items in our Technical and Technical Extreme collections and re-design them to create the ultimate gear for arborists.

PROTECTIVE TROUSERS, TECHNICAL EXTREME ARBOR MADE FOR ARBORISTS DESIGNED FOR CLIMBING

Designed for the challenges of climbing and working in trees, the Technical Extreme Arbor trouser offers a combination of safety, agility and function. With strong and light Dyneema®, Cordura® and Kevlar® reinforcements it is made to withstand wear in areas most needed. The design combines the key features of the Technical Extreme range with features adapted to the needs of arborists to fit with climbing gear. Size S-XL.

595 21 77-xx



NEW

ARBORIST HELMET, SPIRE VENT KEEP YOUR HEAD COOL AND PROTECTED

Lightweight, comfortable helmet with high-viz details for professional arborists. Optimized ventilation thanks to the many air intakes and the air space inside the helmet. Features comfortable padding from quick-dry fabric that's easily removed for cleaning. Can be fitted with hearing protection – passive or with X-COM R – with an adapter. Approved according to EN 12492.

597 68 18-01

Can be equipped with three types of polycarbonate impact-resistant visors to suit your preference: clear, mirror or smoke.

Clear, 598 86 23-01

Smoke, 598 86 23-02

Mirror, 598 86 23-03



Well ventilated.

Ventilated for optimal breathability and comfort during demanding work and warm conditions.



Extended leg.

An extra three centimetres has been added to make sure the trouser stays over the boot when climbing, for protection and comfort.



Comfortable chinstrap.

The four-point chinstrap is made from washable eco-leather for maximum comfort and convenient fit.



Hook-and-loop on braces.

The braces are easy to remove and put on, offering a fast and easy switch depending on the work performed.



Durable and lightweight reinforcements.

High tech materials with Dyneema®, Cordura® and Kevlar® for maximum resistance to wear and tear in the areas most needed. Extra reinforced crotch with stretch.



Easy access pockets.

Side pockets with reversed zips for easy access when wearing harness, and double thigh pockets with loops for storage.



**FOREST JACKET,
TECHNICAL ARBOR**

Combines tough fabrics with task-oriented design and saw protection for regular forestry work. Made from two-way stretch polyester with a crafted fit and reinforcement from elbow to wrist, it ensures comfortable movement, tough durability and all-day performance. Fulfils EN381, Class 1. Size S-XL. 594 99 88-xx

TECHNICAL

DRESS UP FOR A PRODUCTIVE WORKDAY

The Husqvarna Technical clothing range is designed and manufactured to perform all day, every day. Task-optimized design meets modern styling, while tough, light stretch fabrics, reinforced panels, pre-bent knees and elbows offer high resistance, durability and performance. You'll look good. And you'll work even better.



FOREST JACKET HIGH VIZ, TECHNICAL

Tough, yet lightweight fabrics and task-oriented design make this jacket ideal for everyday forest work in environments where visibility matters. Conforming to EN ISO20471 Class 3, it's made from lightweight stretch polyester, two-way ways on the front and four-ways on the back, with crafted fit. Size S-XXL.

596 30 37-xx



WORK T-SHIRT HIGH-VIZ, TECHNICAL

T-shirt with zipper front, extended back, easy access front pocket and reflective tape. This high-visibility t-shirt is tested and approved according to EN ISO 20471 Class 2 and draws moisture from the body, keeping you cool and dry. Available with long or short sleeves. Size S-XXXL.

Short sleeve, 596 30 39-xx
Long sleeve, 596 30 38-xx



CLASS 1

PROTECTIVE TROUSERS HIGH VIZ, TECHNICAL

For work where you need more visibility, such as along roads. 4-way stretch where needed allows you to move freely, safely and comfortably. The pre-bent legs offer maximum mobility, the reflective straps add high visibility and increased safety, whereas the reinforced knees and legs provide durability during tough use. Fulfills EN 381 Class 1 (20 m/s) and EN ISO 20471 class 2. Size S-XXL.

595 08 72-xx



CLASS 1

PROTECTIVE TROUSERS, TECHNICAL C

Crafted for forestry workers who spend all day in the forest. Modern, task-oriented design and all-round saw protection keep you safe, comfortable and productive. Lightweight, four-way stretch fabrics and a range of smart design features including pre-bent knees help you stay comfortable and get more from every shift. Fulfills EN 381 Class 1 (20 m/s), design C. Size S-XXL.

595 00 07-xx



FOREST JACKET VENT, TECHNICAL

Designed for regular forest work in warmer conditions. Since it's made from 100% micro polyester on the front, shoulders and sleeves, and 100% knitted polyester under the sleeves and on the back, it offers extra ventilation to keep you cool and dry. Size S-XXL.

582 33 43-xx



WORK T-SHIRT, TECHNICAL

Light and cool t-shirt made from recycled polyester. With zipper front, extended back and easy access zippered front pocket. The t-shirt is ideal for use in warmer weather. The material transports moisture away from the body and dries quickly. Available with long or short sleeves. Size S-XXXL.

Short sleeve, 597 66 11-xx
Long sleeve, 597 66 12-xx

FUNCTIONAL

Whole range at husqvarna.com



CLASS 1

PROTECTIVE TROUSERS, FUNCTIONAL

Designed to be easy to wear for light forestry work. Made from high-quality, durable materials including Cordura® reinforcement. High-quality fastenings provide good fit, while ventilation zippers, ruler pocket, reflective tape and reinforced knees and ankles ensure safety, productivity and comfort. Fulfills EN 381 Class 1 (20 m/s). Size 46-62.

595 00 08-xx

CLASSIC

Whole range at husqvarna.com



CLASS 1

PROTECTIVE TROUSERS, CLASSIC

Reliable protection for occasional chainsaw users. Made from tough polyester/cotton twill. The saw protection pad is reinforced on the lower inside to withstand wear and tear from boots. Fulfills EN 381 Class 1 (20 m/s). Size 44-64.

595 00 14-xx

Also available with -5 cm legs (44-64)



FOREST JACKET, TECHNICAL
STRETCH FABRIC FOR FREEDOM OF MOVEMENT

Made with tough, yet lightweight fabrics and task-oriented design, ideal for everyday forestry work. Four-way stretch polyester with a crafted fit ensures comfortable movement and reduced effort. Ventilation openings at the yoke and at the lower back for comfort and performance. Size S-XXL
 582 33 21-xx



CLASS 1

PROTECTIVE TROUSERS, TECHNICAL
REINFORCED WHERE YOU NEED IT

Designed for all-day, everyday forest work. Tough construction includes aramid and Cordura® reinforcement. Lightweight stretch fabrics and tight fit keep users comfortable, while pre-bent knees plus ventilated pockets and zippers help make every shift truly productive. Fulfills EN 381 Class 1 (20 m/s). Size S-XXL

Waist, 594 99 90-xx
 Also available with +7 cm legs (S-XL)
 Also available with -5 cm legs (S-XXL)
 Carpenter, 596 30 44-xx
 Also available with -7 cm legs (S-XL)



Pre-bent knees.

The knees are pre-bent and have been tailored to offer maximum mobility without compromising safety.



Well ventilated.

Openings at the yoke and at the lower back make for good ventilation. Zippers in the armpits and at the back of the legs let you adjust the airflow to your liking.



Adjust for perfect fit.

The clothes come with elastic drawstrings at the waist and at the lower bottom of the jacket, allowing you to adjust your gear for perfect fit.



Easy-access pockets.

The jacket has two pockets on the chest and a dedicated first-aid pocket. The trousers feature two front pockets, two back pockets, a leg pocket and a ruler pocket.

TECHNICAL FOR BRUSHCUTTING

COMFORTABLE PROTECTION AGAINST TWIGS AND BRANCHES

Wearing a harness while working long hours with a brushcutter or trimmer puts specific demands on the clothes to be comfortable and functional. Practical details in the right places, like padding and zip pockets, are as important as comfortable lining and seams, zippers for ventilation and durable protection against gravel.



NEW

BRUSHCUTTING AND TRIMMER JACKET, TECHNICAL

FOR A COMFORTABLE DAY IN YOUR HARNESS

Jacket especially designed for working long hours with a harness. Place for extra padding to relieve the shoulders. Pockets are easy to reach while wearing a harness. Ventilation zipper on front, under the arms and a yoke in the back keep the temperature at a comfortable level. A new arm construction and ergonomically pre-bent arms gives you high mobility together with the 4-way stretch fabric on the back. Size S-XXL.

597 66 02-xx

BRUSHCUTTING AND TRIMMER TROUSERS, TECHNICAL

REINFORCED FOR EXTRA PROTECTION

Trousers specifically designed for working long hours with a brushcutter or trimmer. Place for extra padding to relieve the hip. Water repellent material on front and side of the legs with extra padding against gravel. Surface treated fabric to simplify brushing off wet grass. Reinforcement on exposed areas increase durability and lifespan. Ventilation zippers on back of the legs keep the temperature on a comfortable level. Ergonomically pre-bent knees.

Size 46 - 60.

597 66 06-xx



NEW



High mobility

Special-tailored arm design, ergonomically pre-bent arms and knees and 4-way stretch on the back gives high mobility.



Reinforcement fabric.

The material at the knee area and end of leg is water-repellent and reinforced for increased durability and protection.



Ventilation openings.

Ventilation zipper on front, under the arms and on the back of legs. Chest and back pockets with mesh and an open yoke on the back of jacket gives good temperature regulation.



Pockets for extra padding.

Pockets designed for putting padding in to protect and to make the load easier on your shoulders and hip during trimming.



**BRUSHCUTTING AND TRIMMER
JACKET HIGH-VIZ, TECHNICAL**
STAY VISIBLE, STAY SAFE
– ALL DAY LONG

Jacket especially designed for working long hours with a harness. High visibility approved according to EN ISO 20471 Class 3. Place for extra padding to relieve the shoulders. Pockets are easy to reach while wearing a harness. Ventilation zippers under the arms and ventilation yoke in the back keep the temperature at a comfortable level. A new arm construction and ergonomically pre-bent arms gives you high movability together with the 4-way stretch fabric on the back. Size S–XXL.
597 24 59-xx



**BRUSHCUTTING AND TRIMMER
TROUSERS HIGH-VIZ, TECHNICAL**
**DURABLE TROUSERS THAT
EVERYONE WILL NOTICE**

Trousers especially designed for working long hours with brushcutter or trimmer. High visibility approved according to EN ISO 20471 Class 2. Place for extra padding to relieve the hip. Water repellent material in front and side of the legs with extra padding against gravel. Surface treated fabric to simplify brushing off wet grass. Reinforcements on exposed areas increase durability and lifespan. Ventilation zippers on back of the legs keep the temperature on a comfortable level. Ergonomically pre-bent knees. Size 46–60.
597 24 62-xx



High visibility.

Fulfilment of the highest classification in the high visibility standard applicable. Jacket approved according to EN ISO 20471 Class 3. Trousers approved according to EN ISO 20471 Class 2.



Pockets for extra padding.

Pockets designed for putting padding in to protect and to make the load easier on your shoulders and hip during trimming.



High mobility.

Special-tailored arm design, ergonomically pre-bent arms and knees and 4-way stretch on the back gives high mobility.



Tick and snow protection.

Closes tightly with elastic and adjustable buttons around the ankle on the trousers. Prevents snow and ticks from entering the trousers.

TECHNICAL RAINWEAR

KEEPING YOU DRY AND COMFORTABLE

Husqvarna's Technical rainwear range offers garments that are water-repellent yet breathable thanks to their technology with laminate and taped seams. The laminate helps to keep the rain out but still allows perspiration to go through your garment. They are easy to take on and off, provide visibility and will help to keep you warm during hard working days in the rain.

NEW

RAIN JACKET VENT HIGH-VIZ, TECHNICAL

A high-quality rain jacket with extra reinforcement on exposed areas. The jacket is water-repellent yet breathable thanks to its technology with laminate and taped seams. Made from durable polyester fabric with mechanical stretch. The jacket is adjustable in the waist and has a detachable hood with press buttons. The pockets feature waterproof zippers for safe storage of belongings. Approved according to EN ISO 20471 Class 3 and EN 343. Size XS-XXL.

597 66 26-xx



NEW

RAIN TROUSERS VENT, TECHNICAL

High-quality rain trousers made from durable laminated polyester fabric with mechanical stretch that, together with taped seams, results in a water-repellent yet breathable garment. Reinforcement fabric over the areas from above the knee and lower inside leg. Features such as long side zippers to simplify taking on and off your trousers when needed. Waist adjustment and hooks for laces helps to keep the trousers in place. Approved according to EN343. Size XS-XXL.

597 66 27-xx




Always visible.

Fulfillment of the highest classification in the high visibility standard applicable. Jacket approved according to EN ISO 20471 Class 3.



Excellent breathability.

Laminate in combination with ventilation zippers and features like the open yoke at back of the jacket as well as mesh openings at the back of the trousers help you stay dry and cool.



FUNCTIONAL RAINWEAR

NEVER MIND THE WEATHER

The Functional rainwear range are waterproof by an durable outside coating on the fabric. This makes the garments 100% waterproof and windproof but with less breathability. The design is therefore optimized to get in as much airflow as possible. The models are made specifically for logging and are easy to take on and off when needed during your working day in the cold rain.



NEW

RAIN JACKET PROTECT HIGH-VIZ, FUNCTIONAL

Rain jacket made from polyester knitting with a durable one-sided PU coating with welded seams – a strong yet light and noiseless fabric. The design enable airflow within the jacket for long working hours in the rain. Inside chest pocket and hidden pockets on the front made to prevent water to enter, keeps your belongings safe. Approved according to EN ISO 20471 Class 3 and EN 343. Sizes: XS–XL. 597 66 28-xx



NEW

RAIN TROUSERS PROTECT HIGH-VIZ, FUNCTIONAL

Rain trousers made from a polyester knitting with a durable one-sided PU coating with welded seams – a strong yet light and noiseless fabric. Zippers at the sides of leg and openings at front for easy access. Waist adjustment with elastic and a drawstring and ventilation openings on the back. Approved according to EN ISO 20471 Class 2 and EN 343. Size XS–XL. 597 66 29-xx



NEW

RAIN BACK PROTECTOR PROTECT, FUNCTIONAL

Back protector made from a polyester knitting with a durable one-sided PU coating with welded seams – a strong yet light and noiseless fabric. Designed for working positions while operating with a chainsaw. Extra-long back with a rain lip to help the rain drain at the sides when working in a bent position in the rain. An adjustable snap closure front to adjust the width if needed. Approved according to EN 343. One size. 597 66 32–10



NEW

RAIN CHAPS PROTECT HIGH-VIZ, FUNCTIONAL

Rain chaps made from a polyester knitting with a durable one-sided PU coating with welded seams – a strong yet light and noiseless fabric. Designed to be attached to a belt or toolbelt. Approved according to EN ISO 20471 Class 1 and EN 343. One size. 597 66 33–10



Always visible.

The jacket, trousers and chaps are tested and approved according to the EN ISO 20471 standard for high visibility.



Easy wear, easy removal.

Thanks to the smart side zipper, the trouser are easy to take off once the weather's shaped up, with minimal disruption to your work.

WORKWEAR



ONE-LAYER UNDERWEAR

Made of 100% polyester interlock-knitted fabric and consists of both spun and textured polyester. This quality helps the fabric move moisture away from the skin to the next layer of clothing and provides for good ventilation, making your work comfortable every day. Sizes 46–58.

Undershirt, 544 96 41-xx
Underwear, 544 96 42-xx



HUSQVARNA BRACES

Extra wide braces with adjustable length. Leather straps, 505 61 85–10
Strong metal clips, 505 61 85–00



THESE BOOTS ARE MADE FOR WORKING

For high-quality work, you need high-quality work wear. And of course, that means tried and tested premium footwear and gloves. Husqvarna's range of boots and gloves have been designed and developed to provide everything you need when it comes to protection, warmth and functionality to get the job done safely and efficiently.



LEATHER BOOTS, TECHNICAL WITH SAW PROTECTION

NEW



TOUGH BOOTS FOR TOUGH WORK

Highly comfortable and low-weight protective boot for use in all weather conditions. Well-designed heel construction, higher, stable upper part with soft inside for comfort. The Vibram® sole offers excellent grip in cold, wet and slippery conditions and the shock absorbing middle sole makes the boots gentle to the feet during long working days. The boots are made from leather with a Sympatex® membrane, a water repellent and breathable, high-quality material. With extra padding around the ankle, heel and top, plus a steel top cap and removable and washable foot bed. The lower part of the boot is reinforced with rubber for extra protection. Pull strap on tongue and back and locking hooks/roller hooks for easy adjustment and handling of the shoes. Fulfills EN 17249: 2013 Level 2 (24 m/s). Sizes 36-48. 597 65 92-xx



Keep your grip.

Stable Vibram® sole with optimized grip prevents slipping in cold and wet conditions. Shock absorbing middle sole makes the boot more gentle to the feet during long working days.



Designed for work.

Soft heel and inside for comfort during long working days.



Dry and comfortable.

Water repellent Sympatex® membrane with perfect breathability keeps the feet dry.



360 degrees rubber reinforcement.

Rubber reinforcement all around the foot to better withstand wear and tear during long working days.



Easy adjustment.

Locking hooks and roller hooks – for easy adjustment of laces.



NEW

LEATHER BOOTS, FUNCTIONAL WITH SAW PROTECTION

Water repellent, lightweight leather boots with good stability, suitable for heavy use. Reinforced front and back for increased support and padded front tongue and upper for comfort. Durable Perwanger® leather and TE-POR® membrane keeps the feet dry and the Vibram® sole provides a good grip even during cold, wet and slippery conditions. Fitted with roller hooks for easy adjustment of the laces and toe protection overlap for increased safety. Fulfills EN ISO 17249:2013 level 2 (24 m/s). Sizes 38-47. 597 65 93-xx



Water resistant material.

The TE-POR® membrane ensures the boots are both comfortable and water-repellent, keeping your feet dry in all weathers.



Front reinforced.

Reinforcement on the front makes the boot withstand wear and tear and offer a prolonged lifetime.

RUBBER BOOTS, FUNCTIONAL WITH SAW PROTECTION

Handmade boot with approved saw protection. Extra reinforced upper part with toe-cap and reinforcement around the sole. The heel cap makes it easier to put on and take off the boot. Cotton lining. Sole can be fitted with studs. EN 17249:2013 Level 2 (24 m/s), Sizes 37-47, 595 00 24-xx
EN 17249:2013 Level 3 (28 m/s), Sizes 37-50, 595 00 28-xx



NEW

LEATHER BOOTS, TECHNICAL LIGHT WITH PROTECTION

This protective boot is suitable for park and garden work and in all weather conditions. Made from high-quality leather with water repellent Sympatex® membrane, polyester lining and steel toe protection making the boot comfortable all day long. Front and back part reinforced with rubber. Fitted with convenient roller hooks for easy adjustment of laces. Pull strap on the back makes the boot easy to put on. Fulfills EN ISO 20345 S3 - SRC + HRO. Sizes 36-47. 597 65 95-xx



LEATHER BALM

Keeps the leather soft and comfortable while providing a water- and dirt repellent surface. Recommended for leather gloves and leather boots. Contains wool fat, beeswax, Vaseline and mink oil. 200 ml. 590 65 22-01



Sympatex® membrane.

High-quality leather with water repellent Sympatex® membrane makes the boot breathable and 100% waterproof.



Front and heel part reinforcement.

Reinforcement on both front and heel part makes the boot withstand wear and tear and offers a prolonged lifetime.



GLOVES, TECHNICAL WITH SAW PROTECTION

Short and tight fitting for higher mobility. Goat crust leather palm with interlock jersey and grey foam. Laminated spandex fabric on back. Fulfills EN 381-7:1999 Class 1 (20 m/s) and EN 388:2016. Sizes 8, 9, 10. 595 00 34-xx



GLOVES, TECHNICAL

Short and tight fitting for higher mobility. Goat crust leather palm with interlock jersey and grey foam. Laminated spandex fabric on back. Fulfills EN 388:2016. Sizes 9, 10, 12. 596 30 67-xx



GLOVES, TECHNICAL LIGHT

Tight and comfortable made in reverse goat leather with ultra-soft brushed suede. Laminated spandex fabric back with reflective piping. Fulfills EN 388:2016. Sizes 8, 9, 10. 596 30 92-xx



GLOVES, FUNCTIONAL WITH SAW PROTECTION

Comfortable gloves with a crust goat leather, double palm with foam-laminated spandex on the back and with nylon neoprene knuckles. Fulfills EN 381-7:1999 Class 0 (16 m/s) and EN 388:2016. Sizes 7, 8, 9, 10, 12. 595 00 39-xx



GLOVES, FUNCTIONAL

Comfortable gloves for long use. Made with a crust goat leather, double palm with foam-laminated spandex on the back and with nylon neoprene knuckles. Fulfills EN 388:2016. Sizes 7, 8, 9, 10, 12. 596 30 94-xx
Functional winter, 596 30 93-xx



GLOVES, CLASSIC LIGHT

Slim fitting, comfortable gloves. Goat crust leather palm with jersey fabric on the back. Suitable for many different types of jobs. Fulfills EN 388:2016. Sizes 6, 7, 8, 9, 10. 596 31 06-xx



SAFETY GEAR THAT DOESN'T RESTRICT YOU

EXPLORE THE FEATURES OF THE NEW ARBORIST HELMET ON PAGE 154

The protection of the most vulnerable parts of your body has been subjected to extensive research and technological product development at Husqvarna. Following our close, long-lasting cooperation with professional users, we offer an excellent combination of ergonomically designed equipment to protect you.

FOREST HELMET, TECHNICAL LIGHTWEIGHT WITH GREAT VISIBILITY

A robust, yet lightweight helmet with an ergonomic design – packed with smart solutions that lessen the weight, enable a more personal fit and ensure a better head temperature even during long shifts. It also offers an improved field of vision and a headlamp slot.

Flourescent orange, 585 05 84-01
Flourescent orange, with X-COM R, 595 08 43-01



FREE VIEW VISOR V300

Etched visor for forest helmet Technical, with low light reduction and design that encloses the face for extended protection from all directions.
586 40 96-01



FREE VIEW VISOR V310

Etched visor for forest helmet Technical, with low light reduction and design that encloses the face for extended protection from all directions. Visor with denser, more robust mesh. Protects from finer saw dust.
597 68 17-01



Cool and comfortable.

The ventilation system keeps your head cool and comfortable, even during hard work in hot weather.



Free view visor.

The unique design gives a clear line of sight with the visor in upper position.



Easily adjustable.

The one-hand wheel ratchet allows the user to quickly and easily change the size with one hand.



UV expire indicator.

The protective capability decreases when exposed to sunlight. The indicator shows the condition of the helmet and when it is time to replace it.



HEARING PROTECTION WITH BLUETOOTH®



STAY CONNECTED. STAY SAFE.

The Husqvarna X-COMR with Bluetooth® wireless technology enables you to take and make phone calls, connect to an external intercom radio or listen to the music of your choice, directly in your hearing protection. Large talk button for easy operation and internal FM radio antenna.

- Headband, 595 08 40-01
- Helmet based, 595 08 42-01
- Boom-mic 596 48 95-01



Never miss a call.

Push the large, easily accessible talk-button to answer and speak comfortably into the integrated microphone. Use the external boom mic for louder surroundings. (Sold separately as an accessory.)



Music streaming keypad.

Stream music from your phone – it's simple. Use the control buttons on your X-COMR while your phone stays in your pocket.



HEARING PROTECTION WITH FM RADIO

Hearing protection with FM radio and a specially-designed headband that puts less pressure on your head. The earmuffs are designed to follow the shape of the head, providing a perfect fit. Equipped with 3.5 mm audio input (AUX).

- Headband, 578 27 49-03
- Helmet based, 578 27 49-04



HEARING PROTECTION WITH HEADBAND

Hearing protection where you can adjust the pressure by 20%. With soft, airy padding in the headband. The hearing protectors are developed for optimal ergonomics.

505 66 53-04



HEARING PROTECTION

Comfortable hearing protectors where you can adjust the pressure by 20%. Ideal for grass clearing and trimming. Features a cover between the visor and headband, protecting your head from grass and rain. Always use mesh visor in combination with protective glasses. Can also be fitted with a sun peak.

- With perspex visor, 505 66 53-48
- With mesh visor, 598 75 01-01



HYGIENE KIT

Complete replacement kit for hearing protection units. Includes absorbent and ear pad cushions.

- 505 66 53-26, for passive hearing protection HP200-1 and HP200-2
- 578 40 23-01, for hearing protection with FM radio
- 596 48 94-01, for hearing protection X-COMR



PROTECTIVE GLASSES X

Scratch-resistant glasses with frames that can be extended and angled. The yellow-tinted lenses provide improved vision in dark conditions and the grey-tinted lenses, with UV protection, provide improved vision in sunny conditions.

- Clear X, 544 96 37-01
- Sun X, 544 96 37-03
- Yellow X, 544 96 37-02



PROTECTIVE GLASSES

Scratch-resistant glasses with static frames. Available with clear lenses and grey-tinted lenses with UV protection.

- Clear, 544 96 38-01
- Sun, 544 96 38-02

CHANGE CLOTHES. NOT WHO YOU ARE.

Show who you are, even if you're not doing any tough work at the moment. The Husqvarna Xplorer series is designed with that in mind. These leisurewear clothes and accessories will help you feel comfortable and express your workday confidence in your free time.



XPLORER ACCESSORIES

BRING YOUR OWN TO THE UNKNOWN

Every task or trek has its own set of essentials – either to increase your own personal comfort. For example we have the Husqvarna Xplorer food cans and thermos mugs made out of crush-proof stainless steel. With double wall copper vacuum insulation they keep your beverage hot for 6 hours and cold for up to 24 hours. Silicon seals keeps the food fresh and the electroplated finish ensures that the cans don't give off or absorb any taste.



FOOD CAN WITH SPOON, INSULATED

Fill up quickly with energy and serve lunch from this handy food can. Equipped with a foldable spoon in the lid. The lid keeps tight without leaking and the wide opening makes it easy to eat, fill up and clean the thermos after use.

0.6 litre, 597 41 78-01



THERMOS BOTTLE, INSULATED

Take your favorite beverage to your best outdoor spot in this insulated, crush-proof stainless steel thermos.

0.75 litre, 597 41 79-01



WATER BOTTLE

Make sure you stay properly hydrated – but avoid using unnecessary disposable plastics. This stainless steel bottle features a reinforced, tight-fitting cap with a strap to easily attach the bottle to a carabiner or your backpack.

0.5 litre, 597 41 81-01

HUSQVARNA XPLORER

QUALITY CLOTHES FOR QUALITY TIME

Stay comfortable off the job – and be ready for whatever that precious time off can offer. With the Husqvarna Xplorer leisure collection, you'll be prepared for the very best outdoor experience, never compromising on comfort, fit – or style. The clothes and equipment are all made from high-quality materials and adapted to a fulfilling life in the great outdoors.



OUTDOOR TROUSERS

Comfortable and durable trousers for outdoor activity, with 4-way stretch fabric on knees and rear, reinforced fabric in exposed areas and pre-bent knees to add even more comfort and mobility. Waist and length are easily adjustable for superb fit.

Women's, charcoal grey/grape purple, XS-L, 597 43 08-xx

Men's, charcoal grey/forest green, S-XXL, 597 41 85-xx



BACKPACK, 30L

A comfortable, high-quality backpack for all weathers, made from durable TPU/ribstop material that keeps the inside dry and also makes the backpack easy to clean. Large compartments for items such as your laptop, water bottle and thermos, and a roll-up seal that can be closed in two ways to keep water out.

593 25 82-01



TROLLEY BAG, 90L

Trolley bag, holding 90L, perfect for transporting all your necessities. U-shaped zipper on top makes packing and structure easier, while the molded side and bottom make the bag stand upright without support. For extra convenience, organizing bags are included, as well as an ID pocket for easy recognition.

593 25 81-01

FLEECE JACKET

The fleece jacket is a cosy companion in all seasons. On cold, early spring or autumn days it becomes a nice middle layer, or a comfortable outer jacket. The jacket comes in both men's and women's sizes so you can find your optimal fit.

Womens, steel grey, XS-L, 593 25 22-xx

Mens, granite grey, S-XXL, 593 25 23-xx

T-SHIRT FOREST CAMO

The short sleeve t-shirt comes in unisex sizes, and in our grey coloured print, forest camo. The t-shirt is ideal to wear underneath a sweater for more warmth, or on its own in warmer temperatures. Sizes XS-XXL.

593 25 24-XX



BEANIE PIONEER SAW

The beanie comes in black with a blow out print of our pioneer saw in the front. It is made from breathable Coolmax air material.
593 25 37-01

NECK TUBE

The neck tube is specifically developed for that extra warmth and to stop wind from cooling you down during easier tasks in the forest, or for windy and colder days. The neck tube is available in orange with our bark camo print with the Husqvarna logo.
593 25 76-01

SHELL JACKET

A breathable and water resistant shell jacket waterproofing 10 000 mm water columns, with flexible 4-way stretch material, gives you the best possible comfort. Equipped with taped seams and smart features such as padded mobile pocket, hidden ventilation under sleeves for adjustable airflow, as well as hook-and-loop flap closure on the sleeves.
Women, grape purple, XS-L, 593 25 04-xx
Men, forest green, S-XXL, 593 25 05-xx

DUFFEL BAG, 70L

A durable 70L duffel bag made of tough materials with smart features for all purposes. The outer material – tarpaulin – keeps your contents dry and is easy to clean. The inside pocket in mesh makes organizing easier, and for extra convenience shoulder straps and two organizing bags are included.
593 25 83-01



FLEECE VEST

Have your arms free and still keep warm. The fleece vest is ideal for many outdoor activities such as cutting firewood or working in the garden. The knitted fleece material is comfortable and soft, and the vest comes in both men's and women's sizes for an optimal fit.
Womens, steel grey, XS-L, 593 25 43-xx
Mens, granite grey, S-XXL, 593 25 44-xx



CAPS

Sunny days or not, the Husqvarna cap has always been a favourite. This collection offers three cap styles: a vintage orange cap with adjustable hook-and-loop with a print of our pioneer saw, a granite grey cap with adjustable leather band, and a vintage dark green cap with adjustable leather band with a print of our forest green bark camo pattern with a bleeding orange visor. For all caps, you can simply adjust the band in the back, to make it fit perfectly on your head.
Pioneer saw, orange, 593 25 39-01
Granite Leather patch, granite grey, 593 25 40-01
Bark camo, forest green, 594 72 97-01

WINTER BEANIE

When those colder days need extra warmth, the beanie brings your cosiness and comfort. Made in Sweden, of traceable Merino wool. Granite grey.
593 25 38-01



T-SHIRT BARK CAMO

The long sleeve t-shirt is a perfect choice for when the weather is not to be reckoned with, and layering is key. The t-shirt comes in unisex sizes and is made in a dark green colour with our Husqvarna crown logo in the bark camo pattern. Great for every day tasks. Sizes XS-XXL.
593 25 31-xx



HOODIE

With ideal comfort and perfect for an extra layer or as a jacket on its own, the hoodie makes a great outdoor companion. With unisex sizes, the hoodie is suitable for both men and women. It is made out of comfortable materials, and comes in the colour Lichen green for you to feel like one with nature.
597 93 12-xx



HUSQVARNA CARE™ PRO

BEYOND EASY PARTNERSHIP

Buying a Husqvarna product means buying into a complete support system of quality and reliability. One essential part of the experience is being able to feel confident that your products always receive the best possible care, and that the correct spare parts and right components are used.

Through Husqvarna Care™ PRO we offer a wide number of service deals and beneficial financing and leasing options. Through our dedicated dealer network, you'll also have access to expert know-how and servicing options as well as a system of overnight delivery of Husqvarna Genuine parts when time is of the essence.

Husqvarna Care™ PRO has been developed to provide you and your business with the uptime and cost efficiency necessary for a truly successful operation. We care. So that you don't have to.

EXTENDED WARRANTY

ADDITIONAL PEACE OF MIND

Reliable tools may still need reliable warranty options. Our Automower® robotic mowers come with a standard one-year warranty period, but you can easily extend it with an additional period of two years. For all our chainsaws, the extended warranty offer means that you have the option to extend the one-year warranty period with an additional year.

- Extended warranty for Automower® – two additional years
- Extended warranty for chainsaws – one additional year

HUSQVARNA DEALERS


KNOWLEDGE AND EXPERTISE

Husqvarna has a worldwide dealer network and your local Husqvarna dealer is always ready to assist you with professional products for your specific application needs as well as maintenance advice and service assistance. If you haven't already located your Husqvarna dealer, simply use the dealer locator at www.husqvarna.com

HUSQVARNA GENUINE PARTS

ORIGINAL PARTS FOR GENUINE PERFORMANCE

Husqvarna Genuine Parts make sure your Husqvarna product can maintain performance at its peak potential, over time. They are tailor-made to fulfil the same requirements as the factory-fitted parts in the original product. Regular maintenance and service, using Husqvarna Genuine Parts perfectly matched to the product, is the best way to ensure continuous uptime, a long service life, as well as a safe and smooth Husqvarna experience.






CARE

For more information on how
Husqvarna Care™ PRO applies to
your specific market, please visit
www.husqvarna.com



**3-MONTH
FREE TRIAL***

No subscription
fee on sensors within
trial period.



- Monitor and control your robotic mowers
- Full control of inventory
- Location of all equipment
- Updated statistics of usage
- Basis for service/replacement
- Open platform: Connect all your machines



* Read more on husqvarna.com/fleetservices for terms and conditions.

Copyright © 2021 Husqvarna AB (publ). All rights reserved.
Husqvarna and other product and feature marks are trademarks
of Husqvarna Group or its licensors.

www.husqvarna.com


Husqvarna®